acc. to OSHA and ANSI

Printing date 06/30/2008

Reviewed on 06/12/2008

1 Identification of substance:

Product details:

Product name: Sulfuric acid, 92% minimum assay

Stock number: 11000

Manufacturer/Supplier:

Alfa Aesar, A Johnson Matthey Company Johnson Matthey Catalog Company, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Emergency Phone: (978) 521-6300 CHEMTREC: (800) 424-9300 Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency information:

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:

Chemical characterization: Description: (CAS#) Sulfuric acid (CAS# 7664-93-9), 92-97% Water (CAS# 7732-18-5), 3-8% Identification number(s): EINECS Number: 231-639-5 EU Number: 016-020-00-8

3 Hazards identification

Hazard description:

C Corrosive

Information pertaining to particular dangers for man and environment R 35 Causes severe burns.

Classification system HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 0
Reactivity = 2

4 First aid measures

General information Immediately remove any clothing soiled by the product. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 2)

USA ·

acc. to OSHA and ANSI

Printing date 06/30/2008

Reviewed on 06/12/2008

(Contd. of page 1)

Product name: Sulfuric acid, 92% minimum assay

Seek immediate medical advice. If possible, because of the high heat of dilution, quickly wipe residual acid off the skin before starting water wash. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek immediate medical advice.

5 Fire fighting measures

Suitable extinguishing agents
Product is not flammable. Use fire fighting measures that suit the
surrounding fire.
For safety reasons unsuitable extinguishing agents Water
Special hazards caused by the material, its products of combustion or
resulting gases:
Exothermic reaction with water
In case of fire, the following can be released:
Sulfur dioxide (SO2)
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Person-related safety precautions: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Measures for environmental protection: Do not allow material to be released to the environment without proper governmental permits. Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Additional information: See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling

Information for safe handling: Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No special measures required.

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 3)

USA

Page 3/7

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/30/2008

Reviewed on 06/12/2008

Product name: Sulfuric acid, 92% minimum assay (Contd. of page 2) Information about storage in one common storage facility: Do not store together with alkalies (caustic solutions). Store away from oxidizing agents. Store away from reducing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. 8 Exposure controls and personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Components with limit values that require monitoring at the workplace: Sulfuric acid mg/m3 ACGIH TLV 0.2 (thoracic faction) Austria MAK 1 1; 3-STEL Belgium TWA Denmark TWA 1 Finland TWA 1; 3-STEL France VME 1; 3-VLE Germany MAK 0.1; 0.2-CEILING (inhalable fraction) 1-STELHungary Japan OEL 1 Korea TLV 0.2 (thoracic faction) Netherlands MAC-TGG 1 Norway TWA 1 Poland TWA 1; 3-STEL Russia 1-STEL (skin) Sweden NGV 1; 3-TKV Switzerland MAK-W 1; 2-KZG-W 1 United Kingdom TWA USA PEL 1 Additional information: No data Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Eye protection: Safety glasses Tightly sealed goggles Full face protection Body protection: Protective work clothing. USA

(Contd. on page 4)

acc. to OSHA and ANSI

Printing date 06/30/2008

Reviewed on 06/12/2008

(Contd. of page 3)

Product name: Sulfuric acid, 92% minimum assay

9 Physical and chemical properties: General Information Form: Liquid Color: Clear Odor: *Odorless* Change in condition Melting point/Melting range: Not determined Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flash point: Not determined Not determined Ignition temperature: Decomposition temperature: Not determined Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure: Not determined Density: Not determined Solubility in / Miscibility with Water: Exothermic reaction with water

10 Stability and reactivity

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Materials to be avoided: Bases Oxidizing agents Reducing agents Organic materials Metal powders Sulfides Cyanides Dangerous reactions Exothermic reaction with water Dangerous products of decomposition: Sulfur dioxide Heat

(Contd. on page 5)

USA

acc. to OSHA and ANSI

Printing date 06/30/2008

Reviewed on 06/12/2008

Product name: Sulfuric acid, 92% minimum assay

(Contd. of page 4)

11 Toxicological information

Acute toxicity: LD/LC50 values that are relevant for classification: Sulfuric acid (CAS# 7664-93-9)

ORAL: LD50: 2140 MG/KG (RAT) INHALATIVE: LC50/2H: 320 MG/M3/2H (MUS) INHALATIVE: LC50/2H: 510 MG/M3/2H (RAT) INHALATIVE: LC50: 18 MG/M3 (GPG) IRRITATION OF EYES: SEVERE: 250 µG (RBT) IRRITATION OF EYES: SEVERE: 20 MG/30S (RBT) **Primary irritant effect:**

on the skin:

Strong corrosive effect on skin and mucous membranes. Irritant to skin and mucous membranes.

on the eye:

Strong corrosive effect. Irritating effect.

Sensitization: No sensitizing effects known.

Subacute to chronic toxicity:

Sulfuric acid is a very corrosive, extremely irritating acid which causes burns and rapid distruction of tissue on contact. Contact with the eyes may cause blindness and inhalation of fumes may cause respiratory tract damage. Very high heat of dilution may add thermal damage to the acid burns. Dilute solutions have a reduced effect and very dilute solutions have almost no corrosive or irritating effects.

Subacute to chronic toxicity:

Corrosive materials are acutely destructive to the respiratory tract, eyes, skin and digestive tract. Eye contact may result in permanent damage and complete vision loss. Inhalation may result in respiratory effects such as inflammation, edema, and chemical pneumonitis. May cause coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting. Ingestion may cause damage to the mouth, throat and esophagus. May cause skin burns or irritation depending on the severity of the

exposure.

Additional toxicological information:

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. No classification data on carcinogenic properties of this material is

available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Do not allow material to be released to the environment without proper governmental permits.

(Contd. on page 6)

USA

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/30/2008

Reviewed on 06/12/2008

Product name: Sulfuric acid, 92% minimum assay

(Contd. of page 5)

Product: Recommendation		
	tional regulations to ensure proper disposal	
Uncleaned packagings:		
Recommendation: Disposal m	ust be made according to official regulation t: Water, if necessary with cleansing agents	
Transport information		
DOT regulations:		
July 200		
2		
Hazard class: Identification number:	8 UN1820	
	UN1830	
Packing group: Hazardous substance:	II 1000 lbg 454 kg	
Proper shipping name (tech	1000 lbs, 454 kg	
name):	SULPHURIC ACID	
Label	8	
ADR/RID class:	8 (C1) Corrosive substances	
Danger code (Kemler):	80	
UN-Number: Packaging group:	1830 II	
Description of goods:	11 1830 SULPHURIC ACID	
Maritime transport IMDG:		
IMDG Class:	8	
UN Number:	1830	
Label	8	
Packaging group:	II	
Proper shipping name:	SULPHURIC ACID	
Air transport ICAO-TI and	IATA-DGR:	
and the second s		
ICAO/IATA Class:	8	

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 06/30/2008

Reviewed on 06/12/2008

Product name: Sulfuric acid, 92% minimum assay

		(Contd. of page 6)
Label	8	
Packaging group:	II	
Proper shipping name:	SULPHURIC ACID	

15 Regulations

Product related hazard informations:

Hazard symbols: C Corrosive

Risk phrases:

35 Causes severe burns.

Safety phrases:

- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 30 Never add water to this product.
- 45 In case of accident or if you feel unwell, seek medical advice immediately.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

Information about limitation of use:

For use only by technically qualified individuals. This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department. **Contact:** Paul V. Connolly