

SAFETY DATA SHEET

Creation Date 08-Dec-2009 Revision Date 17-Jan-2018 Revision Number 6

1. Identification

Product Name Stannous Chloride Dihydrate

Cat No.: T142-3; T142-100; T142-500; T142-500LC;

CAS-No 10025-69-1

Synonyms Stannous chloride dihydrate

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals
Category 1
Acute Inhalation Toxicity - Dusts and Mists
Category 4
Skin Corrosion/irritation
Category 1
Serious Eye Damage/Eye Irritation
Skin Sensitization
Category 1
Specific target organ toxicity (single exposure)
Category 3

Target Organs - Respiratory system.

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Kidney, spleen, Blood.

Label Elements

Signal Word

Danger

Hazard Statements

May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation May cause an allergic skin reaction Harmful if inhaled

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing should not be allowed out of the workplace

Keep only in original container

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Spills

Absorb spillage to prevent material damage

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS-No	Weight %	
Stannous chloride dihydrate	10025-69-1	>95	
Stannous chloride	7772-99-8	-	

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

Move to fresh air. If not breathing, give artificial respiration. Call a physician or Poison Inhalation

> Control Center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with

a one-way valve or other proper respiratory medical device.

Immediate medical attention is required. Do not induce vomiting. Drink plenty of water. Ingestion

Never give anything by mouth to an unconscious person.

Most important symptoms and

effects

Causes burns by all exposure routes. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe

damage to the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media CO₂, dry chemical, dry sand, alcohol-resistant foam.

No information available **Unsuitable Extinguishing Media**

Flash Point No information available No information available Method -

Autoignition Temperature

Explosion Limits

No data available Upper No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Hydrogen chloride gas Thermal decomposition can lead to release of irritating gases and vapors

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	1	N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment. Evacuate personnel to safe areas. Avoid contact with

skin, eyes and clothing.

Should not be released into the environment. Do not allow material to contaminate ground **Environmental Precautions**

water system. Do not flush into surface water or sanitary sewer system.

Up

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

7. Handling and storage

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only Handling

under a chemical fume hood. Do not breathe dust. Do not ingest.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in metal containers. Corrosives area. Store under an inert atmosphere.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Stannous chloride dihydrate	TWA: 2 mg/m ³	(Vacated) TWA: 2 mg/m ³	IDLH: 100 mg/m ³	TWA: 2 mg/m ³
			TWA: 2 mg/m ³	STEL: 4 mg/m ³
Stannous chloride	TWA: 2 mg/m ³	(Vacated) TWA: 2 mg/m ³	IDLH: 100 mg/m ³	TWA: 2 mg/m ³
	_		TWA: 2 mg/m ³	STEL: 4 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye/face Protection**

OSHA's eve and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Tightly fitting safety goggles. Face-shield.

Long sleeved clothing. Skin and body protection

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Solid **Physical State Appearance** Colorless Odor Odorless

No information available **Odor Threshold** No information available рH

Melting Point/Range 37 - 38 °C / 98.6 - 100.4 °F **Boiling Point/Range** 652 °C / 1205.6 °F @ 760 mmHg

Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid, gas) No information available

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** No information available

Vapor Density Not applicable

No information available **Specific Gravity**

Soluble in water Solubility Partition coefficient; n-octanol/water No data available

Autoignition Temperature

No information available **Decomposition Temperature** Viscosity

Not applicable Molecular Formula Cl2 Sn . 2 H2 O

Molecular Weight 225.63

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Strong reducing agent. Fire and explosion risk in contact with oxidizing agents. Moisture

sensitive. Air sensitive.

Conditions to Avoid Avoid dust formation. Incompatible products. Excess heat. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Peroxides, Alkali metals,

Hazardous Decomposition Products Hydrogen chloride gas, Thermal decomposition can lead to release of irritating gases and

vapors

Hazardous Polymerization Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions**

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Stannous chloride	700 mg/kg (Rat)	Not listed	Not listed
Toxicologically Synergistic	No information available		

Toxicologically Synergistic

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritating to eyes, respiratory system and skin Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Stannous chloride dihydrate	10025-69-1	Not listed				
Stannous chloride	7772-99-8	Not listed				

Mutagenic Effects Mutagenic effects have occurred in humans.

No information available. **Reproductive Effects Developmental Effects** No information available. **Teratogenicity** No information available.

STOT - single exposure Respiratory system STOT - repeated exposure Kidney spleen Blood

No information available **Aspiration hazard**

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Stannous chloride	Not listed	Not listed	Not listed	EC50 = 19.5 mg/L/48h

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN3260

Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

Proper technical name Stannous chloride dihydrate

Hazard Class 8
Packing Group III

TDG

UN-No UN3260

Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

Hazard Class 8
Packing Group III

<u>IATA</u>

UN-No UN3260

Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

Hazard Class 8
Packing Group III

IMDG/IMO

UN-No UN3260

Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

Hazard Class 8
Packing Group III

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Stannous chloride dihydrate	-	-	-	-	-		Χ	Χ	Χ	Χ	-
Stannous chloride	Х	Х	-	231-868-0	-		Х	Χ	Х	Х	Х

Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable
SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Not applicable

Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Stannous chloride	X	X	-	-	-

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 08-Dec-2009

 Revision Date
 17-Jan-2018

 Print Date
 17-Jan-2018

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS