

SAFETY DATA SHEET

Version 6.6 Revision Date 06/06/2020 Print Date 01/29/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

| Product name | : | 4-Methylmorpholine |
|----------------|-----|--------------------|
| Product Number | - | M56557 |
| Brand | - 1 | Aldrich |
| CAS-No. | : | 109-02-4 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

| Company | : Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES |
|-----------|---|
| Telephone | : +1 314 771-5765 |
| Fax | : +1 800 325-5052 |

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

The life science business of Merck KGaA, Darmstadt, Germany

operates as MilliporeSigma in the US and Canada

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word

Danger

Aldrich - M56557

Page 1 of 9



| Hazard statement(s) H225 H302 H314 | Highly flammable liquid and vapour. Harmful if swallowed. Causes severe skin burns and eye damage. |
|---|--|
| Precautionary statement(s) | |
| P210 | Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ ventilating/ lighting equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P264 | Wash skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P301 + P312 + P330 | IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. |
| P301 + P330 + P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. |
| P304 + P340 + P310 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. |
| P305 + P351 + P338 + P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue |
| D2C2 | rinsing. Immediately call a POISON CENTER/ doctor. |
| P363 | Wash contaminated clothing before reuse. |
| P370 + P378 | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

| Molecular weight | : | 101.15 g/mol |
|------------------|---|--------------|
| CAS-No. | : | 109-02-4 |
| EC-No. | : | 203-640-0 |

| Component | Classification | Concentration |
|--------------------|--|---------------|
| 4-methylmorpholine | | |
| | Flam. Liq. 2; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; H225, H302, H314, H318 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - M56557

Page 2 of 9





SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Dry powder Dry sand

Unsuitable extinguishing media Do NOT use water jet.

- **5.2** Special hazards arising from the substance or mixture Carbon oxides, Nitrogen oxides (NOx) Combustible.
- **5.3 Advice for firefighters** Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Aldrich - M56557

Page 3 of 9



Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
 Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.
 Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take
 measures to prevent the build up of electrostatic charge.
 For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Aldrich - M56557

Page 4 of 9



Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 30 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| `` | • | F 1: : 1 |
|----|--|--|
| a) | Appearance | Form: liquid |
| b) | Odour | No data available |
| c) | Odour Threshold | No data available |
| d) | рН | No data available |
| | Melting point/freezing point | Melting point/range: -66 °C (-87 °F) - lit. |
| | Initial boiling point and boiling range | 115 - 116 °C 239 - 241 °F at 1000 hPa - lit. |
| g) | Flash point | 12 °C (54 °F) - c.c DIN 51755 Part 1 |
| h) | Evaporation rate | No data available |
| | Flammability (solid, gas) | No data available |
| j) | Upper/lower | Upper explosion limit: 11.8 %(V) |

Aldrich - M56557

Page 5 of 9



| | flammability or explosive limits | Lower explosion limit: 2.2 %(V) | |
|-----|---|--|--|
| k) | Vapour pressure | No data available | |
| I) | Vapour density | No data available | |
| m) | Relative density | 0.92 g/cm3 at 25 °C (77 °F) | |
| n) | Water solubility | soluble | |
| o) | Partition coefficient: n-octanol/water | log Pow: -0.32 at 25 °C (77 °F) - Bioaccumulation is not expected. | |
| p) | Auto-ignition temperature | No data available | |
| q) | Decomposition temperature | No data available | |
| r) | Viscosity | No data available | |
| s) | Explosive properties | No data available | |
| t) | Oxidizing properties | No data available | |
| Otl | Other safety information | | |

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** Vapours may form explosive mixture with air.
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5 Incompatible materials** No data available


10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx) Other decomposition products - No data available

In the event of fire: see section 5

Aldrich - M56557

Page 6 of 9



Millipore SigMa

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 1,442 mg/kg (OECD Test Guideline 401) LD50 Dermal - Rabbit - male and female - > 3,000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: Causes burns. (OECD Test Guideline 404)

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Ames test Salmonella typhimurium Result: negative In vitro mammalian cell gene mutation test Result: negative

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Aspiration hazard

Additional Information

RTECS: QE5775000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

Aldrich - M56557

Page 7 of 9



SECTION 12: Ecological information

12.1 Toxicity

| Toxicity to fish | LC50 - Leuciscus idus (Golden orfe) - 320 - 460 mg/l - 96 h Remarks: (External MSDS) | | |
|---|---|--|--|
| | static test LC50 - Leuciscus idus (Golden orfe) - > 316 - 464 mg/l - 96 h (DIN 38412 part 15) | | |
| Toxicity to daphnia and other aquatic invertebrates | static test EC50 - Daphnia (water flea) - > 100 mg/l - 48 h Remarks: (External MSDS) | | |

12.2 Persistence and degradability

Biodegradability Result: > 60 % - Moderately (partly) eliminable (DOC reduction 20-70 %).

(OECD Test Guideline 302B)

12.3 Bioaccumulative potential

Bioaccumulation

Oncorhynchus mykiss (rainbow trout) - 92 d (4-methylmorpholine)

Bioconcentration factor (BCF): < 10 Remarks: Does not significantly accumulate in organisms.

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 2535 Class: 3 (8) Packing group: II Proper shipping name: 4-Methylmorpholine Reportable Quantity (RQ): Poison Inhalation Hazard: No

Aldrich - M56557

Page 8 of 9



IMDG

UN number: 2535 Class: 3 (8) Packing group: II Proper shipping name: 4-METHYLMORPHOLINE

ΙΑΤΑ

UN number: 2535 Class: 3 (8) Packing group: II Proper shipping name: 4-Methylmorpholine

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.6

Revision Date: 06/06/2020

Print Date: 01/29/2023

Aldrich - M56557

Page 9 of 9

