

# **SAFETY DATA SHEET**

Revision Date 22-Mar-2018 Revision Number 1

# 1. Identification

Product Name Phenol

Cat No. : L03348

**CAS-No** 108-95-2

Synonyms Hydroxybenzene; Phenylic acid; Carbolic acid

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use

# Details of the supplier of the safety data sheet

### Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099 Tel: 800-343-0660

Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com

# **Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute dermal toxicity

Category 3

Acute Inhalation Toxicity - Dusts and Mists

Category 3

Skin Corrosion/irritation

Serious Eye Damage/Eye Irritation

Germ Cell Mutagenicity

Specific target organ toxicity (single exposure)

Category 3

Category 2

Category 3

Target Organs - Respiratory system.

Specific target organ toxicity - (repeated exposure) Category 2

# Label Elements

### Signal Word

Danger

# Hazard Statements

Toxic if swallowed

Toxic in contact with skin

Causes severe skin burns and eye damage

May cause respiratory irritation

Toxic if inhaled

Suspected of causing genetic defects

May cause damage to organs through prolonged or repeated exposure



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

### Response

Immediately call a POISON CENTER or doctor/physician

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

## Ingestion

Rinse mouth

Do NOT induce vomiting

# **Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Phenol	108-95-2	100

# 4. First-aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

Revision Date 22-Mar-2018 **Phenol** 

advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth Inhalation

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation Treat symptomatically

Notes to Physician

# 5. Fire-fighting measures

Suitable Extinguishing Media CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Cool closed containers exposed to fire

with water spray.

**Unsuitable Extinguishing Media** No information available

Flash Point 79 °C / 174.2 °F

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO2)

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Physical hazards Health **Flammability** Instability 4 2 N/A

### Accidental release measures

Use personal protective equipment. Evacuate personnel to safe areas. Ensure adequate **Personal Precautions** 

ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation. Remove

all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust Up

formation. Remove all sources of ignition.

# 7. Handling and storage

**Handling** Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only

under a chemical fume hood. Do not ingest. Do not breathe vapors/dust. Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition.

**Storage** Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Keep away from heat and sources of ignition.

# 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Phenol	TWA: 5 ppm	(Vacated) TWA: 5 ppm	IDLH: 250 ppm	TWA: 5 ppm
	Skin	(Vacated) TWA: 19 mg/m <sup>3</sup>	TWA: 5 ppm	TWA: 19 mg/m <sup>3</sup>
		Skin	TWA: 19 mg/m <sup>3</sup>	STEL: 10 ppm
		TWA: 5 ppm	Ceiling: 15.6 ppm	STEL: 38 mg/m <sup>3</sup>
		TWA: 19 mg/m <sup>3</sup>	Ceiling: 60 mg/m <sup>3</sup>	_

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures** Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas.

#### **Personal Protective Equipment**

**Eve/face Protection**Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection** Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical State Solid
Appearance White

Odor No information available
Odor Threshold No information available

pН

Melting Point/Range 40.50 °C / 104.9 °F
Boiling Point/Range No information available
Flash Point 79 °C / 174.2 °F
Evaporation Rate Not applicable

Flammability (solid, gas)

No information available

Flammability or explosive limits

Upper<br/>LowerNo data available<br/>No data availableVapor PressureNo information availableVapor DensityNot applicable

Specific Gravity 1.0600
Solubility No information available

Partition coefficient; n-octanol/water No data available

Revision Date 22-Mar-2018 **Phenol** 

**Autoignition Temperature** No information available **Decomposition Temperature** No information available

**Viscosity** Not applicable OHC6H5 **Molecular Formula Molecular Weight** 94.11

# 10. Stability and reactivity

Yes **Reactive Hazard** 

Stability Hygroscopic, Light sensitive.

**Conditions to Avoid** Avoid dust formation. Incompatible products. Exposure to moisture. Exposure to light. Keep

away from open flames, hot surfaces and sources of ignition.

**Incompatible Materials** Acids, Bases, Strong oxidizing agents, Halogens, lead, Metals

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous polymerization does not occur. **Hazardous Polymerization** 

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phenol	LD50 = 340 mg/kg ( Rat ) LD50 = 317 mg/kg ( Rat )	LD50 = 630 mg/kg ( Rabbit )	LC50 = 316 mg/m <sup>3</sup> (Rat) 4 h

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Phenol	108-95-2	Not listed				

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system None known STOT - repeated exposure

**Aspiration hazard** No information available

delaved

Symptoms / effects.both acute and Product is a corrosive material. Use of gastric layage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

Contains a substance which is:. The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Phenol	EC50: 187 - 279 mg/L, 72h	4-7 mg/L LC50 96 h	EC50 21 - 36 mg/L 30 min	EC50: 10.2 - 15.5 mg/L, 48h
	static (Desmodesmus	32 mg/L LC50 96 h	EC50 = 23.28 mg/L 5 min	(Daphnia magna)
	subspicatus)		EC50 = 25.61 mg/L 15 min	EC50: 4.24 - 10.7 mg/L, 48h
	EC50: 0.0188 - 0.1044		EC50 = 28.8 mg/L 5 min	Static (Daphnia magna)
	mg/L, 96h static		EC50 = 31.6 mg/L 15 min	
	(Pseudokirchneriella			
	subcapitata)			
	EC50: = 46.42 mg/L, 96h			
	(Pseudokirchneriella			
	subcapitata)			

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Phenol	1.5

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Phenol - 108-95-2	U188	-

# 14. Transport information

DOT

**UN-No** UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group II

TDG

UN-No UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group II

IATA

UN-No UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group II

IMDG/IMO

**UN-No** UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1
Packing Group

# 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Phenol	Χ	Χ	-	203-632-7	-		Χ	Χ	Χ	Х	Χ

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

**TSCA 12(b)** 

Not applicable

#### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Phenol	108-95-2	100	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Phenol	X	1000 lb	X	X

## Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Phenol	X		-

**OSHA** Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

Component	Hazardous Substances RQs	CERCLA EHS RQs
Phenol	1000 lb	1000 lb

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Phenol	X	X	X	X	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ):

Ν

DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade No information available

16. Other information

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

Revision Date 22-Mar-2018 Print Date 22-Mar-2018

Revision Summary SDS authoring systems update, replaces ChemGes SDS No. 108-95-2.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**