

SAFETY DATA SHEET

Creation Date 06-Oct-2009

Revision Date 26-May-2017

Revision Number 3

1. IdentificationProduct NamePerchloric acidCat No. :AC452850000; AC452850010SynonymsDioxonium perchlorate; Hydronium perchlorate; Perchloric acid solutionRecommended Use
Uses advised againstLaboratory chemicals.
Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Oxidizing liquids | Category 1 |
|--|--------------|
| Corrosive to metals | Category 1 |
| Acute oral toxicity | Category 4 |
| Skin Corrosion/irritation | Category 1 A |
| Serious Eye Damage/Eye Irritation | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Target Organs - Respiratory system. | |
| Specific target organ toxicity - (repeated exposure) | Category 2 |
| Target Organs - Thyroid. | |

Label Elements

Signal Word

Danger

Hazard Statements

May cause fire or explosion; strong oxidizer May be corrosive to metals Harmful if swallowed Causes severe skin burns and eye damage May cause respiratory irritation May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Wear fire/flame resistant/retardant clothing

Keep only in original container

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Wash contaminated clothing before reuse

IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes

Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

Rinse mouth

Do NOT induce vomiting

Fire

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion

In case of fire: Use CO2, dry chemical, or foam for extinction

Spills

Absorb spillage to prevent material damage

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Risk of explosion if heated under confinement

3. Composition / information on ingredients

| Component | CAS-No | Weight % |
|-----------------|-----------|----------|
| Perchloric acid | 7601-90-3 | 60-70 |
| Water | 7732-18-5 | 30-40 |

4. First-aid measures

| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. | | | | |
|--|--|--|--|--|--|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. | | | | |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Call a physician immediately. | | | | |
| Inhalation | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. | | | | |
| Ingestion | Do not induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. | | | | |
| Most important symptoms/effects | Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated | | | | |
| Notes to Physician | Treat symptomatically | | | | |
| | 5. Fire-fighting measures | | | | |
| Suitable Extinguishing Media | CO 2, dry chemical, dry sand, alcohol-resistant foam. | | | | |
| Unsuitable Extinguishing Media | No information available | | | | |
| Flash Point | 113 °C / 235.4 °F | | | | |
| Method - | No information available | | | | |
| Autoignition Temperature | No information available | | | | |
| Explosion Limits Upper Lower Oxidizing Properties | No data available No data available Oxidizer | | | | |

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

Hazardous Combustion Products

Hydrogen chloride gas

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

| <u>NFPA</u> | Health 3 | Flammability 0 | Instability 3 | Physical hazards OX |
|-------------|---------------------|-----------------------------|---|-------------------------------------|
| | | 6. Accidental rel | lease measures | |
| Person | al Precautions | | n. Use personal protective equ way from and upwind of spill/le | uipment. Evacuate personnel to eak. |
| Enviro | nmental Precautions | Should not be released into | | |

Methods for Containment and CleanSoak up with inert absorbent material. Keep in suitable, closed containers for disposal.UpSweep up and shovel into suitable containers for disposal.

| | 7. Handling and storage | | | | | | |
|---|--|--|--|--|--|--|--|
| Handling | Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe vapors or spray mist. Do not ingest. Keep away from clothing and other combustible materials. | | | | | | |
| Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store ne combustible materials. Corrosives area. | | | | | | | |
| | 8. Exposure controls / personal protection | | | | | | |
| Exposure Guidelines | This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies. | | | | | | |

OSHA - Occupational Safety and Health Administration

| Engineering Measures | Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. | | | |
|-------------------------------|--|--|--|--|
| Personal Protective Equipment | | | | |
| Eye/face Protection | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. | | | |
| Skin and body protection | Long sleeved clothing. | | | |
| Respiratory Protection | No protective equipment is needed under normal use conditions. | | | |
| Hygiene Measures | Handle in accordance with good industrial hygiene and safety practice. | | | |

| 9. Physical and chemical proper |
|---------------------------------|
|---------------------------------|

| Physical State | Liquid |
|--|------------------------------|
| Appearance | Colorless |
| Odor | Strong |
| Odor Threshold | No information available |
| рН | 0.1 @ 20°C |
| Melting Point/Range | -18 °C / -0.4 °F |
| Boiling Point/Range | 203 °C / 397.4 °F @ 760 mmHg |
| Flash Point | 113 °C / 235.4 °F |
| Evaporation Rate | No information available |
| Flammability (solid,gas) | Not applicable |
| Flammability or explosive limits | |
| Upper | No data available |
| Lower | No data available |
| Vapor Pressure | 6.8 mmHg @ 25 °C |
| Vapor Density | 3.46 |
| Specific Gravity | 1.660 |
| Solubility | Soluble in water |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | No information available |
| Decomposition Temperature | No information available |
| Viscosity | 3.5 mPa.s @ 20 °C |
| Molecular Formula | H CI O4 |
| | |

| Molecular Weight 100.46 | | | | | | | | | | |
|--|------------------------------|----------------------------|--|------------|----------------------------|--------------------------|--------------------------|--|--|--|
| 10. Stability and reactivity | | | | | | | | | | |
| | To. Stability and reactivity | | | | | | | | | |
| Reactive Hazard | | Yes | Yes | | | | | | | |
| Stability | | Oxidizer: Cor | Dxidizer: Contact with combustible/organic material may cause fire. | | | | | | | |
| Conditions to Avoid | ł | Incompatible | products. Exc | cess heat. | Combustible mate | rial. | | | | |
| Incompatible Mater | ials | Strong oxidiz reducing age | | | metals, Organic ma rial | terials, Amines, Al | cohols, Strong | | | |
| Hazardous Decomp | osition Pro | ducts Hydrogen ch | loride gas | | | | | | | |
| Hazardous Polymer | rization | Hazardous p | olymerization | does not | occur. | | | | | |
| Hazardous Reaction | ns | None under r | normal proces | ssing. | | | | | | |
| | | 11. To: | kicologia | cal info | ormation | | | | | |
| Acute Toxicity | | | | | | | | | | |
| Product Information Oral LD50 Dermal LD50 Vapor LC50 Component Informa | | Based on AT | Category 4. ATE = 300 - 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 20 mg/l. | | | | | | | |
| Componer | nt | LD50 Or | | | LD50 Dermal | | Inhalation ot listed | | | |
| Perchloric ad | cid | LD50 = 1100 mg/ | D50 = 1100 mg/kg (Rat) Not listed | | | | | | | |
| Water Toxicologically Syn Products Delayed and immed | - | | Not listed Not listed Not listed Not listed Not listed well as chronic effects from short and long-term exposure | | | | | | | |
| Irritation | | Causes seve | re burns by a | ll exposur | e routes | | | | | |
| Sensitization | | No information | on available | | | | | | | |
| Carcinogenicity | | The table bel | ow indicates | whether e | ach agency has list | ed any ingredient | as a carcinogen. | | | |
| Component | CAS-N | | | ITP | ACGIH | OSHA | Mexico | | | |
| Perchloric acid Water | 7601-90 7732-18 | | | listed | Not listed Not listed | Not listed Not listed | Not listed Not listed | | | |
| Mutagenic Effects | 1 1102 10 | No information | | | | Not listed | Rochotou | | | |
| Reproductive Effect | ts | No informatio | No information available. | | | | | | | |
| Developmental Effe | ects | No informatio | No information available. | | | | | | | |
| Teratogenicity | | No informatio | No information available. | | | | | | | |
| STOT - single expos STOT - repeated ex | | Respiratory s Thyroid | Respiratory system Thyroid | | | | | | | |
| Aspiration hazard | | No information | No information available | | | | | | | |
| Symptoms / effects delayed | s,both acute | perforation: F | Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated | | | | | | | |

| Other Adverse Effects The toxicological properties have not been fully investigated. Ecotoxicity Do not empty into drains 12. Ecological information Persistence and Degradability Soluble in water Persistence is unlikely based on information available. Bioaccumulation/ Accumulation No information available. Mobility Will likely be mobile in the environment due to its water solubility. Maste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification. DOT UNHNO UN-No UM1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 5.1 UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class <th>Endocrine Disruptor Information</th> <th>No information available</th> | Endocrine Disruptor Information | No information available | | | | |
|---|---|--|--|--|--|--|
| Ecotoxicity Do not empty into drains Persistence and Degradability Soluble in water Persistence is unlikely based on information available. Bioaccumulation/ Accumulation No information available. Mobility Will likely be mobile in the environment due to its water solubility. Image: Comparison of the environment due to its water solubility. Soluble in water generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification. DOT UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group 1 IMA UN1873 UN-No UN1873 </th <th>Other Adverse Effects</th> <th>The toxicological properties have not been fully investigated.</th> | Other Adverse Effects | The toxicological properties have not been fully investigated. | | | | |
| Do not empty into drains Persistence and Degradability Soluble in water Persistence is unlikely based on information available. Bioaccumulation/ Accumulation No information available. Mobility Will likely be mobile in the environment due to its water solubility. Mobility Will likely be mobile in the environment due to its water solubility. Mobility Will likely be mobile in the environment due to its water solubility. Maste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, and national hazardous waste regulations to ensure complete and accurate classification. DOT UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 8 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 5.1 Subsidiary Hazard Class 8 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 5.1 Subsidiary Hazard Class 5.1 WI-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 <th></th> <th>12. Ecological information</th> | | 12. Ecological information | | | | |
| Bioaccumulation/ Accumulation No information available. Mobility Will likely be mobile in the environment due to its water solubility. Image: Construct of the image of the ima | | | | | | |
| Mobility Will likely be mobile in the environment due to its water solubility. Image: Construct of the environment due to its water solubility. Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification. DOT UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group I IDG UN-No UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 5.1 </th <th>Persistence and Degradability</th> <th>Soluble in water Persistence is unlikely based on information available.</th> | Persistence and Degradability | Soluble in water Persistence is unlikely based on information available. | | | | |
| 13. Disposal considerations Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification. DOT UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class S.1 UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class S.1 UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class S.1 UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class S.1 Subsidiary Hazard Class S.1 UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class S.1 Subsidiary Hazard Class S.1 WDG/IMO UN-N | Bioaccumulation/ Accumulation | No information available. | | | | |
| Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification. DOT 14. Transport information DOT UN-No UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group I TDG UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group I TDG UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group I IATA UN-No UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 5.1 Subsidiary Hazard Class 5.1 Subsidiary Hazard Class 5.1 < | Mobility | Will likely be mobile in the environment due to its water solubility. | | | | |
| hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification. 14. Transport information DOT UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group I IDG UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group I IATA UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group I I IATA UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group I I IMDG/MO UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class | | 13. Disposal considerations | | | | |
| DOT UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group I TDG I UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 5.1 Subsidiary Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group I IATA UN-No UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group I IMTA UN-No UN-No UN1873 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 5.1 Proper Shipping Name PERCHLORIC ACID Hazard Class 5.1 Subsidiary Hazard Class 5.1 Subsidiary Hazard Class 5.1 Subsidia | Waste Disposal Methods | hazardous waste. Chemical waste generators must also consult local, regional, and | | | | |
| UN-NoUN1873Proper Shipping NamePERCHLORIC ACIDHazard Class5.1Subsidiary Hazard Class8Packing GroupITDGIUN-NoUN1873Proper Shipping NamePERCHLORIC ACIDHazard Class5.1Subsidiary Hazard Class8Packing GroupIIATAIUN-NoUN1873Proper Shipping NamePERCHLORIC ACIDHazard Class5.1Subsidiary Hazard Class5.1Subsidiary Hazard Class5.1Subsidiary Hazard Class5.1Subsidiary Hazard Class8Packing GroupIIMDG/IMOUN1873Proper Shipping NamePERCHLORIC ACIDHazard Class5.1Subsidiary Hazard Class8Proper Shipping NamePERCHLORIC ACIDHazard Class5.1Subsidiary Hazard Class5.1Subsidiary | 14. Transport information | | | | | |
| 15. Regulatory information | UN-No Proper Shipping Name Hazard Class Subsidiary Hazard Class Packing Group <u>TDG</u> UN-No Proper Shipping Name Hazard Class Subsidiary Hazard Class Packing Group <u>IATA</u> UN-No Proper Shipping Name Hazard Class Subsidiary Hazard Class Packing Group <u>IMDG/IMO</u> UN-No Proper Shipping Name Hazard Class Subsidiary Hazard Class | PERCHLORIC ACID 5.1 8 1 UN1873 PERCHLORIC ACID 5.1 8 1 UN1873 PERCHLORIC ACID 5.1 8 1 UN1873 PERCHLORIC ACID 5.1 8 1 UN1873 PERCHLORIC ACID 5.1 8 1 | | | | |

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

| Component | TSCA | DSL | NDSL | EINECS | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|-----------------|---------------------------------------|-----|------|-----------|--------|-----|-------|------|------|-------|------|
| Perchloric acid | Х | Х | - | 231-512-4 | - | | Х | Х | Х | Х | Х |
| Water | Х | Х | - | 231-791-2 | - | | Х | - | Х | Х | Х |
| l a manual. | · · · · · · · · · · · · · · · · · · · | | | | | | | | | | |

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA. F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

Yes Yes Yes Yes Yes

U.S. Federal Regulations

| TSCA 12(b) | Not applicable |
|---|----------------|
| SARA 313 | Not applicable |
| SARA 311/312 Hazard Categories Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden Release of Pressure Ha Reactive Hazard | zard |
| CWA (Clean Water Act) | Not applicable |

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

OSHA - United States Occupational Safety and Health Administration

| Component | Specifically Regulated Chemicals | Highly Hazardous Chemicals | |
|-----------------|----------------------------------|----------------------------|--|
| Perchloric acid | - | TQ: 5000 lb | |

CERCLA

Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-----------------|---------------|------------|--------------|----------|--------------|
| Perchloric acid | Х | Х | Х | - | Х |
| Water | - | - | Х | - | - |

U.S. Department of Transportation

| Reportable Quantity (RQ): | Ν |
|-----------------------------|---|
| DOT Marine Pollutant | Ν |
| DOT Severe Marine Pollutant | Ν |

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

Slight risk, Grade 1

16. Other information

Prepared By

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

| Creation Date | 06-Oct-2009 |
|-------------------------|---|
| | 00 Marc 0047 |
| Revision Date | 26-May-2017 |
| Print Date | 26-May-2017 |
| Revision Summary | This document has been updated to comply with the US OSHA HazCom 2012 Standard |
| | replacing the current legislation under 29 CFR 1910.1200 to align with the Globally |
| | Harmonized System of Classification and Labeling of Chemicals (GHS). |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS