

# **SAFETY DATA SHEET**

Creation Date 24-Nov-2010 Revision Date 14-Feb-2020 Revision Number 3

1. Identification

Product Name Bromine liquid

Cat No.: 00905

**CAS-No** 7726-95-6

Synonyms Bromine molecule.; Diatomic bromine; Dibromine

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com

www.alfa.com

**Emergency Telephone Number** 

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 1

Category 1

Category 1

Label Elements

Signal Word

Danger

**Hazard Statements** 

Fatal if inhaled

Causes severe skin burns and eye damage



### **Precautionary Statements**

### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Wear respiratory protection

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion** 

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

#### Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life

## 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Bromine	7726-95-6	>95

### 4. First-aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Seek immediate medical

attention/advice.

**Inhalation** Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center

immediately. If not breathing, give artificial respiration.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

be investigated: Ingestion causes severe swell and danger of perforation

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media No information available

Flash Point Not applicable

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Very toxic by inhalation. May be fatal if inhaled. Corrosive material. May intensify fire; oxidizer. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Hydrogen halides. Thermal decomposition can lead to release of irritating gases and vapors.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	0	OX

## 6. Accidental release measures

Personal Precautions Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do

not get in eyes, on skin, or on clothing.

**Environmental Precautions**Do not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities

should be advised if significant spillages cannot be contained.

**Methods for Containment and Clean** Wear self-contained breathing apparatus and protective suit. Soak up with inert absorbent **Up** material. Keep in suitable, closed containers for disposal.

-	7	ш	ar	hdl	lir	2	ar	h	C	-1	<sup>^</sup> a	$\alpha$	2
	<i>/</i> .		aı	ıuı		ıu	aı	ıu	- 3	וטו	а	u	=

**Handling**Use only under a chemical fume hood. Wear personal protective equipment/face protection.

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest.

If swallowed then seek immediate medical assistance.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

### 8. Exposure controls / personal protection

**Exposure Guidelines** 

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Bromine	TWA: 0.1 ppm	(Vacated) TWA: 0.1 ppm	IDLH: 3 ppm	TWA: 0.1 ppm
	STEL: 0.2 ppm	(Vacated) TWA: 0.7 mg/m <sup>3</sup>	TWA: 0.1 ppm	STEL: 0.2 ppm
		(Vacated) STEL: 0.3 ppm	TWA: 0.7 mg/m <sup>3</sup>	
		(Vacated) STEL: 2 mg/m <sup>3</sup>	STEL: 0.3 ppm	
		TWA: 0.1 ppm	STEL: 2 mg/m <sup>3</sup>	
		TWA: 0.7 mg/m <sup>3</sup>	-	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined

areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

**Personal Protective Equipment** 

**Eye/face Protection**Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical StateLiquidAppearanceRed brownOdorStrong

Odor Threshold<br/>pHNo information available<br/>No information available

Melting Point/Range -7.2 °C / 19 °F
Boiling Point/Range 58.7 °C / 137.7 °F
Flood Point

Flash Point Not applicable
Evaporation Rate No information available

Flammability (solid,gas)

Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure230 mbar @ 20 °CVapor Density5.51 (Air = 1.0)

Specific Gravity 3.111

Solubility
No information available
Partition coefficient; n-octanol/water
No data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosity0.314 cs at 25 °C

Molecular Formula Br2

Molecular Weight 159.82

### 10. Stability and reactivity

Reactive Hazard None known, based on information available

Revision Date 14-Feb-2020 **Bromine liquid** 

Stability Stable under normal conditions. May intensify fire: oxidizer.

Incompatible products. Excess heat. **Conditions to Avoid** 

**Incompatible Materials** Organic materials, Strong oxidizing agents, Ammonia, Fluorine, Metals, Reducing Agent

Hazardous Decomposition Products Hydrogen halides, Thermal decomposition can lead to release of irritating gases and vapors

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

### 11. Toxicological information

### **Acute Toxicity**

## **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Bromine	LD50 = 2600 mg/kg (Rat)	Not listed	Not listed

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes severe burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Bromine	7726-95-6	Not listed				

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity** 

Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation**No information available.

Mobility Will likely be mobile in the environment due to its volatility.

Component	log Pow
Bromine	1.03

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN-No UN1744
Proper Shipping Name BROMINE
Hazard Class 8

Subsidiary Hazard Class 6.1 Packing Group

TDG

UN-No UN1744
Proper Shipping Name BROMINE

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group |

**IATA** 

UN-No UN1744

Proper Shipping Name BROMINE FORBIDDEN FOR IATA TRANSPORT

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group

IMDG/IMO

UN-No UN1744
Proper Shipping Name BROMINE

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group

# 15. Regulatory information

#### **United States of America Inventory**

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Bromine	7726-95-6	X	ACTIVE	-

### Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Bromine	7726-95-6	X	-	231-778-1	X	X	Х	Х	KE-03605

#### U.S. Federal Regulations

#### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Bromine	7726-95-6	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Not applicable

Clean Air Act

Not applicable

**OSHA** - Occupational Safety and

Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Bromine	-	TQ: 1500 lb

**CERCLA** 

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Bromine	-	500 lb

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know

Regulations

	Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
I	Bromine	X	X	X	-	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### U.S. Department of Homeland

This product contains the following DHS chemicals:

Security

**Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard		
Bromine	Release STQs - 10000lb		

### Other International Regulations

Mexico - Grade No information available

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

 Creation Date
 24-Nov-2010

 Revision Date
 14-Feb-2020

 Print Date
 14-Feb-2020

**Revision Summary** SDS authoring systems update, replaces ChemGes SDS No. 7726-95-6.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

·

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**