

SAFETY DATA SHEET

1. Identification

Product identifier Mineral Oil

Other means of identification

Catalog number 1443952
Chemical name n/f

Recommended use Specified quality tests and assay use only.

Recommended restrictions Not for use as a drug. Not for administration to humans or animals.

Manufacturer/Importer/Supplier/Distributor information

Company name U. S. Pharmacopeia
Address 12601 Twinbrook Parkway

Rockville

MD

20852-1790

US

Telephone RS Technical Services 301-816-8129

Website www.usp.org

E-mail RSTECH@usp.org

Emergency phone number CHEMTREC within US &

Canada

CHEMTREC outside US &

+1 703-527-3887

1-800-424-9300

Canada

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

Aspiration hazard Category 1

OSHA hazard(s) Not classified.

Label elements



Signal word Danger

Hazard statement Causes serious eye irritation. May be fatal if swallowed and enters airways.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If swallowed:

Immediately call a poison center/doctor. Do NOT induce vomiting.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

3. Composition/information on ingredients

Substance

Hazardous components

 Chemical name
 Common name and synonyms
 CAS number
 %

 Mineral Oil
 8012-95-1
 100

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Material name: Mineral Oil USP SDS US

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Aspiration

may cause pulmonary edema and pneumonitis.

Irritation of eyes and mucous membranes.

Most important symptoms/effects, acute and

delayed Indication of immediate

medical attention and special

Treatment of laxative-emollient overdose should be symptomatic and supportive and may include the following:

Do NOT induce vomiting.

- 2. Do NOT administer activated charcoal, unless there is a coingestant with potentially serious side effects
- 3. Do NOT administer a cathartic.
- 4. For excessive diarrhea, treat with high fluid intake and monitoring of fluid and electrolyte status. [Meditext 2007]

General information

treatment needed

Remove from exposure. Remove contaminated clothing. For treatment advice, seek guidance from an occupational health physician or other licensed health-care provider familiar with workplace chemical exposures. In the United States, the national poison control center phone number is 1-800-222-1222. If person is not breathing, give artificial respiration. If breathing is difficult, give oxygen if available. Persons developing serious hypersensitivity (anaphylactic) reactions must receive immediate medical attention.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

No unusual fire or explosion hazards noted.

Wear suitable protective equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Avoid inhalation of vapors. Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up Absorb spillage with suitable absorbent material. For waste disposal, see section 13 of the SDS. Clean surface thoroughly to remove residual contamination.

7. Handling and storage

Precautions for safe handling

As a general rule, when handling USP Reference Standards, avoid all contact and inhalation of dust, mists, and/or vapors associated with the material. Clean equipment and work surfaces with suitable detergent or solvent after use. After removing gloves, wash hands and other exposed skin thoroughly.

Conditions for safe storage, including any incompatibilities

Store in tight container as defined in the USP-NF. This material should be handled and stored per label instructions to ensure product integrity.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Material	Туре	Value	Form
Mineral Oil (CAS 8012-95-1)	PEL	5 mg/m3	Mist.

US. NIOSH: Pocket Guide to Chemical Hazards

Material	Туре	Value	Form	
Mineral Oil (CAS	REL	5 mg/m3	Mist.	
8012-95-1)	STEL	10 mg/m3	Mist.	
	J	10 1119/1110		

US. ACGIH Threshold Limit Values

Material	Type	Value	Form
Mineral Oil (CAS	TWA	5 mg/m3	Inhalable fraction.
8012-95-1)		· ·	

Biological limit values No biological exposure limits noted for the ingredient(s).

Material name: Mineral Oil USP SDS US

Appropriate engineering

controls

Airborne exposure should be controlled primarily by engineering controls such as general dilution ventilation, local exhaust ventilation, or process enclosure. Local exhaust ventilation is generally preferred to general exhaust because it can control the contaminant at its source, preventing dispersion into the work area. An industrial hygiene survey involving air monitoring may be used to determine the effectiveness of engineering controls. Effectiveness of engineering controls intended for use with highly potent materials should be assessed by use of nontoxic surrogate materials.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with sideshields are recommended. Face shields or goggles may be required if splash potential exists or if corrosive materials are present. Approved eye protection (e.g., bearing the ANSI Z87 or CSA stamp) is preferred. Maintain eyewash facilities in the work area.

Skin protection

Hand protection

Chemically compatible gloves. For handling solutions, ensure that the glove material is protective against the solvent being used. Use handling practices that minimize direct hand contact.

Employees who are sensitive to natural rubber (latex) should use nitrile or other synthetic nonlatex gloves. Use of powdered latex gloves should be avoided due to the risk of latex allergy.

Other

For handling of laboratory scale quantities, a cloth lab coat is recommended. Where significant quantities are handled, work clothing may be necessary to prevent take-home contamination.

Respiratory protection

Where respirators are deemed necessary to reduce or control occupational exposures, use NIOSH-approved respiratory protection and have an effective respirator program in place (applicable U.S. regulation OSHA 29 CFR 1910.134).

Not available.

Thermal hazards General hygiene

Handle in accordance with good industrial hygiene and safety practice.

considerations

9. Physical and chemical properties

Appearance Clear, colorless liquid.

Physical state Liquid. **Form** Liquid. Odor Not available. Odor threshold Not available рH Not available. Not available.

Melting point/freezing point Initial boiling point and boiling

424.4 - 1189.4 °F (218 - 643 °C)

range

275.00 °F (135.00 °C) Closed Cup Flash point

380.00 °F (193.33 °C) Open Cup

> 239.00 °F (> 115.00 °C) (OC) [ASTM D92]

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density Not available. Relative density Insoluble.

Partition coefficient > 6

(n-octanol/water)

Solubility in water

500 °F (260 °C)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

Heat of combustion (NFPA 31.5 kJ/g

30B)

Kinematic viscosity >= 38.1 mm2/s

Material name: Mineral Oil USP SDS US Specific gravity 0.845 - 0.905

10. Stability and reactivity

Reactivity Strong oxidizing agents. **Chemical stability** Stable at normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Irritating and/or toxic fumes or gases. Emits toxic fumes under fire conditions.

11. Toxicological information

Information on likely routes of exposure

IngestionMay be fatal if swallowed and enters airways.InhalationMay be fatal if swallowed and enters airways.Skin contactDue to lack of data the classification is not possible.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical, and toxicological characteristics

Nausea. Vomiting. Diarrhea. Laxative effects.

oxicological characteristics

Medical conditions aggravated by exposure

Hypersensitivity to material. Appendicitis. Intestinal problems. Ulcerative colitis. Rectal bleeding.

Acute toxicity Not available.

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Local effects

100 mg Skin irritancy test

Result: Mild. Species: Guinea pig Test Duration: 24 hours 100 mg Skin irritancy test

Result: Mild. Species: Rabbit Test Duration: 24 hours 500 mg Eye irritancy test Result: Moderate. Species: Rabbit

Respiratory sensitization Due to lack of data the classification is not possible.

Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicityDue to lack of data the classification is not possible.
Data from germ cell mutagenicity tests were not found.

Mutagenicity

Mutagenicity test in S. typhimurium, administered using

highly refined mineral oil

Result: Negative.

Sister chromatid exchange test in hamsters

Result: Negative.

Carcinogenicity Based on available data, the classification criteria are not met.

This material is not considered to be a carcinogen by IARC, NTP, or OSHA.

0 - 5 % Dietary carcinogenicity study, using medicinal-grade

petroleum and liquid paraffin

Result: No significant increase in tumor incidence.

Species: Rat

Test Duration: 104 weeks

Carcinogenicity study of skin, utilizing application of highly

refined, food-grade mineral oils

Result: No skin tumors. Species: Mouse

Carcinogenicity study, subcutaneous administration of three

different grades of medicinal petroleum

Result: No tumors induced.

Species: Mouse

Material name: Mineral Oil USP SDS US

Carcinogenicity study, using intraperitoneal injection of two

food-grade mineral oils

Result: Induced plasma-cell neoplasms and reticulum-cell

sarcomas in certain strains of mice.

Species: Mouse

Reproductive toxicity Based on available data, the classification criteria are not met.

Hypothrombinemia and hemorrhagic disease of the newborn have occurred following chronic use

of mineral oil during pregnancy.

Specific target organ toxicity -

single exposure

Due to lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to lack of data the classification is not possible.

May be fatal if swallowed and enters airways. **Aspiration hazard**

12. Ecological information

Ecotoxicity

Product Test Results Species

Mineral Oil (CAS 8012-95-1)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) > 10000 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available. Mobility in soil Not available. Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Dispose in accordance with all applicable regulations. Under RCRA, it is the responsibility of the

user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Not available.

Not available.

Local disposal regulations

Hazardous waste code

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

Not regulated as a hazardous material by DOT.

IATA

Not regulated as a dangerous good.

Transport in bulk according to

Annex II of MARPOL 73/78 and

No information available.

the IBC Code

15. Regulatory information

US federal regulations CERCLA/SARA Hazardous Substances - Not applicable.

All components are on the U.S. EPA TSCA Inventory List.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous

Nο

chemical

Material name: Mineral Oil USP SDS US Other federal regulations

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug

Administration (FDA)

Not regulated.

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
_	E (N. 1/5) (ELNIO)	

EuropeEuropean List of Notified Chemical Substances (ELINCS)NoJapanInventory of Existing and New Chemical Substances (ENCS)NoKoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

 Issue date
 03-23-2007

 Revision date
 07-11-2014

Version # 02

Further information Not available.

Disclaimer USP Reference Standards are sold for chemical test and assay purposes only, and NOT for

human consumption. The information contained herein is applicable solely to the chemical substance when used as a USP Reference Standard and does not necessarily relate to any other use of the substance described, (i.e. at different concentrations, in drug dosage forms, or in bulk quantities). USP Reference Standards are intended for use by persons having technical skill and at their own discretion and risk. This information has been developed by USP staff from sources considered reliable but has not been independently verified by the USP. Therefore, the USP Convention cannot guarantee the accuracy of the information in these sources nor should the statements contained herein be considered an official expression. NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY

AND FITNESS FOR A PARTICULAR PURPOSE is made with respect to the information

contained herein.

Revision Information This document has undergone significant changes and should be reviewed in its entirety.

Material name: Mineral Oil USP SDS US

Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)