

MATERIAL SAFETY DATA SHEET

Trade Name: Super Tech Lubricant 8 oz
MSDS NO. WM452
Revision Date:
Date Printed 07/18/2006

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: Super Tech Lubricant 8 oz
Chemical Family: Petroleum Oil Blend
Synonyms: None
Emergency Telephone (24 hr.): 24-Hour Emergency Information: CHEMTREC (800) 424-9300
Supplier: Walmart, Bentonville, AR, 72716

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient/CAS No.	wt. %	OSHA PEL TWA	OSHA PEL Ceiling Limits	ACGIH TLV TWA	ACGIH TLV STEL
Hydrotreated light distillates 64742-47-8	85-100	None Established	None Established	None Established	None Established
Oleic Acid 11-28-01	0-5				
Carbon Dioxide 124-38-9	0-5	5000 ppm (exposures <10,000 ppm to be cited de minimus)	Not Known	5000 ppm	30,000 ppm

3. HAZARDS IDENTIFICATION

Emergency Overview: Keep away from heat, sparks and flame. This material is a skin irritant. Content under pressure.

HMIS Classification: Health: 1 Flammability: 2 Physical Hazard: 2
NFPA Rating: Health: 1 Flammability: 2 Reactivity: 0

4. FIRST AID MEASURES

Eye Contact: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
Ingestion: Get medical attention! If vomiting occurs, keep head lower than hips to prevent aspiration. If swallowed, do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person.
Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
Skin Contact: Remove contaminated clothing and shoes, and launder before reuse. If irritation persists or signs of toxicity occur, seek medical attention. Wash with soap and water for 15 minutes.

5. FIRE FIGHTING MEASURES

Flammable Properties
Flash Point °F(°C): >100F
Flash Point Method: TAG Closed Cup
Flammable Limits in Air - Lower (%): .9%
Flammable Limits in Air - Upper (%): Not Determined
Autoignition Temperature °F(°C): Not Determined
Extinguishing Media: Carbon dioxide. Foam. Use water spray to keep containers cool that are exposed to heat or flames.
Protection Of Fire-Fighters:
Special Fire-Fighting Procedures: Wear approved positive-pressure self-contained breathing apparatus and protective clothing.
Hazardous Combustion Products: Carbon Dioxide. Carbon Monoxide.
Aerosol Comments: NFPA Level 3 Aerosol

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate protective clothing and equipment to prevent skin and eye contact.
Spill Procedures: Contain any liquid from leaking containers. Avoid all sources of ignition; heat, sparks and open flames. Wear proper protective equipment as specified in the protective equipment section. Remove sources of ignition. Leaking containers should be removed to an isolated, well-ventilated area and transferred to other suitable containers. Do not puncture or incinerate container. Contents under pressure. Wipe, scrape, or soak up in an inert material and put in a container intended for flammable materials for disposal.
Environmental Precautions: Do not allow to enter sanitary drains, sewer or surface and subsurface waters. Keep out of lakes, ponds or streams.

7. HANDLING AND STORAGE

Handling and Storage: Avoid breathing vapors, if exposed to high vapor concentration, leave area at once. Avoid contact with skin and eyes. Use only in a well ventilated area. Caution: Contents under pressure. Keep away from heat and open flame. Do not puncture, incinerate or store above 120 F. Exposure to high temperatures may cause bursting. DO NOT store in the passenger compartment of an automobile.

MATERIAL SAFETY DATA SHEET

Trade Name: Super Tech Lubricant 8 oz
MSDS NO. WM452
Revision Date:
Date Printed 07/18/2006

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Local exhaust ventilation as necessary to maintain exposures to within applicable limits. Use in a well ventilated area.
Eyes: Chemical goggles; also wear a face shield if splashing hazard exists.
Skin Protection: Avoid skin contact. Wear protective clothing and gloves.
Respiratory Protection: Use in a well ventilated area. Appropriate respiratory protection shall be worn when applied engineering controls are not adequate to protect against inhalation exposure. Do not breathe mist or vapor.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless to pale yellow liquid
Odor: HYDROCARBON ODOR
pH Value: Not Determined
Vapor Pressure: Not Determined
Vapor Density (Air=1): Not Determined
Boiling Point (°F): >300F (liquid)
Melting/Freezing Point: Not determined.
Solubility in Water: MODERATE
Bulk Density at 20°C: Not Determined
Molecular Weight: Mixture
Specific Gravity (H20=1): .76 @ 60 F (liquid)
Viscosity: Not Determined.
Evaporation Rate: Not Determined
VOC Content(%): 1.97%
Decomposition Temperature: Not Determined

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions of handling, use and transportation.
Conditions to Avoid: Keep away from heat, sparks and flame. Avoid any source of ignition. Do not expose to heat or store at temperatures above 120 F.
Materials to Avoid: Strong oxidizing agents.
Hazardous Decomposition Products: Carbon monoxide. Carbon dioxide. Oxides of carbon and nitrogen, AVOID extreme heat
Hazardous Polymerization: WILL NOT OCCUR

11. TOXICOLOGICAL INFORMATION

Toxicological Data:

Ingredient/CAS No.	wt. %	Route	Species	Dose
Hydrotreated light distillates 64742-47-8	85-100	Inhalation	Rats	Not known.
Oleic Acid 11-28-01	0-5	Inhalation	Rats	Not known.
Carbon Dioxide 124-38-9	0-5	NA	NA	Not known.

Carcinogenicity:

Ingredient/CAS No.	wt. %	IARC	NTP	OSHA
Hydrotreated light distillates 64742-47-8	85-100	Not Listed	Not Listed	Not Listed
Oleic Acid 11-28-01	0-5	Not Listed	Not Listed	Not Listed
Carbon Dioxide 124-38-9	0-5	Not Listed	Not Listed	Not Listed

12. ECOLOGICAL INFORMATION

Ecological testing has not been conducted on this product.

13. DISPOSAL CONSIDERATION

MATERIAL SAFETY DATA SHEET

Trade Name: Super Tech Lubricant 8 oz
MSDS NO. WM452
Revision Date:
Date Printed 07/18/2006

Waste Classification: Residues and spilled material are hazardous waste due to ignitability.
Waste Management: Not determined.
 Disposal should be made in accordance with federal, state and local regulations.

14. TRANSPORTATION INFORMATION

U.S. DOT:
Proper Shipping Name: ORM-D CONSUMER COMMODITY
Hazard Class: ORM-D
UN/NA Number: not applicable
DOT Packing Group: Not Applicable
IMDG:
Proper Shipping Name: Aerosols (Limited Quantity)
Hazard Class: 2
Hazard Subclass: Not determined.
UN No.: UN1950
Packing Group: NA
Marine Pollutant: No

15. REGULATORY INFORMATION

US Federal Regulations:

Ingredient/CAS No.	wt. %	SARA 313	SARA 302	RQ	TPQ
Hydrotreated light distillates 64742-47-8	85-100	Not Listed	Not Listed	NA	NA
Oleic Acid 11-28-01	0-5				
Carbon Dioxide 124-38-9	0-5	Not Listed	Not Listed	NA	NA

Hazardous per OSHA 29 CFR 1910.1200

SARA 311/312 Hazard Categories: Not Determined.

State Regulations:

Ingredient/CAS No.	wt. %	California Prop. 65 Cancer list	California Prop. 65 Developmental Toxicity	California Prop. 65 Reproductive Female	California Prop. 65 Reproductive Male
Hydrotreated light distillates 64742-47-8	85-100	Not Listed	Not Listed	Not Listed	Not Listed
Oleic Acid 11-28-01	0-5	Not Listed	Not Listed	Not Listed	Not Listed
Carbon Dioxide 124-38-9	0-5	Not Listed	Not Listed	Not Listed	Not Listed

U.S. TSCA: The components of this product are listed on the TSCA Inventory.

16. OTHER INFORMATION

General Notes: Do not allow undiluted material or large quantities to reach groundwater, bodies of water or sewer system.

Disclaimer:

The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty

MATERIAL SAFETY DATA SHEET

Trade Name: Super Tech Lubricant 8 oz
MSDS NO. WM452
Revision Date:
Date Printed 07/18/2006

against infringement of any patent, copyright or trademark is made or implied.