# **SAFETY DATA SHEET**

Version 4.9 Revision Date 05/23/2016 Print Date 07/27/2016

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Bromoethane

Product Number : 124052
Brand : Sigma-Aldrich
Index-No. : 602-055-00-1

CAS-No. : 74-96-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332

Carcinogenicity (Category 2), H351

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour. H302 + H332 Harmful if swallowed or if inhaled H351 Suspected of causing cancer.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

Sigma-Aldrich - 124052 Page 1 of 9

P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Synonyms : Ethyl bromide

**Hazardous components** 

Component	Classification	Concentration
Bromoethane		
	Flam. Liq. 2; Acute Tox. 4; Carc. 2; H225, H302 + H33. H351	<= 100 % 2,

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Sigma-Aldrich - 124052 Page 2 of 9

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Refrigerate before opening. Handle and open container with care. Store under inert gas.

Storage class (TRGS 510): Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Components with workplace control parameters

Sigma-Aldrich - 124052 Page 3 of 9

Component	CAS-No.	Value	Control	Basis		
			parameters			
Bromoethane	74-96-4	TWA	5 ppm	USA. ACGIH Threshold Limit Values		
				(TLV)		
	Remarks	Central Nervous System impairment Liver damage				
			Confirmed animal carcinogen with unknown relevance to humans			
		Danger of co	Danger of cutaneous absorption			
		TWA	5.000000 ppm	USA. ACGIH Threshold Limit Values		
				(TLV)		
		Central Nervous System impairment				
		Liver damage				
		Confirmed animal carcinogen with unknown relevance to humans  Danger of cutaneous absorption				
		TWA	200.000000	USA. Occupational Exposure Limits		
			ppm	(OSHA) - Table Z-1 Limits for Air		
			890.000000	Contaminants		
			mg/m3			
		The value in mg/m3 is approximate.				
		See Append	with No Established RELs			
		PEL	5 ppm	California permissible exposure		
			22 mg/m3	limits for chemical contaminants		
				(Title 8, Article 107)		
		Skin				

### 8.2 Exposure controls

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 120 min

Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators

Sigma-Aldrich - 124052 Page 4 of 9

and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Form: clear, liquid Appearance

Colour: colourless

b) Odour No data available

Odour Threshold No data available c)

d) рΗ No data available

Melting point/freezing

point

Melting point/range: -119 °C (-182 °F) - lit.

Initial boiling point and

boiling range

37 - 40 °C (99 - 104 °F) - lit.

Flash point -23 °C (-9 °F) - closed cup

**Evaporation rate** No data available h)

Flammability (solid, gas) No data available i)

Upper explosion limit: 11.25 %(V) Upper/lower flammability or Lower explosion limit: 6.75 %(V)

explosive limits

Vapour pressure

519.7 hPa (389.8 mmHg) at 20 °C (68 °F)

1,745.2 hPa (1,309.0 mmHg) at 55 °C (131 °F)

Vapour density 3.76 - (Air = 1.0)

m) Relative density 1.46 g/cm3 at 25 °C (77 °F)

Water solubility No data available Partition coefficient: n-No data available

octanol/water **Auto-ignition** 

No data available

temperature

Decomposition temperature

No data available

Viscosity No data available r) No data available Explosive properties Oxidizing properties No data available

9.2 Other safety information

> Relative vapour density 3.76 - (Air = 1.0)

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions 10.3

Vapours may form explosive mixture with air.

Sigma-Aldrich - 124052 Page 5 of 9

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Strong bases, Strong oxidizing agents, Magnesium, Potassium, Calcium, Sodium/sodium oxides, Aluminum, Zinc, Alkali metals

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen bromide gas Other decomposition products - No data available

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 1,350 mg/kg

Dermal: No data available

No data available

### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

Hamster

ovary

Sister chromatid exchange

## Carcinogenicity

Carcinogenicity - Rat - Inhalation

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Brain and Coverings:Tumors.

Carcinogenicity - Mouse - Inhalation

Tumorigenic:Carcinogenic by RTECS criteria. Tumorigenic Effects: Uterine tumors.

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

Limited evidence of carcinogenicity in animal studies

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

No data available

No data available

### Specific target organ toxicity - single exposure

No data available

Sigma-Aldrich - 124052 Page 6 of 9

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### **Additional Information**

RTECS: KH6475000

narcosis, Dizziness, Weakness, Ataxia., Tremors, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available

Toxicity to algae Growth inhibition NOEC - Pseudokirchneriella subcapitata - 200 mg/l - 72 h

(OECD Test Guideline 201)

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1891 Class: 6.1 Packing group: II

Proper shipping name: Ethyl bromide

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1891 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: ETHYL BROMIDE

**IATA** 

UN number: 1891 Class: 6.1 Packing group: II

Proper shipping name: Ethyl bromide

Sigma-Aldrich - 124052 Page 7 of 9

### 15. REGULATORY INFORMATION

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

74-96-4

2007-09-28

### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Bromoethane	74-96-4	1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Bromoethane	74-96-4	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Bromoethane	74-96-4	1993-04-24
California Prop. 65 Components		
WARNING! This product contains a chemical known to the	CAS-No.	Revision Date

### **16. OTHER INFORMATION**

Bromoethane

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Carc. Carcinogenicity
Flam. Liq. Flammable liquids

State of California to cause cancer.

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H302 + H332 Harmful if swallowed or if inhaled

H332 Harmful if inhaled.

H351 Suspected of causing cancer.

## **HMIS Rating**

Health hazard: 1
Chronic Health Hazard: \*
Flammability: 4
Physical Hazard 0

## **NFPA** Rating

Health hazard: 2
Fire Hazard: 4
Reactivity Hazard: 0

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 124052 Page 8 of 9

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.9 Revision Date: 05/23/2016 Print Date: 07/27/2016

Sigma-Aldrich - 124052 Page 9 of 9