

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1** Product identifiers

Product name : 1,4-Dioxane for liquid chromatography LiChrosolv®

Product Number	:	1.03132
Catalogue No.	:	103132
Brand	:	Millipore
Index-No.	:	603-024-00-5
CAS-No.	:	123-91-1

## **1.2** Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis, Chemical production

## **1.3** Details of the supplier of the safety data sheet

4	Telephone	:	+1 800-645-5476
	Company	:	EMD Millipore Corporation 400 Summit Drive BURLINGTON MA 01803 UNITED STATES

#### 1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Millipore - 1.03132

Page 1 of 11



Hazard statement(s)	
H225	Highly flammable liquid and vapor.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
	1 5
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable
	for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue
	rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant
	foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

May form explosive peroxides. Repeated exposure may cause skin dryness or cracking.

## SECTION 3: Composition/information on ingredients

3.1	Substances				
	Formula	:	C4H8O2		
	Molecular weight	:	88.11 g/mol		
	CAS-No.	:	123-91-1		
	EC-No.	:	204-661-8		
	Index-No.	:	603-024-00-5		
	Component			Classification	Concentration

Millipore - 1.03132

Page 2 of 11



1,4-Dioxane		
	Flam. Liq. 2; Eye Irrit. 2A; Carc. 2; STOT SE 3; H225, H319, H351, H335 Concentration limits: >= 20 %: STOT SE 3,	<= 100 %
	H335;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

Millipore - 1.03132

Page 3 of 11



## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6:** Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### **6.2 Environmental precautions** Do not let product enter drains. Risk of explosion.

**6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

## **6.4** Reference to other sections For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label. Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Millipore - 1.03132

Page 4 of 11



## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with workplace control parameters				
Component	CAS-No.	Value	Control	Basis
			parameters	
1,4-Dioxane	123-91-1	TWA	20 ppm	USA. ACGIH Threshold Limit
				Values (TLV)
	Remarks	Confirmed	animal carcinoge	en with unknown relevance to
		humans		
		Danger of o	cutaneous absor	ption
		TWA	25 ppm	USA. OSHA - TABLE Z-1 Limits
			90 mg/m3	for Air Contaminants -
			_	1910.1000
		Skin notation		
		TWA	100 ppm	USA. Occupational Exposure
			360 mg/m3	Limits (OSHA) - Table Z-1
				Limits for Air Contaminants
		Skin desigr	nation	
		С	1 ppm	USA. NIOSH Recommended
			3.6 mg/m3	Exposure Limits
		Potential Occupational Carcinogen		
		PEL	0.28 ppm	California permissible exposure
			1 mg/m3	limits for chemical
				contaminants (Title 8, Article
				107)
		Skin		

## Ingredients with workplace control parameters

#### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please

Millipore - 1.03132

Page 5 of 11



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Viton® Minimum layer thickness: 0.7 mm Break through time: 120 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

## **Body Protection**

Flame retardant antistatic protective clothing.

## **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	6.0 - 8 at 500 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point: 11.8 °C (53.2 °F)
f)	Initial boiling point and boiling range	100 - 102 °C 212 - 216 °F at 1,013 hPa
g)	Flash point	11 °C (52 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 22 %(V) Lower explosion limit: 2 %(V)
k)	Vapor pressure	36 hPa at 20 °C (68 °F) 53 hPa at 25.20 °C(77.36 °F)
I)	Vapor density	3.04 - (Air = 1.0)
m)	Relative density	1.03 at 20 °C (68 °F)
n)	Water solubility	1,000 g/l at 20 °C (68 °F) - completely miscible
o)	Partition coefficient: n-octanol/water	log Pow: -0.42 - Bioaccumulation is not expected.
p)	Autoignition temperature	190.55 °C (374.99 °F)

Millipore - 1.03132

Page 6 of 11



q)	Decomposition temperature	No data available
r)	Viscosity	1.27 mm2/s at 20 °C (68 °F) - OECD Test Guideline 114 - 0.93 mm2/s at 40 °C (104 °F) - OECD Test Guideline 114 -

- s) Explosive properties No data available
- t) Oxidizing properties No data available

## 9.2 Other safety information

Surface tension	36.9 mN/m at 25 °C (77 °F)
Relative vapor density	3.04 - (Air = 1.0)

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Formation of peroxides possible. Vapors may form explosive mixture with air.

## **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Warming. Moisture.

# **10.5 Incompatible materials**

Oxygen, Oxidizing agents, Halogens, Reducing agents, Perchlorates., Trimethylaluminum

#### **10.6 Hazardous decomposition products** Peroxides

In the event of fire: see section 5

## SECTION 11: Toxicological information

## **11.1 Information on toxicological effects**

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 5,150 mg/kg (OECD Test Guideline 401)

Inhalation: No data availableSymptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Lung edema

LD50 Dermal - Rabbit - 7,378 mg/kg Remarks: (RTECS) No data available

## Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 20 h

Millipore - 1.03132

Page 7 of 11



Remarks: (IUCLID)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation (OECD Test Guideline 405) (Regulation (EC) No 1272/2008, Annex VI)

#### Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (Regulation (EC) No. 440/2008, Annex, B.6)

#### Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA)

Test Type: dominant lethal test Species: Mouse

Application Route: Intraperitoneal injection

Result: negative Remarks: (ECHA)

#### Carcinogenicity

Suspected of causing cancer.

- IARC: 2B Group 2B: Possibly carcinogenic to humans (1,4-Dioxane)
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

Millipore - 1.03132

Page 8 of 11



## Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)**Specific target organ toxicity - repeated exposure** No data available

**Aspiration hazard** 

No data available

## **11.2 Additional Information**

Repeated dose toxicity - Rat - male - Oral - 716 Days - NOAEL (No observed adverse effect level) - 9.6 mg/kgRemarks: (ECHA)

Not available

Nausea, Vomiting, Weakness, Dizziness, Vertigo, Headache, Sweating, loss of appetite, Kidney injury may occur., Liver injury may occur.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

The substance has delayed effects.

After absorption:

Headache Dizziness Nausea Vomiting

Absorption can result in damage to:

Liver Kidney

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

## SECTION 12: Ecological information

#### **12.1 Toxicity**

Toxicity to daphnia	semi-static test EC50 - Daphnia magna (Water flea) - > 1,000 mg/l
and other aquatic	- 48 h
invertebrates	(OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 1,000 mg/l - 72 h (OECD Test Guideline 201)

#### 12.2 Persistence and degradability

Millipore - 1.03132

Page 9 of 11



aerobic - Exposure time 29 d Result: < 10 % - Not readily biodegradable. (OECD Test Guideline 301F)

## 12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 10 mg/l(1,4-Dioxane)

> Bioconcentration factor (BCF): 0.3 - 0.7 (OECD Test Guideline 305C)

#### **12.4 Mobility in soil**

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

Forms toxic mixtures in water, dilution measures notwithstanding. Discharge into the environment must be avoided.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14: Transport information**

#### DOT (US)

UN number: 1165 Class: 3 Packing group: II Proper shipping name: Dioxane Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No IMDG UN number: 1165 Class: 3 Packing group: II EMS-No: F-E, S-D Proper shipping name: DIOXANE ΙΑΤΑ

UN number: 1165 Class: 3 Proper shipping name: Dioxane Packing group: II

#### **SECTION 15: Regulatory information**

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

Millipore - 1.03132

Page 10 of 11



## SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313: **D** · · · **D** ·

	CAS-NO.	Revision Date
1,4-Dioxane	123-91-1	2007-03-01

#### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.3

Revision Date: 03/27/2021 Print Date: 03/29/2021

Millipore - 1.03132

Page 11 of 11



