

# SAFETY DATA SHEET

Revision Date 26-Jan-2018

**Revision Number** 3

	1. Identification
Product Name	4-Ethylphenol
Cat No. :	AC118820000; AC118820010; AC118820050; AC118820051; AC118822500
CAS-No Synonyms	123-07-9 para Ethylphenol; 4-Hydroxyphenylethane; 1-Ethyl-4-Hydroxybenzene
Recommended Use Uses advised against	Laboratory chemicals. Not for food, drug, pesticide or biocidal product use
Details of the supplier of the	safety data sheet
Company	

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

#### **Emergency Telephone Number**

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

В

# Label Elements

Signal Word Danger

### **Hazard Statements**

Harmful if swallowed Harmful in contact with skin Causes severe skin burns and eye damage Harmful if inhaled



# **Precautionary Statements**

### Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin Wash contaminated clothing before reuse IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion Rinse mouth Do NOT induce vomiting Storage Store locked up Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component		CAS-No	Weight %
Phenol, 4-ethyl-		123-07-9	97
	4.	First-aid measures	
Eye Contact		nedical attention is required. Rinse imme for at least 15 minutes.	ediately with plenty of water, also under
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.		
Inhalation	Remove from exposure, lie down. Move to fresh air. If not breathing, give artificial respiration. Immediate medical attention is required.		
Ingestion	Do not induce vomiting. Call a physician immediately.		
Most important symptoms and effects	Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus sho be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation		ation of stomach or esophagus should
Notes to Physician	Treat symptomatically		

	5. Fire-fightin	g measures		
Suitable Extinguishing Media	Carbon dioxide (CO <sub>2</sub> ). Dry	chemical. Chemical foam.		
Unsuitable Extinguishing Media	No information available			
Flash Point	100 °C / 212 °F			
Method -	No information available			
Autoignition Temperature Explosion Limits	No information available			
Upper	No data available			
Lower	No data available			
Sensitivity to Mechanical Impac Sensitivity to Static Discharge	No information available			
Specific Hazards Arising from the 0 Keep product and empty container av	Chemical vay from heat and sources of i	gnition.		
Hazardous Combustion Products Carbon monoxide (CO) Carbon dioxid Protective Equipment and Precauti As in any fire, wear self-contained bre protective gear.	ons for Firefighters	mand, MSHA/NIOSH (approve	ed or equivalent) and full	
NFPA Health 3	Flammability 1	Instability 0	Physical hazards N/A	
6. Accidental release measures				
	6. Accidental rel	ease measures		
Personal Precautions Environmental Precautions	Ensure adequate ventilation	CASE MEASURES I. Use personal protective equi al ecological information. Do no	pment.	
	Ensure adequate ventilation See Section 12 for additiona sanitary sewer system.	<ul> <li>Use personal protective equi al ecological information. Do no</li> <li>Ilage and collect in suitable co</li> </ul>	oment. ot flush into surface water or	
Environmental Precautions Methods for Containment and Clea	Ensure adequate ventilation See Section 12 for additiona sanitary sewer system. n Sweep up or vacuum up spi	<ul> <li>Use personal protective equi al ecological information. Do no llage and collect in suitable co ronment.</li> </ul>	oment. ot flush into surface water or	
Environmental Precautions Methods for Containment and Clea	Ensure adequate ventilation See Section 12 for additional sanitary sewer system. n Sweep up or vacuum up spithis chemical enter the envi 7. Handling a	<ul> <li>Use personal protective equi al ecological information. Do no llage and collect in suitable co ronment.</li> <li>Ind storage get in eyes, on skin, or on clot</li> </ul>	pment. ot flush into surface water or	
Environmental Precautions Methods for Containment and Clea Up	Ensure adequate ventilation See Section 12 for additional sanitary sewer system. <b>n</b> Sweep up or vacuum up spithis chemical enter the enviting <b>7. Handling a</b> Do not breathe dust. Do not area provided with appropria Keep in a dry, cool and well	I. Use personal protective equi al ecological information. Do no llage and collect in suitable co ronment. Ind storage get in eyes, on skin, or on clot ate exhaust ventilation. -ventilated place. Keep contair nition. Corrosives area. Keep c	pment. ot flush into surface water or ntainer for disposal. Do not let hing. Do not ingest. Use only in	
Environmental Precautions Methods for Containment and Clea Up Handling Storage	Ensure adequate ventilation See Section 12 for additional sanitary sewer system. <b>n</b> Sweep up or vacuum up spithis chemical enter the enviting <b>7. Handling a</b> Do not breathe dust. Do not area provided with appropria Keep in a dry, cool and well from heat and sources of ig cool and well-ventilated place	I. Use personal protective equi al ecological information. Do no llage and collect in suitable co ronment. Ind storage get in eyes, on skin, or on clot ate exhaust ventilation. -ventilated place. Keep contair nition. Corrosives area. Keep c	pment. ot flush into surface water or ntainer for disposal. Do not let hing. Do not ingest. Use only in her tightly closed. Keep away ontainers tightly closed in a dry,	
Environmental Precautions Methods for Containment and Clea Up Handling Storage	Ensure adequate ventilation See Section 12 for additional sanitary sewer system. n Sweep up or vacuum up spithis chemical enter the envi 7. Handling a Do not breathe dust. Do not area provided with appropria Keep in a dry, cool and well from heat and sources of ig cool and well-ventilated place XPOSULE CONTROLS / This product does not conta	I. Use personal protective equi al ecological information. Do no llage and collect in suitable co ronment. Ind storage get in eyes, on skin, or on clot ate exhaust ventilation. -ventilated place. Keep contair nition. Corrosives area. Keep co	pment. ot flush into surface water or ntainer for disposal. Do not let whing. Do not ingest. Use only in her tightly closed. Keep away ontainers tightly closed in a dry,	
Environmental Precautions Methods for Containment and Clea Up Handling Storage 8. E	Ensure adequate ventilation See Section 12 for additional sanitary sewer system. n Sweep up or vacuum up spithis chemical enter the envi 7. Handling a Do not breathe dust. Do not area provided with appropria Keep in a dry, cool and well from heat and sources of ig cool and well-ventilated place XPOSURE CONTROLS / This product does not contal limitsestablished by the reginners Ensure adequate ventilation	Use personal protective equi al ecological information. Do no llage and collect in suitable co ronment. <u>Ind storage</u> get in eyes, on skin, or on clof ate exhaust ventilation.     -ventilated place. Keep contair nition. Corrosives area. Keep co ce. <u>personal protectic</u> in any hazardous materials wit	pment. ot flush into surface water or ntainer for disposal. Do not let hing. Do not ingest. Use only in her tightly closed. Keep away ontainers tightly closed in a dry, on h occupational exposure	

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State
Appearance
Odor
Odor Threshold
рН
Melting Point/Range
Boiling Point/Range
Flash Point
Evaporation Rate
Flammability (solid,gas)
Flammability or explosive limits
Upper
Lower
Vapor Pressure
Vapor Density
Specific Gravity
Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
Molecular Formula
Molecular Weight
-

Solid Brown aromatic No information available No information available 41 - 46  $^\circ C$  / 105.8 - 114.8  $^\circ F$ 218 - 219 °C / 424.4 - 426.2 °F @ 760 mmHg 100 °C / 212 °F Not applicable No information available No data available No data available 0.13 mmHg @ 20 °C Not applicable No information available No information available No data available No information available No information available Not applicable C8 H10 O

# 10. Stability and reactivity

122.17

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Excess heat. Incompatible products.	
Incompatible Materials	Strong oxidizing agents, Acid anhydrides, Acid chlorides	
Hazardous Decomposition Product	cts Carbon monoxide (CO), Carbon dioxide (CO2)	
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

# Acute Toxicity

Product Information Component Information Toxicologically Synergistic

No information available

# Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No info	rmation available
--------------------	-------------------

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Phenol, 4-ethyl-	123-07-9	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ailable			
Reproductive Effects		No information ava	ailable.			
Developmental Effect	s	No information ava	ailable.			
Teratogenicity		No information ava	ilable.			
STOT - single exposu STOT - repeated expo		None known None known				
Aspiration hazard		No information ava	ailable			
Symptoms / effects,b delayed	ooth acute and	nd Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion cause severe swelling, severe damage to the delicate tissue and danger of perforation			estion causes	
Endocrine Disruptor I	Information	No information ava	ilable			
Other Adverse Effects	S	The toxicological p	roperties have not	been fully investig	jated.	

12. Ecological information

# Ecotoxicity

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Phenol, 4-ethyl-	EC50: = 168 mg/L, 48h (Tetrahymena pyriformis)	LC50: = 10.4 mg/L, 96h flow-through (Pimephales promelas)	EC50 = 0.051 mg/L 30 min	Not listed
Develotones and Deveed	ability Development	a sual'ha ba		

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/Accumulation** 

No information available.

Mobility

Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Phenol, 4-ethyl-	2.58

	13. Disposal considerations	
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.	
	14. Transport information	
DOT UN-No	UN2430	

Hazard Class	8
Packing Group	III
TDG	
UN-No	UN2430
Hazard Class	8
Packing Group	III
UN-No	2430
Proper Shipping Name	ALKYLPHENOLS, SOLID, N.O.S.
Hazard Class	8
Packing Group	III
IMDG/IMO	
UN-No	2430
Proper Shipping Name	ALKYLPHENOLS, SOLID, N.O.S.
Hazard Class	8
Packing Group	III
	15. Regulatory information

### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Phenol, 4-ethyl-	Х	Х	-	204-598-6	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)	Not applicable		
SARA 313	Not applicable		
SARA 311/312 Hazard Categories	See section 2 for more information		
CWA (Clean Water Act)	Not applicable		
Clean Air Act	Not applicable		
<b>OSHA</b> Occupational Safety and Health Administration Not applicable			

#### CERCLA

Not applicable

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know

#### Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Phenol, 4-ethyl-	Х	-	Х	-	-

## **U.S. Department of Transportation**

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

# **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade	No information available		
	16. Other information		
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com		
Revision Date Print Date Revision Summary	26-Jan-2018 26-Jan-2018 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).		

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of SDS