

Revision date: 08-15-2014

SAFETY DATA SHEET

1. Identification

Product identifier: SODIUM HYDROXIDE SOLUTIONS

Other means of identification

Product No.: 4689

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name: Avantor Performance Materials, Inc. Address: 3477 Corporate Parkway, Suite 200

Center Valley, PA 18034

Telephone:

Customer Service: 855-282-6867

Fax:

Contact Person: Environmental Health & Safety e-mail: info@avantormaterials.com

Emergency telephone number:

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard classification

Health hazards

Skin corrosion/irritation Category 1A
Serious eye damage/eye irritation Category 1

Label elements

Hazard symbol:



Signal word: Danger

Hazard statement: Causes severe skin burns and eye damage.

Precautionary statement

Prevention: Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly

after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or

hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED:



Revision date: 08-15-2014

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

3. Composition/information on ingredients

Mixtures

Chemical identity	Common name and synonyms	CAS number	Content in percent (%)*			
SODIUM HYDROXIDE		1310-73-2	1 - 10%			

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion: Rinse mouth. Get medical attention if symptoms occur. Do NOT induce

vomiting. If vomiting occurs, keep head low so that stomach content doesn't

get into the lungs.

Inhalation: Move to fresh air. Get medical attention if symptoms persist. Apply artificial

respiration if victim is not breathing If breathing is difficult, give oxygen.

Skin contact: Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Destroy or thoroughly clean contaminated shoes.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately. In case of irritation from airborne exposure, move to fresh air.

Most important symptoms/effects, acute and delayed

Symptoms: Causes severe skin and eye burns.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General fire hazards: In case of fire and/or explosion do not breathe fumes.



Revision date: 08-15-2014

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

None known.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed. Product is highly caustic. Product is acidic. Wear appropriate protective gear if spilled during

fire fighting.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to

flames with water until well after the fire is out.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Keep unauthorized personnel away. Ventilate closed spaces before entering them. Use personal protective equipment. See Section 8 of the MSDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods and material for containment and cleaning

up:

Neutralize spill area and washings with dilute acetic acid. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far

ahead of larger spill for later recovery and disposal.

Notification Procedures: Dike for later disposal. Prevent entry into waterways, sewer, basements or

confined areas. Stop the flow of material, if this is without risk. Inform

authorities if large amounts are involved.

Environmental precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid discharge into drains, water courses or onto

the ground.

7. Handling and storage

Precautions for safe handling:

Wear protective gloves/protective clothing/eye protection/face protection. Do not taste or swallow. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Use caution when adding this material to water. See Section 8 of the MSDS for Personal Protective Equipment. Avoid contact with skin. Avoid contact with eyes.

Conditions for safe storage, including any

incompatibilities:

Keep containers tightly closed. Store in cool, dry place. Store in a well-ventilated place. Store locked up. Store away from incompatible materials.



Revision date: 08-15-2014

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Chemical identity	Туре	Exposure Limit values	Source		
SODIUM HYDROXIDE	Ceiling	2 mg/m3	US. ACGIH Threshold Limit Values (2011)		
	Ceil_Time	2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)		
	PEL	2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)		
	Ceiling	2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)		

Appropriate engineering

No data available.

controls

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls

to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield. Wear

a full-face respirator, if needed.

Skin protection

Hand protection: Chemical resistant gloves

Other: Wear suitable protective clothing.

Respiratory protection: If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an

appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or

manufacturer for specific information.

Hygiene measures: Provide eyewash station and safety shower. Observe good industrial

hygiene practices. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Avoid

contact with eyes, skin, and clothing.

9. Physical and chemical properties

Appearance

Physical state: Liquid
Form: Liquid
Color: Colorless
Odor: Odorless

Odor threshold: No data available.

pH: 14

Melting point/freezing point:No data available.

Initial boiling point and boiling range: < 105 °C
Flash Point: Not applicable



Revision date: 08-15-2014

Evaporation rate: As water

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

No data available.

Explosive limit - upper (%):

No data available.

Explosive limit - lower (%):

No data available.

Vapor pressure: As water

Vapor density:No data available.Relative density:No data available.

Solubility(ies)

Solubility in water: Soluble

Solubility (other):

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

No data available.

No data available.

No data available.

No data available.

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Contact with incompatible materials. Heat, sparks, flames. Water, moisture.

Avoid contact with oxidizing agents.

Incompatible materials: Strong acids. Strong oxidizing agents. Organic compounds. Aluminum.

Nitromethane. Metals. Halogens. Ethylene Oxide Sodium hydroxide.

Hazardous decomposition

products:

Sodium oxides

11. Toxicological information

Information on likely routes of exposure

Ingestion: May be harmful if swallowed.

Inhalation: May be harmful if inhaled.

Skin contact: Causes severe skin burns.

Eye contact: Causes serious eye damage.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix (Rat): 3,250 mg/kg

Dermal

Product: ATEmix (Rabbit): 33,750 mg/kg

Inhalation



Revision date: 08-15-2014

Product: No data available.

Repeated dose toxicity

Product: No data available.

Skin corrosion/irritation

Product: Causes severe skin burns.

Serious eye damage/eye irritation

Product: Causes serious eye damage.

Respiratory or skin sensitization

Product: Not a skin sensitizer.

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ cell mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: No components toxic to reproduction

Specific target organ toxicity - single exposure
Product:
None known.

Specific target organ toxicity - repeated exposure

Product: None known.

Aspiration hazard

Product: Not classified

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: LC 50 (Western mosquitofish (Gambusia affinis), 96 h): Estimated 3,125

mg/l

Aquatic invertebrates

Product: EC 50 (Water flea (Ceriodaphnia dubia), 48 h): Estimated 865 mg/l

Chronic hazards to the aquatic environment:



Revision date: 08-15-2014

Fish

Product: No data available.

Aquatic invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and degradability

Biodegradation

Product: There are no data on the degradability of this product.

BOD/COD ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration factor (BCF)

Product: No data available on bioaccumulation.

Partition coefficient n-octanol / water (log Kow)
Product:
No data available.

Mobility in soil: The product is water soluble and may spread in water systems.

Other adverse effects: Large amounts of the product may affect the acidity (pH-factor) in water with

possible risk of harmful effects to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws. Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and

product characteristics at time of disposal.

Contaminated packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.

14. Transport information

DOT

UN number: UN 1824

UN proper shipping name: Sodium hydroxide solution

Transport hazard class(es)

Class(es): 8
Label(s): 8
Packing group: II
Marine Pollutant: No

IMDG

UN number: UN 1824

UN proper shipping name: SODIUM HYDROXIDE SOLUTION

Transport hazard class(es)

Class(es): 8
Label(s): 8
EmS No.: F-A, S-B

Packing group: II
Marine Pollutant: No



Revision date: 08-15-2014

IATA

UN number: UN 1824

Proper Shipping Name: Sodium hydroxide solution

Transport hazard class(es):

Class(es): 8
Label(s): 8

Marine Pollutant: No
Packing group: II

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

SODIUM HYDROXIDE Reportable quantity: 1000 lbs.

Superfund amendments and reauthorization act of 1986 (SARA)

Hazard categories

Ī			1		1	
	Χ	Acute (Immediate)	Chronic (Delayed)	Fire	Reactive	Pressure Generating

SARA 302 Extremely hazardous substance

None present or none present in regulated quantities.

SARA 304 Emergency release notification

Chemical identityRQSODIUM HYDROXIDE1000 lbs.

SARA 311/312 Hazardous chemical

Chemical identityThreshold Planning QuantitySODIUM HYDROXIDE500 lbs

SARA 313 (TRI reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

SODIUM HYDROXIDE Reportable quantity: 1000 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US state regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

SODIUM HYDROXIDE Listed

US. Massachusetts RTK - Substance List

SODIUM HYDROXIDE Listed

US. Pennsylvania RTK - Hazardous Substances

SODIUM HYDROXIDE Listed



Revision date: 08-15-2014

US. Rhode Island RTK

SODIUM HYDROXIDE Listed

Inventory Status:

Australia AICS: Canada DSL Inventory List: EINECS, ELINCS or NLP: Japan (ENCS) List:

China Inv. Existing Chemical Substances: Korea Existing Chemicals Inv. (KECI):

Canada NDSL Inventory: Philippines PICCS: US TSCA Inventory:

New Zealand Inventory of Chemicals:


Japan ISHL Listing:

Japan Pharmacopoeia Listing:

On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory On or in compliance with the inventory On or in compliance with the inventory Not in compliance with the inventory. Not in compliance with the inventory.

16.Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

COR: Corrosive

Issue date: 08-15-2014

Revision date: No data available.

Version #: 1.0

Further information: No data available.



Disclaimer:

Version: 1.0

Revision date: 08-15-2014

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION<(>,<)> WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE. OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.