

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 07/27/2016

Version 1.1

SECTION 1.Identification

Product identifier

Product number CX0266

Product name CALCIUM OXIDE LUMPS TECHNICAL GRADE

CAS-No. 1305-78-8

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Skin irritation, Category 2, H315

Serious eye damage, Category 1, H318

Specific target organ systemic toxicity - single exposure, Category 3, Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms





Signal Word
Danger

Hazard Statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary Statements

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number CX0266 Version 1.1

Product name CALCIUM OXIDE LUMPS TECHNICAL GRADE

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

P321 Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula CaO (Hill)
Molar mass 56.07 g/mol

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

calcium oxide (>= 90 % - <= 100 %)

1305-78-8

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/

shower.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Dermatitis, Cough, Shortness of breath

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number CX0266 Version 1.1

Product name CALCIUM OXIDE LUMPS TECHNICAL GRADE

Risk of corneal clouding.

Risk of serious damage to eyes.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number CX0266 Version 1.1

Product name CALCIUM OXIDE LUMPS TECHNICAL GRADE

Requirements for storage areas and containers

Do not use light-weight-metal containers.

Tightly closed. Dry.

Store at room temperature.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

OSHA_TRANS

Basis Value Threshold Remarks

limits

calcium oxide 1305-78-8

exposure limit (REL):
PEL: 5 mg/m³

Z1A Time Weighted Average 5 mg/m³

(TWA):

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Tightly fitting safety goggles

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

protective clothing

Respiratory protection

required when dusts are generated.

SECTION 9. Physical and chemical properties

Physical state solid

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number CX0266 Version 1.1
Product name CALCIUM OXIDE LUMPS TECHNICAL GRADE

Color white

Odor odorless

Odor Threshold Not applicable

pH 12.6

at 20 °C (20 °C) (saturated solution)

Melting point 2,580 °C

Boiling point/boiling range 2,850 °C (2,850 °C)

at 100 mbar

Flash point does not flash

Evaporation rate No information available.

Flammability (solid, gas)

The product is not flammable.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapor pressure Not applicable

Relative vapor density No information available.

Density 3.37 g/cm3

at 20 °C (20 °C)

Relative density No information available.

Water solubility 1.65 g/l

at 20 °C (20 °C)

Method: OECD Test Guideline 105

Risk of violent reaction.

Partition coefficient: n-

octanol/water Not applicable

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic Not applicable

Explosive properties Not classified as explosive.

Oxidizing properties none

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number CX0266 Version 1.1

Product name CALCIUM OXIDE LUMPS TECHNICAL GRADE

Ignition temperature not combustible

Bulk density 800 - 1,200 kg/m3

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

Decomposes when moist.

Possibility of hazardous reactions

Violent reactions possible with:

Risk of explosion with:

Alcohols, Hydrogen halides, halogen-halogen compounds, Light metals, Water, acids

Conditions to avoid

Exposure to moisture.

Incompatible materials

no information available

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact, Ingestion

Target Organs

Eyes

Skin

Respiratory system

Acute oral toxicity

Rat: >= 7,340 mg/kg

OECD Test Guideline 401

Symptoms: Irritations of:, Gastrointestinal tract

Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number CX0266 Version 1.1

Product name CALCIUM OXIDE LUMPS TECHNICAL GRADE

Skin irritation

Rabbit

Result: No irritation
OECD Test Guideline 404

in case of perspiration/moisture corrosive.

Causes skin irritation.

in case of perspiration/moisture corrosive. After long-term exposure to the chemical: Dermatitis

Eve irritation

Causes serious eye damage.

Rabbit

Result: Moderate eye irritation OECD Test Guideline 405 Risk of corneal clouding.

Sensitization
Patch test: human
Result: negative

(IUCLID)

Genotoxicity in vitro

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

Reproductive toxicity

No impairment of reproductive performance in animal experiments. (IUCLID)

Teratogenicity

Did not show teratogenic effects in animal experiments. (IUCLID)

Specific target organ systemic toxicity - single exposure

May cause respiratory irritation.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number CX0266 Version 1.1

Product name CALCIUM OXIDE LUMPS TECHNICAL GRADE

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

Further information

Decomposition of the substance with tissue moisture.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

static test LC50 Oncorhynchus mykiss (rainbow trout): 50.6 mg/l; 96 h

OECD Test Guideline 203 The value is given in analogy to the following substances: Calcium

hydroxide

Toxicity to daphnia and other aquatic invertebrates

static test EC50 Daphnia magna (Water flea): 49.1 mg/l; 48 h

Analytical monitoring: yes

OECD Test Guideline 202 The value is given in analogy to the following substances: Calcium

hydroxide

Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable

Mobility in soil

No information available.

Additional ecological information

Harmful effect due to pH shift.

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number CX0266 Version 1.1

Product name CALCIUM OXIDE LUMPS TECHNICAL GRADE

SECTION 14. Transport information

Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

Air transport (IATA)

UN number UN 1910

Proper shipping name CALCIUM OXIDE

Class 8
Packing group III
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

Environmentally hazardous --

SECTION 15. Regulatory information

United States of America

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

calcium oxide

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number CX0266 Version 1.1

Product name CALCIUM OXIDE LUMPS TECHNICAL GRADE

Pennsylvania Right To Know

Ingredients calcium oxide

New Jersey Right To Know

Ingredients

calcium oxide

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms





Signal Word
Danger

Hazard Statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary Statements

Prevention

P280 Wear eye protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number CX0266 Version 1.1

Product name CALCIUM OXIDE LUMPS TECHNICAL GRADE

Full text of H-Statements referred to under sections 2 and 3.

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date07/27/2016

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.