# **SAFETY DATA SHEET**

Version 5.0 Revision Date 12/31/2014 Print Date 03/07/2015

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Acetylacetone

Product Number : A3511
Brand : Sigma

Index-No. : 606-029-00-0

CAS-No. : 123-54-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H311 + H331 Toxic in contact with skin or if inhaled.

H318 Causes serious eye damage.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Sigma - A3511

P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. P264 Do not eat, drink or smoke when using this product. P270 Use only outdoors or in a well-ventilated area. P271 Wear protective gloves/ eve protection/ face protection. P280 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you P301 + P312 + P330 feel unwell. Rinse mouth. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P311 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. P363 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for P370 + P378 P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms : 2,4-Pentanedione

Formula : CH3COCH2COCH3

 Molecular weight
 : 100.12 g/mol

 CAS-No.
 : 123-54-6

 EC-No.
 : 204-634-0

 Index-No.
 : 606-029-00-0

**Hazardous components** 

Component	Classification	Concentration
Acetylacetone		
	Flam. Liq. 3; Acute Tox. 4; Acute Tox. 3; Eye Dam. 1; H226, H302, H311 + H331, H318	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

# If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Sigma - A3511 Page 2 of 8

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Components with workplace control parameters

Sigma - A3511 Page 3 of 8

Component	CAS-No.	Value	Control parameters	Basis	
_					
Acetylacetone	123-54-6	TWA	25.000000 ppm	USA. ACGIH Threshold Limit Values	
-				(TLV)	
	Remarks	Central Nervous System impairment			
		Neurotoxicity			
		Danger of cutaneous absorption			

#### 8.2 Exposure controls

# **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Personal protective equipment

# Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odourc) Odour ThresholdNo data availableNo data available

d) pH 6 at 200 g/l at 20 °C (68 °F)

a) pri 0 at 200 g/1 at 20 0 (00 1)

point

f) Initial boiling point and

Melting point/freezing

boiling range

e)

136 - 138 °C (277 - 280 °F) at 1,013 hPa (760 mmHg)

Melting point/range: -22.99 °C (-9.38 °F)

g) Flash point 38 °C (100 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 11.4 %(V) flammability or Lower explosion limit: 1.7 %(V)

explosive limits

k) Vapour pressure No data available
 l) Vapour density 3.46 - (Air = 1.0)
 m) Relative density 0.972 g/cm3

Sigma - A3511 Page 4 of 8

n) Water solubility soluble

o) Partition coefficient: n- log F

octanol/water

log Pow: 1.9

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties No data available

# 9.2 Other safety information

Surface tension 31.2 mN/m at 20 °C (68 °F)

Relative vapour density 3.46 - (Air = 1.0)

### 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

Heat, flames and sparks.

# 10.5 Incompatible materials

Strong oxidizing agents, Reducing agents, Strong bases, Metals

# 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - male - 760 mg/kg

LD50 Oral - Rat - female - 570 mg/kg

LC50 Inhalation - Rat - 4 h - 5.1 mg/l

LD50 Dermal - Rabbit - male - 790 mg/kg

LD50 Dermal - Rabbit - female - 1,370 mg/kg

No data available

# Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe eye irritation

# Respiratory or skin sensitisation

No data available

Sigma - A3511 Page 5 of 8

### Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

Hamster

ovary

Mutation in mammalian somatic cells.

Rat

Result: negative Micronucleus test

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

Ingestion of excessive amounts by pregnant animals resulted in maternal and foetal toxicity.

No data available

No data available

Developmental Toxicity - Rat - Inhalation

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

### **Additional Information**

RTECS: Not available

Inhalation may provoke the following symptoms:, Dizziness, Suffocation

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

# 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish LC50 - other fish - 106 mg/l - 96 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 40 mg/l - 24 h

EC100 - Daphnia magna (Water flea) - 90 mg/l - 24 h LC50 - Daphnia magna (Water flea) - 34,409 µg/l - 48 h

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

Sigma - A3511 Page 6 of 8

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Packing group: III

### Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2310 Class: 3 (6.1)

Proper shipping name: Pentane-2,4-dione

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2310 Class: 3 (6.1) Packing group: III EMS-No: F-E, S-D

Proper shipping name: PENTANE-2,4-DIONE

IATA

UN number: 2310 Class: 3 (6.1) Packing group: III

Proper shipping name: Pentane-2,4-dione

### 15. REGULATORY INFORMATION

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

Acetylacetone CAS-No. Revision Date 123-54-6 1993-04-24

# Pennsylvania Right To Know Components

Acetylacetone CAS-No. Revision Date 123-54-6 1993-04-24

**New Jersey Right To Know Components** 

Acetylacetone CAS-No. Revision Date 123-54-6 1993-04-24

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Sigma - A3511 Page 7 of 8

### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage Flam. Liq. Flammable liquids

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.
H311 Toxic in contact with skin.

H311 + H331 Toxic in contact with skin or if inhaled.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

# **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 2
Physical Hazard 0

### **NFPA Rating**

Health hazard: 2
Fire Hazard: 2
Reactivity Hazard: 0

#### **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.0 Revision Date: 12/31/2014 Print Date: 03/07/2015

Sigma - A3511 Page 8 of 8