# **SAFETY DATA SHEET**

Version 5.8 Revision Date 08/09/2016 Print Date 12/21/2016

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : *m*-Cresol

Product Number : C85727
Brand : Sigma-Aldrich
Index-No. : 604-004-00-9

CAS-No. : 108-39-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 3), H301 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H227 Combustible liquid. H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H401 Toxic to aquatic life.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Sigma-Aldrich - C85727 Page 1 of 9

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth, Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms : 3-Methylphenol

Formula : C<sub>7</sub>H<sub>8</sub>O

Molecular weight : 108.14 g/mol
CAS-No. : 108-39-4
EC-No. : 203-577-9
Index-No. : 604-004-00-9

Hazardous components

| Component | Classification  | Concentration |
|-----------|---|---------------|
| m-Cresol  |   |               |
|           | Flam. Liq. 4; Acute Tox. 3;<br>Skin Corr. 1B; Eye Dam. 1; | <= 100 %      |
|           | Aquatic Acute 2; H227, H301, H314, H401                   |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Sigma-Aldrich - C85727 Page 2 of 9

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# Components with workplace control parameters

| Component | CAS-No.  | Value  | Control parameters | Basis                                   |
|-----------|----------|--|--------------------|---|
| m-Cresol  | 108-39-4 | TWA  | 5.000000 ppm       | USA. ACGIH Threshold Limit Values (TLV) |
|           | Remarks  | Eye, skin, & Upper Respiratory Tract irritation Adopted values or notations enclosed are those for which changes |                    |   |

Sigma-Aldrich - C85727 Page 3 of 9

| are propose   | are proposed in the NIC                                     |                                   |  |  |
|---------------|---|-----------------------------------|--|--|
| 2010 Revision | 2010 Revision or addition to the notice of intended changes |                                   |  |  |
| See Notice    | See Notice of Intended Changes (NIC)                        |                                   |  |  |
| Danger of co  | Danger of cutaneous absorption                              |                                   |  |  |
| TWA           | 2.300000 ppm  | USA. NIOSH Recommended            |  |  |
|               | 10.000000   | Exposure Limits                   |  |  |
|               | mg/m3   | '                                 |  |  |
| TWA           | 20.000000   | USA. ACGIH Threshold Limit Values |  |  |
|               | mg/m3   | (TLV)                             |  |  |
| Upper Resp    | Upper Respiratory Tract irritation                          |                                   |  |  |
| Not classifia | Not classifiable as a human carcinogen                      |                                   |  |  |
| Danger of co  | Danger of cutaneous absorption                              |                                   |  |  |
| TWA           | 5 ppm   | USA. Occupational Exposure Limits |  |  |
|               | 22 mg/m3  | (OSHA) - Table Z-1 Limits for Air |  |  |
|               |   | Contaminants                      |  |  |
| Skin designa  | Skin designation  |                                   |  |  |
| The value in  | The value in mg/m3 is approximate.                          |                                   |  |  |
| TWA           | 20 mg/m3  | USA. ACGIH Threshold Limit Values |  |  |
|               |   | (TLV)                             |  |  |
| Upper Resp    | Upper Respiratory Tract irritation                          |                                   |  |  |
| Not classifia | Not classifiable as a human carcinogen                      |                                   |  |  |
| Danger of co  | Danger of cutaneous absorption                              |                                   |  |  |
| PEL           | 5 ppm   | California permissible exposure   |  |  |
|               | 22 mg/m3  | limits for chemical contaminants  |  |  |
|               |   | (Title 8, Article 107)            |  |  |
| Skin          | Skin  |                                   |  |  |

# 8.2 Exposure controls

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Personal protective equipment

# Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Chloroprene

Minimum layer thickness: 0.6 mm Break through time: 480 min

Material tested: Camapren® (KCL 722 / Aldrich Z677493, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 32 min

Material tested: Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Sigma-Aldrich - C85727 Page 4 of 9

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odourc) Odour Thresholdd) pHNo data availableNo data available

e) Melting point/freezing Melting point/range: 8 - 10 °C (46 - 50 °F) - lit.

point

f) Initial boiling point and 203 °C (397 °F) - lit.

boiling range

g) Flash point 86 °C (187 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 1.35 %(V) flammability or Lower explosion limit: 1.06 %(V)

explosive limits

k) Vapour pressure < 1 hPa (< 1 mmHg) at 20 °C (68 °F)

I) Vapour density 3.73 - (Air = 1.0)

m) Relative density 1.034 g/cm3 at 25 °C (77 °F)

n) Water solubility No data available
o) Partition coefficient: n- No data available

octanol/water

Auto-ignition No data available

temperature
q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

Relative vapour density 3.73 - (Air = 1.0)

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

Sigma-Aldrich - C85727 Page 5 of 9

#### 10.4 Conditions to avoid

Heat, flames and sparks.

# 10.5 Incompatible materials

Oxidizing agents, Bases

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 242 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Convulsions or effect on seizure threshold.

Gastrointestinal:Peritonitis.

Inhalation: No data available

LD50 Dermal - Rabbit - 2,050 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Lacrimation. Behavioral: Convulsions or

effect on seizure threshold. Gastrointestinal: Changes in structure or function of salivary glands.

No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 24 h

# Serious eye damage/eye irritation

Eves - Rabbit

Result: Severe eye irritation

#### Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available

No data available

### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: GO6125000

Sigma-Aldrich - C85727 Page 6 of 9

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

#### 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 8.9 mg/l - 96 h

LC50 - Salvelinus fontinalis - 7.6 mg/l - 96 h

Toxicity to daphnia and

LC50 - Daphnia magna (Water flea) - 18.8 mg/l - 48 h

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 25 mg/l - 24 h

# 12.2 Persistence and degradability

Biodegradability Biotic/Aerobic - Exposure time 10 d

Result: 96 % - Readily biodegradable Biotic/Aerobic - Exposure time 28 d Result: > 90 % - Readily biodegradable

# 12.3 Bioaccumulative potential

Bioaccumulation Leuciscus idus (Golden orfe) - 3 d

- 50 µg/l

Bioconcentration factor (BCF): 17 Leuciscus idus (Golden orfe)

Bioconcentration factor (BCF): 20

#### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

No data available

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2076 Class: 6.1 (8) Packing group: II Proper shipping name: Cresols, liquid

Reportable Quantity (RQ): 100 lbs

Poison Inhalation Hazard: No.

Sigma-Aldrich - C85727 Page 7 of 9

**IMDG** 

UN number: 2076 Class: 6.1 (8) Packing group: II EMS-No: F-A, S-B

Proper shipping name: CRESOLS, LIQUID

IATA

Packing group: II UN number: 2076 Class: 6.1 (8)

Proper shipping name: Cresols, liquid

#### 15. REGULATORY INFORMATION

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313: CAS-No. **Revision Date** 

108-39-4 2007-07-01 m-Cresol

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components** 

CAS-No. **Revision Date** m-Cresol 108-39-4 2007-07-01

Pennsylvania Right To Know Components

CAS-No. **Revision Date** 

2007-07-01 m-Cresol 108-39-4

**New Jersey Right To Know Components** 

CAS-No. **Revision Date** 

m-Cresol 108-39-4 2007-07-01

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# 16. OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity Eye Dam. Serious eye damage Flammable liquids Flam. Liq. H227 Combustible liquid. H301 Toxic if swallowed.

Causes severe skin burns and eye damage. H314

H318 Causes serious eye damage.

**HMIS Rating** 

Health hazard: 3 Chronic Health Hazard: 2 Flammability: Physical Hazard 0

**NFPA** Rating

Health hazard: 3 Fire Hazard: 2 Reactivity Hazard: 0

Sigma-Aldrich - C85727 Page 8 of 9

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.8 Revision Date: 08/09/2016 Print Date: 12/21/2016

Sigma-Aldrich - C85727 Page 9 of 9