Page 1 of 7

SAFETY DATA SHEET

Version 3.9 Revision Date 07/02/2014 Print Date 11/27/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : β-Cyclodextrin

Product Number : C4767 Brand : Sigma

Product Use : For laboratory research purposes.

Supplier : Sigma-Aldrich Canada Co. Manufactur : Sigma-Aldrich Corporation

2149 Winston Park Drive er 3050 Spruce St.

OAKVILLE ON L6H 6J8 St. Louis, Missouri 63103

USA

CANADA

Telephone : +1 9058299500 Fax : +1 9058299292 Emergency Phone # (For : 1-800-424-9300

both supplier and manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

WHMIS Classification

Not WHMIS controlled.

GHS Classification

Acute toxicity, Dermal (Category 5)

Eye irritation (Category 2B)

GHS Label elements, including precautionary statements

Pictogram none
Signal word Warning

Hazard statement(s)

H313 May be harmful in contact with skin.

H320 Causes eye irritation.

Precautionary statement(s)

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

HMIS Classification

Health hazard: 0 Flammability: 0 Physical hazards: 0

Potential Health Effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation. **Skin** May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation. **Ingestion** May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Cycloheptaamylose

Cyclomaltoheptaose Schardinger β-Dextrin

Caraway

beta-Cyclodextrin

Formula : $C_{42}H_{70}O_{35}$ Molecular Weight : 1,134.98 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
β-Cyclodextrine			
7585-39-9	231-493-2	-	<=100%

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Explosion data - sensitivity to mechanical impact

no data available

Explosion data - sensitivity to static discharge

no data available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Sigma - C4767 Page 2 of 7

Provide appropriate exhaust ventilation at places where dust is formed.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Specific engineering controls

Use mechanical exhaust or laboratory fumehood to avoid exposure.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form powder Colour white

Safety data

pH no data available

Melting Melting point/range: 290 - 300 °C (554 - 572 °F)

point/freezing point

Boiling point no data available

Sigma - C4767 Page 3 of 7

Flash point no data available Ignition temperature no data available Auto-ignition no data available

temperature

Lower explosion limit no data available Upper explosion limit no data available Vapour pressure no data available

Density 1.44 g/cm3 at 20 °C (68 °F)

14.3 g/l at 20 °C (68 °F) - soluble Water solubility

Partition coefficient:

n-octanol/water

no data available

Relative vapour

density

no data available

no data available Odour Odour Threshold no data available Evapouration rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Materials to avoid

Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - no data available

Thermal decomposition

> 250 °C

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - rat - male and female - > 5,000 mg/kg

Inhalation LC50

LC50 Inhalation - rat - male and female - 4 h - >= 4.9 mg/l

Dermal LD50

LD50 Dermal - rat - male and female - > 2,000 mg/kg

Other information on acute toxicity

no data available

Skin corrosion/irritation

Skin - rabbit - No skin irritation - 24 h - OECD Test Guideline 404

Serious eye damage/eye irritation

Eyes - rabbit - Mild eye irritation - OECD Test Guideline 405

Respiratory or skin sensitisation

Sigma - C4767 Page 4 of 7 Maximisation Test - guinea pig - Does not cause skin sensitisation. - OECD Test Guideline 406

Germ cell mutagenicity

Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Genotoxicity in vitro - Hamster - Lungs - with and without metabolic activation - negative

Genotoxicity in vivo - Drosophila melanogaster - male and female - negative

Carcinogenicity

Animal testing did not show any carcinogenic effects.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

Reproductive toxicity

Reproductive toxicity - rat - Oral

Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants). Effects on Newborn: Growth statistics (e.g., reduced weight gain).

Teratogenicity

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information

Repeated dose toxicity - rat - male - Oral - No observed adverse effect level - 650 mg/kg

Repeated dose toxicity - rat - female - Oral - No observed adverse effect level - 860 mg/kg

RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish static test LC50 - Cyprinus carpio (Carp) - 7,561 mg/l - 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic

Immobilization EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

nd other aquatic Method: OECD Test Guideline 202

invertebrates

Toxicity to algae Growth inhibition IC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l - 72 h

Method: OECD Test Guideline 201

Toxicity to bacteria Cell multiplication inhibition test EC50 - Pseudomonas putida - > 10,000 mg/l - 16 h

Persistence and degradability

Biodegradability aerobic

Sigma - C4767 Page 5 of 7

Result: 75 % - Readily biodegradable. Method: OECD Test Guideline 301F

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

Biochemical Oxygen

700 mg/g

Demand (BOD)

Chemical Oxygen

1,090 mg/g

Demand (COD)

no data available

Additional ecological information

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

WHMIS Classification

Not WHMIS controlled.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

16. OTHER INFORMATION

Text of H-code(s) and R-phrase(s) mentioned in Section 3

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma - C4767 Page 6 of 7

Sigma - C4767 Page 7 of 7