THE THOMPSON MINWAX COMPANY MINWAX COMPANY DIV -- MO60370 MINWAX FAST DRYING POLYURETHANE CLEAR-ALL FINISHES -- 9160-00F039162

============== Product Identification ================= Product ID: MO60370 MINWAX FAST DRYING POLYURETHANE CLEAR-ALL FINISHES MSDS Date:10/31/1994 FSC:9160 NIIN:00F039162 MSDS Number: BWWKR === Responsible Party === Company Name: THE THOMPSON MINWAX COMPANY MINWAX COMPANY DIV Address:10 MOUNTAINVIEW ROAD City: UPPER SADDLE RIVER State:NJ ZIP:07458-1934 Country: US Info Phone Num: 201-818-7500/201-391-0253 Emergency Phone Num: 201-391-0253/201-818-7500 CAGE: FO298 === Contractor Identification === Company Name: MINWAX COMPANY Address: 10 MOUNTAINVIEW ROAD Box:City:UPPER SADDLE RIVER State:NJ ZIP:07458 Country: US Phone: 800-523-9299/216-566-2917 CAGE: 0K1A4 Company Name: THE THOMPSON MINWAX COMPANY MINWAX COMPANY DIV Address:10 MOUNTAINVIEW ROAD City: UPPER SADDLE RIVER State:NJ ZIP:07458-1934 Country: US Phone: 201-818-7500/201-391-0253 CAGE: FO298 ======= Composition/Information on Ingredients ======== Ingred Name: MEDIUM ALIPHATIC NAPHTHA (AROMATIC 100), PARAFFIN-

file:///C/Documents%20and%20Settings/Tony/Deskt...tml%20files/POLYURETHANE%20MINWAX%20FAST-DRY.htm (1 of 4)8/20/2004 1:30:07 PM

NAPTHANES

MINERAL SPIRITS

CAS:64742-88-7

Fraction by Wt: 20-26% Other REC Limits: 100 PPM

OSHA PEL:500 PPM ACGIH TLV:100 PPM

Ingred Name: STODDARD SOLVENT (PETROLEUM DISTILLATE), MINERAL SPIRITS

CAS:8052-41-3

RTECS #:WJ8925000

Fraction by Wt: 29-40%

Other REC Limits:525 MG/CUM

OSHA PEL:500 PPM ACGIH TLV:100 PPM

Ingred Name:VOLATILE ORGANIC COMPOUNDS: < 540 G/L</pre>

RTECS #:999999VO

============ Hazards Identification ================

Routes of Entry: Inhalation: YES Skin: NO Ingestion: YES Health Hazards Acute and Chronic: SKIN: IRRITANT. INGESTION:

HARMFUL/FATAL.

Explanation of Carcinogenicity:NONE

Effects of Overexposure: IRRITATION.

Medical Cond Aggravated by Exposure: PRE-EXISTING LUNG DISORDERS

First Aid: INHALATION: IMMEDIATELY MOVE TO FRESH AIR. SKIN: WASH THOROUGHLY W/SOAP & WATER. EYES: REMOVE CONTACT LENSES, FLUSH W/PLENTY OF WATER. INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL

ATTENTION IN ALL CASES.

Flash Point Method:SCC

Flash Point:>101F

Extinguishing Media: WATER SPRAY, FOAM, DRY CHEMICAL/CO2.

Fire Fighting Procedures: DON'T USE A DIRECT STREAM OF WATER. WEAR SCBA & PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard: COMBUSTIBLE. PRODUCT MAY FLOAT & CAN BE IGNITED ON SURFACE OF WATER. CONTAINERS EXPOSED TO INTENSE HEAT MAY

RUPTURE.

========= Accidental Release Measures ============

Spill Release Procedures: SMALLS: ABSORB W/SAND/OTHER SUITABLE ABSORBENT

MATERIAL & PLACE IN A CONTAINER FOR DISPOSAL. LARGE: AREA MAY BE SLIPPERY, DIKE AROUND W/ABSORBENT MATERIAL. TRANSFER LIQUIDS & CONTAMINATED DIKING MATER IAL TO SEPERATE CONTAINERS FOR RECOVERY/DISPOSAL.

============ Handling and Storage ==============

Handling and Storage Precautions:DON'T USE/STORE NEAR HEAT, SPARKS, FLAME/OTHER SOURCES OF IGNITION. CLOSE CONTAINER AFTER EACH USE. Other Precautions:DON'T TAKE INTERNALLY. AVOID CONTACT W/SKIN/EYES. KEEP OUT OF REACH OF CHILDREN. AVOID INHALATION, USE ONLY W/ADEQUATE VENITLATION.

====== Exposure Controls/Personal Protection =========

Respiratory Protection: WEAR NIOSH/MSHA/EQUIVALENT RESPIRATOR/LEAVE AREA.

Ventilation: REQUIRED

Protective Gloves: RUBBER

Eye Protection: SAFETY GLASSES Supplemental Safety and Health

========= Physical/Chemical Properties ============

Spec Gravity: 0.871

Solubility in Water: INSOLUBLE

Appearance and Odor: CLEAR AMBER LIQUID W/HYDROCARBON ODOR

========= Stability and Reactivity Data ===========

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: HEAT, SPARKS, OPEN FLAME & OTHER SOURCES OF IGNITION.

Hazardous Decomposition Products: HYDROCARBON FUMES, SMOKE, CO.

========= Disposal Considerations ===============

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.