# **SAFETY DATA SHEET**

Version 4.9 Revision Date 09/23/2016 Print Date 10/07/2017

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Trichloroethylene

Product Number : 251402
Brand : Sigma-Aldrich
Index-No. : 602-027-00-9

CAS-No. : 79-01-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319 Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 1B), H350

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H315 Causes skin irritation.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

Sigma-Aldrich - 251402 Page 1 of 10

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

P280 Wear protective gloves.

P281 Use personal protective equipment as required.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or doctor/physician if

you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms : TCE

Trichloroethene

Formula : C<sub>2</sub>HCl<sub>3</sub>

Molecular weight : 131.39 g/mol
CAS-No. : 79-01-6
EC-No. : 201-167-4
Index-No. : 602-027-00-9

**Hazardous components** 

Component	Classification	Concentration	
<b>Trichloroethylene</b> Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)			
	Skin Irrit. 2; Eye Irrit. 2A; Muta. 2; Carc. 1B; STOT SE 3; Aquatic Acute 3; Aquatic Chronic 3; H315, H319, H336, H341, H350, H412	<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

Sigma-Aldrich - 251402 Page 2 of 10

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive. Handle and store under inert gas.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components with workplace control parameters

Sigma-Aldrich - 251402 Page 3 of 10

Component	CAS-No.	Value	Control	Basis	
			parameters		
Trichloroethylene	79-01-6	TWA	10.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Central Nervous System impairment cognitive decrement			
		Renal toxicity Substances for which there is a Biological Exposure Index or Indices			
		(see BEI® section)			
		Suspected human carcinogen			
		STEL 25.000000 ppm USA. ACGIH Threshold Limit Va			
		Central Nerv	ous System impair	ment	
		cognitive ded			
		Renal toxicit			
				a Biological Exposure Index or Indices	
		(see BEI® section) Suspected human carcinogen			
			cupational Carcino	gen	
		See Append		gen	
		See Append			
		See Table Z			
		TWA	100.000000	USA. Occupational Exposure Limits	
		IVVA		(OSHA) - Table Z-2	
			ppm	(OSHA) - Table 2-2	
		Z37.19-1967	,		
		CEIL	200.000000	USA. Occupational Exposure Limits	
			ppm	(OSHA) - Table Z-2	
		Z37.19-1967	•		
		Peak	300.000000	USA. Occupational Exposure Limits	
			ppm	(OSHA) - Table Z-2	
		Z37.19-1967	9-1967		
		TWA	100 ppm	USA. Occupational Exposure Limits	
		707.40.400		(OSHA) - Table Z-2	
		Z37.19-1967		Luon o di una	
		CEIL	200 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2	
		Z37.19-1967	, ,		
		Peak	300 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2	
		Z37.19-1967	7	17 7 = -	
		STEL			
			537 mg/m3	limits for chemical contaminants	
			209,0	(Title 8, Article 107)	
		С	300 ppm	California permissible exposure	
		-		limits for chemical contaminants	
				(Title 8, Article 107)	
		PEL	25 ppm	California permissible exposure	
		_	135 mg/m3	limits for chemical contaminants	
			(Title 8, Article 107)		
		(1100 0, 7111010 107)			

Biological occupational exposure limits

Biological cocupational exposure inities					
Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Trichloroethylene	79-01-6	Trichloroaceti c acid	15.0000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)

Sigma-Aldrich - 251402 Page 4 of 10

Remarks	End of shift at end of workweek			
	Trichloroetha nol	0.5000 mg/l	In blood	ACGIH - Biological Exposure Indices
	Tioi	ilig/i		(BEI)
	End of shift at end of workweek			
	Trichloroethyl		In blood	ACGIH - Biological
	ene			Exposure Indices (BEI)
	End of shift at end of workweek			
	Trichloroethyl ene		In end-exhaled air	ACGIH - Biological Exposure Indices (BEI)
	End of shift at end of workweek			

## 8.2 Exposure controls

## **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

# Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Sigma-Aldrich - 251402 Page 5 of 10

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Colour: colourless

b) Odour No data available

c) Odour Threshold No data available

d) pH No data available

e) Melting point/freezing

point

Melting point/range: -84.8 °C (-120.6 °F) - lit.

f) Initial boiling point and

boiling range

86.7 °C (188.1 °F) - lit.

g) Flash point No data available
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 10.5 %(V) flammability or Lower explosion limit: 8 %(V)

explosive limits

k) Vapour pressure 81.3 hPa (61.0 mmHg) at 20.0 °C (68.0 °F)

I) Vapour density No data available

m) Relative density 1.463 g/mL at 25 °C (77 °F)

n) Water solubility No data available

o) Partition coefficient: n-

octanol/water

log Pow: 2.29log Pow: 5

p) Auto-ignition 410.0 °C (770.0 °F)

temperature

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

# 9.2 Other safety information

No data available

## 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

No data available

#### 10.5 Incompatible materials

Oxidizing agents, Strong bases, Magnesium

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

Sigma-Aldrich - 251402 Page 6 of 10

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 4,920 mg/kg

LC50 Inhalation - Mouse - 4 h - 8450 ppm

LD50 Dermal - Rabbit - > 20,000 mg/kg

No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: Severe skin irritation - 24 h

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation - 24 h

# Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

In vitro tests showed mutagenic effects

#### Carcinogenicity

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

IARC: 1 - Group 1: Carcinogenic to humans (Trichloroethylene)

NTP: Reasonably anticipated to be a human carcinogen (Trichloroethylene)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

No data available

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: KX4550000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Exposure to and/or consumption of alcohol may increase toxic effects., Gastrointestinal disturbance, Kidney injury may occur., narcosis To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 41 mg/l - 96.0 h

Sigma-Aldrich - 251402 Page 7 of 10

LOEC - other fish - 11 mg/l - 10.0 d

NOEC - Oryzias latipes - 40 mg/l - 10.0 d

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 18.00 mg/l - 48 h

Toxicity to algae IC50 - Pseudokirchneriella subcapitata (green algae) - 175.00 mg/l - 96 h

# 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

Does not bioaccumulate.

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1710 Class: 6.1 Packing group: III

Proper shipping name: Trichloroethylene

Reportable Quantity (RQ): 100 lbs

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1710 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: TRICHLOROETHYLENE

IATA

UN number: 1710 Class: 6.1 Packing group: III

Proper shipping name: Trichloroethylene

## 15. REGULATORY INFORMATION

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Trichloroethylene CAS-No. Revision Date 79-01-6 2007-07-01

Sigma-Aldrich - 251402 Page 8 of 10

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts	Right 1	Γο Know	Components
---------------	---------	---------	------------

Trichloroethylene	CAS-No. 79-01-6	Revision Date 2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	<b>Revision Date</b>
Trichloroethylene	79-01-6	2007-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Trichloroethylene	79-01-6	2007-07-01
California Prop. 65 Components		
WARNING! This product contains a chemical known to the	CAS-No.	<b>Revision Date</b>
State of California to cause cancer.	79-01-6	2011-09-01
Trichloroethylene		
WARNING: This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause birth defects or other reproductive	79-01-6	2011-09-01

## 16. OTHER INFORMATION

Trichloroethylene

harm.

#### Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity Eye Irrit. Eye irritation

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects.

H350 May cause cancer. H402 Harmful to aquatic life.

# **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

# **NFPA Rating**

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 251402 Page 9 of 10

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Revision Date: 09/23/2016 Print Date: 10/07/2017 Version: 4.9

Sigma-Aldrich - 251402 Page 10 of 10