# SAFETY DATA SHEET

#### 1. Identification

Product identifier Ethylene Glycol

Other means of identification None.

Recommended use Not available.
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Thatcher Company, Inc.

Address 1905 Fortune Road
Salt Lake City, UT 84104

**United States** 

**Telephone** General Assistance 8-5

**E-mail** Not available.

Emergency phone number Chemtrec (CCN 22106) (800) 424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Serious eye damage/eye irritation Category 2B Specific target organ toxicity, repeated Category 1

(801) 972-4587

exposure

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Harmful if swallowed. Causes eye irritation. Causes damage to organs through prolonged or

repeated exposure.

**Precautionary statement** 

**Prevention** Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product.

Response If swallowed: Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. Rinse mouth. If eye irritation persists: Get medical

sds us 1/8

advice/attention.

Storage Not available.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

#### **Substances**

Chemical name	Common name and synonyms	CAS number	%
Ethylene Glycol		107-21-1	100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Material name: Ethylene Glycol

## 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

Most important symptoms/effects, acute and delayed

Ingestion

Convulsions. Abdominal pain. Dizziness. Nausea, vomiting. Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

**General information** 

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

## 5. Fire-fighting measures

Suitable extinguishing media Powder. Alcohol resistant foam. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Not applicable.

Special protective equipment

Wear suitable protective equipment.

and precautions for firefighters
Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Specific methods

No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Do not breathe mist or vapor. Avoid contact with eyes. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

viaterial frame. Ethylene Glycol

## 8. Exposure controls/personal protection

#### Occupational exposure limits

**US. ACGIH Threshold Limit Values** 

Material	Туре	Value	Form
Ethylene Glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing. Use of an impervious apron or protective suit is recommended.

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Keep away from food and drink. Always observe good personal hygiene measures, such as considerations washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. **Form** Liquid.

Color Not available. Not available. Odor Not available. **Odor threshold** Not available. Melting point/freezing point 8.6 °F (-13 °C) Initial boiling point and boiling 387.14 °F (197.3 °C)

range

231.8 °F (111.0 °C) Closed Cup Flash point

240.8 °F (116.0 °C) Closed Cup

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. 0.01 kPa at 25 °C Vapor pressure

Vapor density 2.14

Relative density Not available.

Solubility(ies)

Solubility (water) Miscible -1.36 Partition coefficient

(n-octanol/water)

Material name: Ethylene Glycol 0501108, 0501102, 0501103, 0501104, 0501107, 0501109, 0501150, 0501106 Version #: 07 Revision date: 03-04-2021 Issue date:

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

17.3 mPa.s Dynamic viscosity 21 mPa.s

26 mPa.s

Not explosive. **Explosive properties** 

Flammability class Combustible IIIB estimated

Heat of combustion (NFPA

30B)

16.4 kJ/g

Molecular formula C2-H6-O2 Molecular weight 62.07 g/mol **Oxidizing properties** Not oxidizing

100 % Percent volatile VOC (Weight %) 100 %

100 % EPA estimated

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability** 

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation.

Health injuries are not known or expected under normal use. Skin contact

Eye contact Causes eye irritation. Harmful if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Convulsions. Abdominal pain. Dizziness. Nausea, vomiting. Irritation of eyes. Exposed individuals

may experience eye tearing, redness, and discomfort.

## Information on toxicological effects

**Acute toxicity** Harmful if swallowed.

Product	Species	Test Results	
Ethylene Glycol (CAS 107	<b>7-21-1</b> )		
<u>Acute</u>			
Dermal			
LD50	Rabbit	9530 mg/kg	
Oral			
LD50	Cat	1650 mg/kg	
	Dog	> 8.81 g/kg	
		5500 mg/kg	
	Guinea pig	8.2 g/kg	
	Mouse	14.6 g/kg	
	Rat	5.89 g/kg	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Material name: Ethylene Glycol 0501108, 0501102, 0501103, 0501104, 0501107, 0501109, 0501150, 0501106 Version #: 07 Revision date: 03-04-2021 Issue date: **Skin corrosion/irritation** Health injuries are not known or expected under normal use.

Serious eye damage/eye

irritation

Causes eve irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects**Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

Ethylene Glycol (CAS 107-21-1)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

**Bioaccumulative potential** 

Partition coefficient n-octanol / water (log Kow)

-1.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

DOT

Not regulated as dangerous goods.

**DOT BULK** 

**BULK** 

UN number UN3082

Material name: Ethylene Glycol
0501108, 0501102, 0501103, 0501104, 0501107, 0501109, 0501150, 0501106 Version #: 07 Revision date: 03-04-2021 Issue date:

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**UN proper shipping name** Environmentally hazardous substances, liquid, n.o.s. (ETHYLENE GLYCOL RQ = 5000 LBS)

Transport hazard class(es)

Class 9
Label(s) 9
Packing group III

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions 155
Packaging non bulk 203
Packaging bulk 241

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

**DOT Bulk packaging type** 



## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Ethylene Glycol (CAS 107-21-1) Listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.Ethylene Glycol107-21-1100

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethylene Glycol (CAS 107-21-1)

Material name: Ethylene Glycol

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Contaminate candidate list

(SDWA)

#### **US state regulations**

### US - New Jersey RTK - Substances: Listed substance

Ethylene Glycol (CAS 107-21-1)

## US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

## US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

Ethylene Glycol (CAS 107-21-1)

#### **US. Massachusetts RTK - Substance List**

Ethylene Glycol (CAS 107-21-1)

#### US. New Jersey Worker and Community Right-to-Know Act

Ethylene Glycol (CAS 107-21-1)

#### US. Pennsylvania RTK - Hazardous Substances

Ethylene Glycol (CAS 107-21-1)

### US. Pennsylvania Worker and Community Right-to-Know Law

Ethylene Glycol (CAS 107-21-1)

#### **US. Rhode Island RTK**

Ethylene Glycol (CAS 107-21-1)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

## 16. Other information, including date of preparation or last revision

Issue date 06-17-2015 03-04-2021 **Revision date** 

Version # 07

Health: 3 NFPA ratings

> Flammability: 1 Instability: 0

NFPA ratings



A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **Revision Information**

Transport Information: Material Transportation Information

Material name: Ethylene Glycol