

# SAFETY DATA SHEET

Creation Date 27-Jan-2010 Revision Date 28-Nov-2019 Revision Number 7

# 1. Identification

Product Name Methylene chloride

Cat No.: D143-1; D143-4; D143-4LC; D143N2-19; D143POP-28; D143RS-19;

D143RS-28; D143RS-50;143RS-115; D143RS-200; D143SK-1; D143SK-4; D143SS-19; D143SS-28; D143SS-50; D143SS-115;

D143SS-200;

**CAS-No** 75-09-2

Synonyms Dichloromethane; DCM

**Recommended Use** Laboratory chemicals.

Uses advised against . This chemical/product is not and cannot be distributed in commerce (as defined in TSCA

section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating

removal.

### Details of the supplier of the safety data sheet

### Company

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

# **Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 2
Carcinogenicity Category 1B
Specific target organ toxicity (single exposure) Category 3

Target Organs - Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Liver, Kidney, Blood.

## Label Elements

### Signal Word

#### Danger

#### **Hazard Statements**

Causes skin irritation Causes serious eye irritation May cause drowsiness or dizziness

May cause cancer

May cause damage to organs through prolonged or repeated exposure



### **Precautionary Statements**

## Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

# Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

## Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

## Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

WARNING. Cancer - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Methylene chloride	75-09-2	>99.5

# 4. First-aid measures

General Advice If symptoms persist, call a physician.

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact**Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression: Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal: Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central

nervous system

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature 556 °C / 1032.8 °F

**Explosion Limits** 

**Upper** 23 vol % **Lower** 13 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

## **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

## **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO2) Hydrogen chloride gas Phosgene

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>

Health Flammability Instability Physical hazards
2 1 0 N/A

# 6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation.

**Environmental Precautions** Should not be released into the environment.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** 

# 7. Handling and storage

Handling Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Avoid ingestion and inhalation. Vapors are heavier than air and may spread along floors. Handle product only in closed system or provide appropriate exhaust ventilation.

Reacts with aluminum and its alloys.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in

aluminum containers.

# 8. Exposure controls / personal protection

## **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Methylene chloride	TWA: 50 ppm	(Vacated) TWA: 500 ppm	IDLH: 2300 ppm	TWA: 50 ppm
		(Vacated) STEL: 2000 ppm		
		(Vacated) Ceiling: 1000 ppm		
		TWA: 25 ppm		
		STEL: 125 ppm		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorsweet

Odor Threshold

No information available

pH No information available

Melting Point/Range -97 °C / -142.6 °F

Boiling Point/Range 39 °C / 102.2 °F

Flash Point No information available

Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits
Upper 23 vol %

 Lower
 13 vol %

 Vapor Pressure
 350 mbar @ 20°C

 Vapor Density
 2.93 (Air = 1.0)

Specific Gravity 1.33

Solubility

No information available
Partition coefficient; n-octanol/water

Autoignition Temperature

No data available
556 °C / 1032.8 °F

**Decomposition Temperature**556 °C / 1032.8 °F
No information available

Revision Date 28-Nov-2019 Methylene chloride

**Viscosity** 0.42 mPas @ 25°C

**Molecular Formula** C H2 Cl2 **Molecular Weight** 84.93

# 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

Stability Stable under normal conditions. Decomposes on exposure to light.

**Conditions to Avoid** Excess heat. Protect from direct sunlight.

**Incompatible Materials** Strong oxidizing agents, Strong acids, Amines

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas, Phosgene

**Hazardous Polymerization** Hazardous polymerization does not occur.

Forms a detonable mixture with nitric acid. **Hazardous Reactions** 

# 11. Toxicological information

#### **Acute Toxicity**

## **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methylene chloride	> 2000 mg/kg (Rat)	> 2000 mg/kg ( Rat )	53 mg/L ( Rat ) 6 h
			76000 mg/m <sup>3</sup> ( Rat ) 4 h

**Toxicologically Synergistic** 

**Products** 

Carcinogenicity

No information available Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritating to eyes and skin Irritation Sensitization No information available

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Methylene chloride	75-09-2	Group 2A	Reasonably	A3	Х	A3
			Anticipated			

IARC: (International Agency for Research on Cancer) IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

The table below indicates whether each agency has listed any ingredient as a carcinogen.

NTP: (National Toxicity Program) NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

A1 - Known Human Carcinogen ACGIH: (American Conference of Governmental Industrial

Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen A4 - Not Classifiable as a Human Carcinogen

A5 - Not Suspected as a Human Carcinogen

**Mutagenic Effects** Mutagenic effects have occured in microorganisms.

No information available. **Reproductive Effects** 

Mexico - Occupational Exposure Limits - Carcinogens

**Developmental Effects**No information available.

**Teratogenicity** No information available.

STOT - single exposure Central nervous system (CNS)

STOT - repeated exposure Liver Kidney Blood

Aspiration hazard No information available

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

delayed

tiredness, nausea and vomiting: Causes central nervous system depression: Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal: Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system

Endocrine Disruptor Information No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

# 12. Ecological information

#### **Ecotoxicity**

.

	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ī	Methylene chloride	EC50:>660 mg/L/96h	Pimephales promelas:	EC50: 1 mg/L/24 h	EC50: 140 mg/L/48h
- 1	•	_	LC50:193 mg/L/96h	FC50: 2.88 mg/l /15 min	_

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

Component	log Pow
Methylene chloride	1.25

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methylene chloride - 75-09-2	U080	-

# 14. Transport information

DOT

**UN-No** UN1593

Proper Shipping Name DICHLOROMETHANE

Hazard Class 6.1
Packing Group

**TDG** 

**UN-No** UN1593

Proper Shipping Name DICHLOROMETHANE

Hazard Class 6.1 Packing Group III

<u>IATA</u>

UN-No UN1593

Proper Shipping Name Dichloromethane

Hazard Class 6.1

IMDG/IMO

**Packing Group** 

**UN-No** UN1593

Proper Shipping Name Dichloromethane

Hazard Class 6.1 Packing Group III

# 15. Regulatory information

## United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Methylene chloride	75-09-2	Х	ACTIVE	R

### Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

Ш

Section 6(a) of the Toxic Substances Control Act (TSCA) This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating

removal.

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

	Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
- [	Methylene chloride	75-09-2	X	-	200-838-9	X	X	Х	Х	KE-23893

## U.S. Federal Regulations

#### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Methylene chloride	75-09-2	>99.5	0.1

# SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Methylene chloride	-	-	X	X

## Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methylene chloride	Х		-

## **OSHA** - Occupational Safety and

Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Methylene chloride	125 ppm STEL	-
,	12.5 ppm Action Level	
	25 ppm TWA	

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Methylene chloride	1000 lb 1 lb	-

## **California Proposition 65**

This product contains the following proposition 65 chemicals

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Methylene chloride	75-09-2	Carcinogen	200 μg/day	Carcinogen
'			50 µg/dav	

## U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Methylene chloride	X	Х	X	X	Х

## **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade No information available

# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 27-Jan-2010

 Revision Date
 28-Nov-2019

 Print Date
 28-Nov-2019

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**