

# SAFETY DATA SHEET

Version 6.0 Revision Date 24.10.2019 Print Date 04.04.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Sodium hypochlorite solution

Product Number : 425044 Brand : SIGALD

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company : SIGMA-ALDRICH CANADA CO.

2149 WINSTON PARK DRIVE OAKVILLE ON L6H 6J8

CANADA

Telephone : +1 905 829-9500 Fax : +1 905 829-9292

## 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

SIGALD - 425044 Page 1 of 9



Precautionary statement(s)			
P264	Wash skin thoroughly after handling.		
P273	Avoid release to the environment.		
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.		
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.		
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.		
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.		
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.		
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.		
P363	Wash contaminated clothing before reuse.		
P391	Collect spillage.		
P405	Store locked up.		
P501	Dispose of contents/ container to an approved waste disposal plant.		

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Formula : CINaO Molecular weight : 74.44 g/mol

Component		Classification	Concentration *	
Water				
CAS-No. EC-No.	7732-18-5 231-791-2		>= 70 - < 90 %	
* Weight percent				
Sodium hypochlorite solution				
CAS-No. EC-No. Index-No.	7681-52-9 231-668-3 017-011-00-1	Skin Corr. 1A; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H314, H318, H335, H400, H410 M-Factor - Aquatic Acute: 10 M-Factor - Aquatic Chronic: 10	>= 10 - < 20 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD - 425044 Page 2 of 9



#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Dry powder

#### 5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas, Sodium oxides

#### **5.3** Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

No data available

#### **SECTION** 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SIGALD - 425044 Page 3 of 9

## 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Do not flush with water. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Never allow product to get in contact with water during storage. Do not store near acids.

Recommended storage temperature 2 - 8 °C

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### 8.2 Exposure controls

## **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### **Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

SIGALD - 425044 Page 4 of 9

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid
b) Odour No data available
c) Odour Threshold No data available
d) pH No data available

e) Melting -28.9 °C (-20.0 °F) point/freezing point

f) Initial boiling point 111 °C 232 °F and boiling range

g) Flash point ()Not applicableh) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

No data available

j) Upper/lower flammability or explosive limits

k) Vapour pressure 23.3 hPa at 20 °C (68 °F)

I) Vapour density No data available

m) Relative density 1.206 g/mL at 25 °C (77 °F)

n) Water solubility completely miscible

SIGALD - 425044 Page 5 of 9



o) Partition coefficient: No data available

n-octanol/water

p) Auto-ignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data available

s) Explosive properties No data available

t) Oxidizing properties No data available

# 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

Strong acids, Organic materials, Powdered metals, Forms shock-sensitive mixtures with certain other materials., Amines, Reacts violently with ammonium salts, aziridine, methanol, and phenylaceto primary aliphatic or aromatic amines to form explosively unstable n-chlor 55°C.

#### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Sodium oxides

Other decomposition products - No data available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

No data available

Inhalation: No data available Dermal: No data available

No data available

## Skin corrosion/irritation

No data available

SIGALD - 425044 Page 6 of 9



## Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

#### Reproductive toxicity

No data available No data available

#### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

SIGALD - 425044 Page 7 of 9

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

## Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1791 Class: 8 Packing group: III

Proper shipping name: Hypochlorite solutions

Reportable Quantity (RQ): 667 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 1791 Class: 8 Packing group: III EMS-No: F-A, S-B

Proper shipping name: HYPOCHLORITE SOLUTION

Marine pollutant : yes Marine pollutant : yes

**IATA** 

UN number: 1791 Class: 8 Packing group: III

Proper shipping name: Hypochlorite solution

## **SECTION 15: Regulatory information**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

# **SECTION 16: Other information**

#### **Further information**

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of

SIGALD - 425044 Page 8 of 9



the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.0 Revision Date: 24.10.2019 Print Date: 04.04.2020

SIGALD - 425044 Page 9 of 9

