



# Safety Data Sheet

## Spartan Chemical Company, Inc.

Revision Date: 01-Nov-2019

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Product Identifier

**Product Name:** SPARCLEAN SILVERWARE PRE-SOAK [57]  
**Product Number:** 7657  
**Recommended Use:** Cleaning agent  
**Uses Advised Against:** For Industrial and Institutional Use Only

**Manufacturer/Supplier:** Spartan Chemical Company, Inc.  
1110 Spartan Drive  
Maumee, Ohio 43537 USA  
800-537-8990 (Business hours)  
[www.spartanchemical.com](http://www.spartanchemical.com)

#### **24 Hour Emergency Phone Numbers:**

**Medical Emergency/Information:** 888-314-6171  
**Transportation/Spill/Leak:** CHEMTREC 800-424-9300

### 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Serious Eye Damage/Eye Irritation: Category 2  
Skin Sensitization: Category 1A

#### **GHS Label Elements**

**Signal Word:**

**Warning**

**Symbols:**



**Hazard Statements:**

Causes serious eye irritation  
May cause an allergic skin reaction

**Precautionary Statements:**

**Prevention:**

Wash hands and any exposed skin thoroughly after handling.  
Wear protective gloves  
Wear eye / face protection  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing should not be allowed out of the workplace

**Response:**

**-Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

**-Skin**

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse.

**-Specific Treatment:**

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

**Storage:**

Not Applicable

**Disposal:**

Dispose of contents and container in accordance with local, state and federal regulations.

**Hazards Not Otherwise Classified:** Not Applicable

**Other Information:**

- May be harmful if swallowed.
- Causes mild skin irritation.
- Inhalation of vapors or mist may cause respiratory irritation.
- This product contains enzymes which may induce respiratory sensitization and may cause allergic respiratory reactions in sensitized individuals.
- Avoid breathing product mist.
- Keep out of reach of children.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
C9-11 Pareth-6	68439-46-3	1-5
Triethanolamine	102-71-6	1-5
Undeceth-3	34398-01-1	1-5
Cyclocarboxypropyloleic Acid	53980-88-4	1-5
Propylene Glycol	57-55-6	0.1-1
Boric Acid	10043-35-3	0.1-1
Fragrance	PROPRIETARY	0.1-1
Amylase Enzyme	9000-90-2	<0.1
Calcium Chloride	10043-52-4	<0.1
Subtilisin	9014-01-1	<0.1
Mannanase Enzyme	37288-54-3	<0.1
Hexyl Cinnamal	101-86-0	<0.1
Methyldihydrojasmonate	24851-98-7	<0.1
Orange Terpenes	68647-72-3	<0.1
Colorant	PROPRIETARY	<0.1
Methylchloroisothiazolinone	26172-55-4	<0.1
CI 59040	6358-69-6	<0.1
Methylisothiazolinone	2682-20-4	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

- Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
- Skin Contact:** Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
- Ingestion:** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
- Note to Physicians:** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

- Suitable Extinguishing Media:** Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire
- Specific Hazards Arising from the Chemical:** Dried product is capable of burning. Combustion products are toxic.
- Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
- Protective Equipment and Precautions for Firefighters:** Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.  
**Environmental Precautions:** Do not rinse spill onto the ground, into storm sewers or bodies of water.  
**Methods for Clean-Up:** Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

**Advice on Safe Handling:** Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.  
**Storage Conditions:** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.  
**Suggested Shelf Life:** Minimum of 2 years from date of manufacture.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Triethanolamine 102-71-6	TWA: 5mg/m <sup>3</sup>	-	-
Boric Acid 10043-35-3	STEL: 6 mg/m <sup>3</sup> inhalable particulate matter TWA: 2 mg/m <sup>3</sup> inhalable particulate matter	-	-
Subtilisin 9014-01-1	Ceiling: 0.00006 mg/m <sup>3</sup> crystalline active enzyme	(vacated) STEL: 0.00006 mg/m <sup>3</sup> 60 min	STEL: 0.00006 mg/m <sup>3</sup> 60 min Subtilisins

**Engineering Controls:** Provide good general ventilation.  
 If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

**Personal Protective Equipment**

**Eye/Face Protection:** Wear splash goggles.

**Skin and Body Protection:** Wear rubber or other chemical-resistant gloves.

**Respiratory Protection:** Not required with expected use.  
 If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.

**General Hygiene Considerations:** Wash hands and any exposed skin thoroughly after handling.  
 See 29 CFR 1910.132-138 for further guidance.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance/Physical State:</b>	Liquid
<b>Color:</b>	Light green
<b>Odor:</b>	Mild
<b>pH:</b>	7.5-8.0
<b>Melting Point / Freezing Point:</b>	No information available.
<b>Boiling Point / Boiling Range:</b>	100 °C / 212 °F
<b>Flash Point:</b>	> 100 °C / > 212 °F ASTM D56
<b>Evaporation Rate:</b>	< 1
<b>Flammability (solid, gas)</b>	No information available.
<b>Upper Flammability Limit:</b>	No information available.
<b>Lower Flammability Limit:</b>	No information available.
<b>Vapor Pressure:</b>	No information available.
<b>Vapor Density:</b>	No information available.
<b>Specific Gravity:</b>	1.007
<b>Solubility(ies):</b>	No information available.
<b>Partition Coefficient:</b>	No information available.
<b>Autoignition Temperature:</b>	No information available.
<b>Decomposition Temperature:</b>	No information available.
<b>Viscosity:</b>	No information available.

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	This material is considered to be non-reactive under normal conditions of use.
<b>Chemical Stability:</b>	Stable under normal conditions.
<b>Possibility of Hazardous Reactions:</b>	Not expected to occur with normal handling and storage.
<b>Conditions to Avoid:</b>	Extremes of temperature and direct sunlight.
<b>Incompatible Materials:</b>	Strong oxidizing agents. Strong acids.
<b>Hazardous Decomposition Products:</b>	May include carbon monoxide, carbon dioxide (CO <sub>2</sub> ) and other toxic gases or vapors.

## 11. TOXICOLOGICAL INFORMATION

<b>Likely Routes of Exposure:</b>	Eyes, Skin, Ingestion, Inhalation.
<b>Symptoms of Exposure:</b>	
<b>-Eye Contact:</b>	Pain, redness, swelling of the conjunctiva and blurred vision.
<b>-Skin Contact:</b>	Pain, redness and cracking of the skin.
<b>-Inhalation:</b>	Nasal discomfort and coughing.
<b>-Ingestion:</b>	Pain, nausea, vomiting and diarrhea.
<b>Immediate, Delayed, Chronic Effects</b>	
<b>Product Information:</b>	Data not available or insufficient for classification.

### Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	17523 mg/kg
ATEmix (dermal):	67137 mg/kg

### Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	Not Available	Not Available
C9-11 Parath-6 68439-46-3	= 1400 mg/kg ( Rat )	Not Available	Not Available
Triethanolamine 102-71-6	= 4190 mg/kg ( Rat )	> 20 mL/kg ( Rabbit )	Not Available
Cyclocarboxypropyloleic Acid 53980-88-4	= 6176 mg/kg ( Rat )	Not Available	Not Available
Propylene Glycol 57-55-6	= 20 g/kg ( Rat )	= 20800 mg/kg ( Rabbit )	Not Available

Boric Acid 10043-35-3	= 2660 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 0.16 mg/L ( Rat ) 4 h
Amylase Enzyme 9000-90-2	> 7500 mg/kg ( Rat )	Not Available	Not Available
Calcium Chloride 10043-52-4	= 1000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	Not Available
Subtilisin 9014-01-1	= 3700 mg/kg ( Rat )	Not Available	Not Available
Hexyl Cinnamal 101-86-0	= 3100 mg/kg ( Rat )	> 3000 mg/kg ( Rabbit )	> 5 mg/L ( Rat ) 4 h
Methyldihydrojasmonate 24851-98-7	> 5 g/kg ( Rat )	Not Available	Not Available
Methylchloroisothiazolinone 26172-55-4	= 481 mg/kg ( Rat )	Not Available	= 1.23 mg/L ( Rat ) 4 h

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Triethanolamine 102-71-6	216: 72 h Desmodesmus subspicatus mg/L EC50 169: 96 h Desmodesmus subspicatus mg/L EC50	10600 - 13000: 96 h Pimephales promelas mg/L LC50 flow-through 1000: 96 h Pimephales promelas mg/L LC50 static 450 - 1000: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	Not Available
Propylene Glycol 57-55-6	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	Not Available	1000: 48 h Daphnia magna mg/L EC50 Static
Boric Acid 10043-35-3	Not Available	Not Available	Not Available	115 - 153: 48 h Daphnia magna mg/L EC50
Calcium Chloride 10043-52-4	Not Available	10650: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	2400: 48 h Daphnia magna mg/L LC50
Methylchloroisothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	Not Available	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

**Other Adverse Effects:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:** Dispose of in accordance with federal, state and local regulations.

**Contaminated Packaging:** Dispose of in accordance with federal, state and local regulations.

## 14. TRANSPORT INFORMATION

**DOT:** Not Regulated  
**Proper Shipping Name:** Non-Hazardous Product

**Special Provisions:** Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

**IMDG:** Not Regulated  
**Proper Shipping Name:** Non-Hazardous Product

## 15. REGULATORY INFORMATION

**TSCA Status:** (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

### **SARA 313**

This product does not contain listed substances above the "de minimus" level

### **SARA 311/312 Hazard Categories**

<b>Acute Health Hazard:</b>	Yes
<b>Chronic Health Hazard:</b>	No
<b>Fire Hazard:</b>	No
<b>Sudden release of pressure hazard:</b>	No
<b>Reactive Hazard:</b>	No

### **California Proposition 65**

This product is not subject to warning requirements under California Proposition 65.

## 16. OTHER INFORMATION

<b>NFPA</b>	<b>Health Hazards: 1</b>	<b>Flammability: 0</b>	<b>Instability: 0</b>	<b>Special: N/A</b>
<b>HMIS</b>	<b>Health Hazards: 1</b>	<b>Flammability: 0</b>	<b>Physical Hazards: 0</b>	

**Revision Date:** 01-Nov-2019  
**Reasons for Revision:** Section, 3, 7, 8, 11, and, 12

### **Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**