# SAFETY DATA SHEET

Version 5.6 Revision Date 11/23/2017 Print Date 05/02/2019

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : N,N-Dimethylacetamide

Product Number : ARK2190
Brand : Sigma-Aldrich
Index-No. : 616-011-00-4

CAS-No. : 127-19-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227

Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312

Eye irritation (Category 2A), H319

Reproductive toxicity (Category 1B), H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H227 Combustible liquid.

H312 + H332 Harmful in contact with skin or if inhaled

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Sigma-Aldrich - ARK2190

P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/doctor if you feel unwell.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.
	1

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Formula : CH3CON(CH3)2

Molecular weight : 87.12 g/mol

CAS-No. : 127-19-5

EC-No. : 204-826-4

Index-No. : 616-011-00-4

Registration number : 01-2119459339-27-XXXX

Hazardous components

Component	Classification	Concentration
N,N-Dimethylacetamide		
	Flam. Liq. 4; Acute Tox. 4; Eye Irrit. 2A; Repr. 1B; H227, H312 + H332, H319, H360	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich - ARK2190 Page 2 of 9

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## Unsuitable extinguishing media

Do NOT use water jet.

## 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hygroscopic.

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
N,N- Dimethylacetamide	127-19-5	TWA	10.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Liver damage Embryo/fetal damage Substances for which there is a Biological Exposure Index or Indic (see BEI® section) Not classifiable as a human carcinogen Danger of cutaneous absorption		
		TWA	10.000000 ppm 35.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
		Potential for	dermal absorption	
		TWA	10.000000 ppm 35.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		Skin designa		
		The value in mg/m3 is approximate.		
		PEL	10 ppm 35 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		

**Biological occupational exposure limits** 

Component	CAS-No.	Parameters	Value	Biological	Basis
				specimen	
N,N-	127-19-5	N-	30mg/g	Urine	ACGIH - Biological
Dimethylacetamide		Methylaceta	Creatinine		Exposure Indices
		mide			(BEI)
	Remarks	End of shift at end of workweek			

**Derived No Effect Level (DNEL)** 

Application Area	Exposure routes	Health effect	Value
Workers	Skin contact	Long-term systemic effects	13.6mg/kg BW/d
Workers	Inhalation	Long-term systemic effects	36 mg/m3

**Predicted No Effect Concentration (PNEC)** 

Compartment	Value	
Soil	0.15 mg/kg	
Marine water	0.0966 mg/l	
Fresh water	0.5 mg/l	
Fresh water sediment	2.27 mg/kg	
Sewage treatment plant	485 mg/l	
Aquatic intermittent release	5 mg/l	

# 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Sigma-Aldrich - ARK2190 Page 4 of 9

## **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Colour: colourless

b) Odour Ammonia odor

c) Odour Threshold No data available

рН 4 at 200 g/l at 20 °C (68 °F)

Melting point/freezing e)

point

Melting point/freezing point: -20 °C (-4 °F)

Initial boiling point and

boiling range

166 °C (331 °F) at 1,013 hPa (760 mmHg)

70 °C (158 °F) - closed cup Flash point

h) Evaporation rate No data available

i) Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits Upper explosion limit: 11.5 %(V) Lower explosion limit: 1.8 %(V)

2 hPa (2 mmHg) at 21.7 °C (71.1 °F) k) Vapour pressure

11.8 hPa (8.9 mmHg) at 50 °C (122 °F)

Vapour density 3.01 - (Air = 1.0)

m) Relative density 0.94 g/cm3 at 20 °C (68 °F)

1,000 g/l at 20 °C (68 °F) - completely miscible n) Water solubility

Partition coefficient: n-

octanol/water

log Pow: -0.77

p) Auto-ignition No data available

temperature

No data available

q) Decomposition temperature

Viscosity

r)

No data available

Explosive properties No data available Oxidizing properties No data available

9.2 Other safety information

> Dissociation constant -0.19 at 25 °C (77 °F)

Relative vapour density 3.01 - (Air = 1.0)

Sigma-Aldrich - ARK2190 Page 5 of 9

#### 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

Strong oxidizing agents

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

Other decomposition products - No data available

In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 5,680 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - 1 h - 2475 ppm

Remarks: Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

LD50 Dermal - Rabbit - 2,240 mg/kg

No data available

## Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes.

(Draize Test)

# Respiratory or skin sensitisation

- Guinea pig

Did not cause sensitisation on laboratory animals.

## Germ cell mutagenicity

No data available

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

May cause congenital malformation in the fetus.

Presumed human reproductive toxicant

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

## Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

impaired judgment, emotional instability, toxic psychosis, nystagmus, dysarthria, Ataxia.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

## 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish LC50 - Leuciscus idus (Golden orfe) - > 500 mg/l - 96 h

Toxicity to daphnia and

Immobilization EC50 - Daphnia magna (Water flea) - > 500 mg/l - 48 h

other aquatic

(OECD Test Guideline 202)

invertebrates

Toxicity to algae static test EC50 - Desmodesmus subspicatus (green algae) - > 500 mg/l - 72 h

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d

Result: 77 - 83 % - Readily biodegradable.

(OECD Test Guideline 302)

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

## DOT (US)

NA-Number: 1993 Class: NONE Packing group: III
Proper shipping name: Combustible liquid, n.o.s. (N,N-Dimethylacetamide)

Sigma-Aldrich - ARK2190 Page 7 of 9

Reportable Quantity (RQ): Poison Inhalation Hazard: No

#### **IMDG**

Not dangerous goods

#### IATA

Not dangerous goods

#### 15. REGULATORY INFORMATION

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

## **Massachusetts Right To Know Components**

N,N-Dimethylacetamide	CAS-No. 127-19-5	Revision Date 1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
N,N-Dimethylacetamide	127-19-5	1993-04-24
	CAS-No.	Revision Date
N,N-Dimethylacetamide	127-19-5	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	<b>Revision Date</b>
N,N-Dimethylacetamide	127-19-5	1993-04-24
California Prop. 65 Components		
WARNING: This product contains a chemical known to the	CAS-No.	<b>Revision Date</b>
State of California to cause birth defects or other reproductive	127-19-5	2013-12-20
harm.		
N,N-Dimethylacetamide		

#### 16. OTHER INFORMATION

## Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquids
H227 Combustible liquid.

H312 Harmful in contact with skin.

H312 + H332 Harmful in contact with skin or if inhaled

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

# **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 2
Physical Hazard 0

# **NFPA** Rating

Health hazard: 2

Sigma-Aldrich - ARK2190 Page 8 of 9

Fire Hazard: 2 Reactivity Hazard: 0

# **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.6 Revision Date: 11/23/2017 Print Date: 05/02/2019

Sigma-Aldrich - ARK2190 Page 9 of 9