



1: Identification Product identifier Product name: Silver sulfate Stock number: 41443 CAS Number: 10294-26-5 EC number: 33-653-7 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar, A Johnson Matthey Company Johnson Matthey Catalog Company, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech @alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. 2: Hazard(s) identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 6 GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage. Classification according to Directive 67/548/EEC or Directive 1999/45/EC 🗙 Xi; Irritant R41: Risk of serious damage to eyes. 🗞 N; Dangerous for the environment R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Information concerning particular hazards for human and environment: Not applicable Hazards not otherwise classified No information known. Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation. Hazard pictograms EZ GHS05 Signal word Danger Hazard statements H318 Causes serious eye damage. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. WHMIS classification D3P D2B - Toxic material causing other toxic effects 1 Classification system (Hazardous Materials Identification System) HEALTH 2 Health (acute effects) = 2 FIRE O Flammability = 0 REACTIVITY 1 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable 3: Composition/information on ingredients Chemical characterization: Substances CAS# Description: 10294-26-5 Silver sulfate Identification number(s): EC number: 233-653-7 4: First-aid measures

Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

Product name:	Silver	sulfate
---------------	--------	---------

roduct name: Silver sulfate	
After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.	(Contd. of page 1)
After swallowing Seek medical tréatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5: Fire-fighting measures Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture	
If this product is involved in a fire, the following can be released: Sulfur oxides (SOx) Silver oxides Advice for firefighters Protective equipment: Wear self-contained respirator.	
Wear fully protective impervious suit.	
6: Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow motorial to be released to the environment without proper governmental permits	
Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil. Methods and material for containment and cleaning up: Pick up mechanically. Prevention of secondary hazards: No special measures required.	
Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7: Handling and storage Handling	
Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.	
Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:	
Store in the dark. Store away from oxidizing agents. <i>Further information about storage conditions:</i> <i>Keep container tightly sealed.</i> Store in cool, dry conditions in well sealed containers.	
Store in cool, ary conditions in well sealed containers. Protect from exposure to light. Specific end use(s) No further relevant information available.	
8: Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters	
Components with limit values that require monitoring at the workplace: 10294-26-5 Silver sulfate (100.0%)	
PEL (USA) Long-term value: 0.01 mg/m ³ soluble compounds, as Ag TLV (USA) Long-term value: 0.01 mg/m ³	
EL (Canada) Short-term value: 0.03 mg/m ³ Long-term value: 0.01 mg/m ³ as Ag	
Additional information: No data	
Exposure controls Personal protective equipment General protective and hygienic measures	
The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately.	
Wash hands before breaks and at the end of work. Avoid contact with the eyes. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when bids concentrations are present.	
Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to de purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands:	termine if air-
Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	
Material of gloves Nitrile rubber, NBR	(Contd. on page 3)

Product name: Silver sulfate		
Penetration time of glove material (ir Not determined 480 Glove thickness 0.11 mm Eye protection: Tightly sealed goggles Body protection: Protective work cloth		(Contd. of page 2
9: Physical and chemical prope	rtios	
9. Physical and chemical proper Information on basic physical and cl General Information Appearance: Form: Color: Odor: Odor threshold:		
pH-value:	Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	657 °C (1215 °F) ca 1085 °C (ca 1985 °F) (dec) Not determined Not determined. Not determined Not determined. Not determined.	
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water at 25 °C (77 °F): Partition coefficient (n-octanol/water Viscosity: dynamic: kinematic: Other information	Not determined. Not determined Not applicable. 5.45 g/cm ³ (45.48 lbs/gal) Not determined. Not applicable. 8 g/l 1: Not determined. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.	
10: Stability and reactivity Reactivity No information known. Chemical stability Stable under recom Thermal decomposition / conditions Possibility of hazardous reactions R Incompatible materials: Oxidizing agents Light	to be avoided: Decomposition will not occur if used and stored according to specifications.	

Hazardous decomposition products: Sulfur oxides (SOx) Silver oxides

11: Toxicological information

Information on toxicological effects

Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12: Ecological information

Toxicity

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Ecotoxical effects: Remark: Very toxic for aquatic organisms Additional ecological information: General notes: Do not allow product to reach ground water, water course or sewage syste General notes: Do not allow product to reach ground water, water course or sewage system. Do not allow material to be released to the environment without proper governmental permits. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment.

(Contd. on page 4)

Product name: Silver sulfate			
Very toxic for aquatic organisms Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.	(Contd. of page 3)		
13: Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.			
14: Transport information			
UN-Number DOT, IMDG, IATA	UN3077		
UN proper shipping name DOT IMDG	Environmentally hazardous substances, solid, n.o.s. (Silver sulfate) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Silver sulfate), MARINE POLLUTANT		
IATA Transport hazard class(es) DOT, IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Silver sulfate)		
Class Label Label	9 Miscellaneous dangerous substances and articles. 9 9 (MZ) Miscellaneous dangerous substances and articles.		
Class Label	9 (M7) Miscellaneous dangerous substances and articles 9		
Packing group DOT, IMDG, IATA	<i>III</i>		
Environmental hazards: Marine pollutant (IMDG): Special marking (ADR):	Yes (P) Symbol (fish and tree) Symbol (fish and tree)		
Special marking (ADR): Special marking (IATA): Special precautions for user	Symbol (fish and tree)		
Special precautions for user EMS Number:	Warning: Miscellaneous dangerous substances and articles F-A,S-F		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information:	e Not applicable.		
DOT Marine Pollutant (DOT): Remarks:	No Special marking with the symbol (fish and tree).		
UN "Model Regulation":	UN3077, Environmentally hazardous substances, solid, n.o.s. (Silver sulfate), 9, III		
15: Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings)			
10294-26-5 Silver sulfate California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity. Prop 65			
REACH - Pre-registered substances Substance is listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16: Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this			
information to ensure proper use and protect the health and safety of employees." This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Health, Safety and Environmental Department. Date of preparation / last revision 10/07/2014 / - Abbreviations and acronyms:			
ADR: Accord européen sur le transfort des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDE: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association P: Marine Pollutant GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances			
P: Manne Pollutant GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent UD50: Lethal dose, 50 percent VPVB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA)			

nists (USA) ACGIH: American Conference of Governmental Industrial Hygie OSHA: Occupational Safety and Health Administration (USA)

Product name: Silver sulfate

NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Page 5/5 Printing date 10/07/2014 Reviewed on 10/06/2014

(Contd. of page 4)

USA -