

# SAFETY DATA SHEET

Creation Date 03-Apr-2012

Revision Date 11-Mar-2020

**Revision Number** 3

1. Identification			
Product Name	Lead powder		
Cat No. :	10223		
CAS-No Synonyms	7439-92-1 Lead metal		
Recommended Use Uses advised against Details of the supplier of the safety	Laboratory chemicals. Food, drug, pesticide or biocidal product use. <u>data sheet</u>		
<b>Company</b> Alfa Aesar Thermo Fisher Scientific Chemicals, Ir 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 <b>Email:</b> tech@alfa.com www.alfa.com	IC.		

#### Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity Reproductive Toxicity Effects on or via lactation	Category 1B Category 1A
Specific target organ toxicity - (repeated exposure) Target Organs - Kidney, Central nervous system (CNS), Blood	Category 1

### Label Elements

#### Signal Word Danger

#### Hazard Statements

May damage fertility. May damage the unborn child

May cause harm to breast-fed children Causes damage to organs through prolonged or repeated exposure May cause cancer



#### Precautionary Statements Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray Avoid contact during pregnancy/while nursing Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Response IF exposed or concerned: Get medical attention/advice Storage Store locked up Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) Very toxic to aquatic life with long lasting effects WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

## 3. Composition/Information on Ingredients

Component		CAS-No	Weight %	
Lead powder		7439-92-1	>95	
	4.	First-aid measures		
General Advice	If symptoms	persist, call a physician.		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.			
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.			
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.			
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.			
Most important symptoms and effects	None reasonably foreseeable.			
Notes to Physician	Treat sympto	omatically		
5. Fire-fighting measures				

Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	Not applicable
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No information available No information available

#### **Specific Hazards Arising from the Chemical**

Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Lead. lead oxides.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u> Health 2	Flammability 0	Instability 0	Physical hazards N/A		
	6. Accidental re	lease measures			
Personal Precautions	Ensure adequate ventilatio formation.	n. Use personal protective equ	uipment as required. Avoid dust		
Environmental Precautions	contaminate ground water	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.			
Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closedUpcontainers for disposal.					
	7. Handling	and storage			
Handling			sure adequate ventilation. Do not nhalation. Avoid dust formation.		
Storage	Keep containers tightly close	sed in a dry, cool and well-ven	itilated place.		

# 8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Lead powder	TWA: 0.05 mg/m <sup>3</sup>	TWA: 50 µg/m³	IDLH: 100 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>
			TWA: 0.050 mg/m <sup>3</sup>	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

#### Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Solid Powder
Appearance	Grey
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	327.4 °C / 621.3 °F
Boiling Point/Range	1740 °C / 3164 °F @ 760 mmHg
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	1.7 mmHg @ 1000 °C
Vapor Density	Not applicable
Specific Gravity	No information available
Solubility	Insoluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	Not applicable
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	Pb
Molecular Weight	207.19

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available				
Stability	Stable under normal conditions.				
Conditions to Avoid	Incompatible products. Exposure to air.				
Incompatible Materials	Strong acids, Ammonium nitrate: fertilizers capable of self-sustaining decomposition, Peroxides				
Hazardous Decomposition Products Lead, lead oxides					
Hazardous Polymerization	Hazardous polymerization does not occur.				
Hazardous Reactions	None under normal processing.				
	11. Toxicological information				
Acute Toxicity					

**Product Information** 

Component Information Toxicologically Synergistic Products	No information available
Delayed and immediate effects as y	well as chronic effects from short and long-term exposure
Irritation	No information available

Sensitization

May cause sensitization by skin contact

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Lead powder	7439-92-1	Group 2A	Reasonably	A3	Х	A3
NTP: (National To) ACGIH: (Americat Hygienists)	ARC (International Agency for Research on Cancer) ARC (International Agency for Research on Cancer) ARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans MTP: (National Toxicity Program) NTP: (National Toxicity Program) Known - Known Carcinogen CGIH: (American Conference of Governmental Industrial lygienists) Mexico - Occupational Exposure Limits - Carcinogens A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen ACGIH: (American Conference of Governmental Industrial Mexico - Occupational Exposure Limits - Carcinogens A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen ACGIH: (American Conference of Governmental Industrial Mexico - Occupational Exposure Limits - Carcinogens A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen A4 - Not Classifiable as a Human Carcinogen					ustrial Hygienists)
Mutagenic Effects		A5 - Not Suspected as a Human Carcinogen No information available				
Reproductive Effect	S	Contains a known or suspected reproductive toxin.				
Developmental Effe	cts	No information available.				
Teratogenicity		No information available.				
STOT - single expos STOT - repeated exp		None known Kidney Central nervous system (CNS) Blood				
Aspiration hazard		No information available				
Symptoms / effects delayed	,both acute and	No information ava	ailable			
Endocrine Disruptor	r Information	No information ava	ailable			
Other Adverse Effec	ets	The toxicological properties have not been fully investigated.				

# 12. Ecological information

Ecotoxicity The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Lead powder	Not listed	LC50: = 1.17 mg/L, 96h	Not listed	EC50: = $600 \mu g/L$ , 48h
		flow-through (Oncorhynchus		(water flea)
		mykiss)		
		LC50: = 1.32 mg/L, 96h		
		static (Oncorhynchus		

	mykiss) LC50: = 0.44 mg/L, 96h semi-static (Cyprinus carpio)				
Persistence and Degradability	Insoluble in water				
<b>Bioaccumulation/ Accumulation</b>	No information available.				
Mobility	Is not likely mobile in the environment due its low water solubility.				
	13. Disposal considerations				
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.				
	14. Transport information				
DOT UN-No Proper Shipping Name Technical Name Hazard Class Packing Group - TDG UN-No Proper Shipping Name Hazard Class Packing Group IATA UN-No Proper Shipping Name Hazard Class Packing Group IMDG/IMO UN-No Proper Shipping Name Hazard Class Packing Group	UN3077 Environmentally hazardous substances, solid, n.o.s. Lead powder 9 III UN3077 Environmentally hazardous substances, solid, n.o.s. 9 III UN3077 Environmentally hazardous substances, solid, n.o.s. 9 III UN3077 Environmentally hazardous substances, solid, n.o.s. 9				
	15. Regulatory information				
	ro. Regulatory information				

#### United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Lead powder	7439-92-1	Х	ACTIVE	-

Legend: TSCA - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

#### TSCA 12(b) - Notices of Export Not applicable

International Inventories Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Lead powder	7439-92-1	Х	-	231-100-4	Х	Х	Х	Х	KE-21887

#### U.S. Federal Regulations

#### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Lead powder	7439-92-1	>95	0.1

#### SARA 311/312 Hazard Categories See section 2 for more information

#### **CWA (Clean Water Act)**

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Lead powder	-	-	Х	Х

#### **Clean Air Act**

# **OSHA** - Occupational Safety and Not applicable Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Lead powder	30 µg/m <sup>3</sup> Action Level	-
	50 μg/m³ TWA	

CERCLA Not applicable

Component		Hazardous Substances RQs	CERCLA EHS RQs
Lead powder		10 lb	-
California Proposition 65	This product	contains the following Proposition 65 ch	emicals

California Proposition 65This product contains the following Proposition 65 chemicals.

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Lead powder	7439-92-1	Carcinogen	15 μg/day	Developmental
		Developmental		Carcinogen
		Female Reproductive		_
		Male Reproductive		

#### U.S. State Right-to-Know Regulations

Regulations					
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Lead powder	Х	Х	Х	Х	Х

U.S. Department of Transportation	
Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland This product does not contain any DHS chemicals.

# Security

Other International Regulations

Mexico - Grade

No information available

	16. Other information
Prepared By	Health, Safety and Environmental Department Email: tech@alfa.com www.alfa.com
Creation Date Revision Date Print Date	03-Apr-2012 11-Mar-2020 11-Mar-2020

**Revision Summary** 

SDS authoring systems update, replaces ChemGes SDS No. 7439-92-1/1.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**