

N,N-Dimethylformamide

BDH 1117

Version 1.5 Revision Date 03/23/2015 Print Date 05/08/2015 SECTION 1. PRODUCT AND COMPANY IDENTIFICATION Product name N,N-Dimethylformamide : MSDS Number 00000011697 2 Product Use Description : Solvent Manufactured for **VWR** International LLC : Radnor Corporate Center Building One Suite 200 100 Matsonford Road Radnor PA 19087

- For more information call:(Monday-Friday,8.00am-5:00pm)
1-800-932-5000In case of emergency call:(24 hours/day, 7 days/week)
1-800-424-9300(USA Only)For Transportation Emergencies
 - For Transportation Emergencies: 1-800-424-9300 (CHEMTREC - Domestic) 1-613-996-6666 (CANUTEC - Canada)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Form	: liquid
Color	: colourless
Odor	: mild amine-like

Page 1 / 16



		VWR ANALYTICAL
I,N-Dimethylformamide	•	
3DH 1117		
/ersion 1.5	Revision Date 03/23/2015	Print Date 05/08/2015
Classification of the substan	ce or mixture	
	: Flammable liquids, Category 3 Eye irritation, Category 2A Reproductive toxicity, Category 1B Specific target organ toxicity - repeat Liver	ted exposure, Category 1,
GHS Label elements, includi	ng precautionary statements	
Symbol(s)		•
Signal word	: Danger	
Hazard statements	 Flammable liquid and vapour. Causes serious eye irritation. May damage fertility or the unborn c Causes damage to organs through p exposure. 	
Precautionary statements	 Prevention: Obtain special instructions before us Do not handle until all safety precaut understood. Keep away from heat/sparks/open flasmoking. Keep container tightly closed. Ground/bond container and receiving Use explosion-proof electrical/ ventil Use only non-sparking tools. Take precautionary measures agains Do not breathe dust/ fume/ gas/ mist Wash skin thoroughly after handling. Do not eat, drink or smoke when usin Wear eye/face protection. 	tions have been read and ames/hot surfaces No g equipment. ating/ lighting/ equipment. st static discharge. t/ vapours/ spray.
	Response: IF ON SKIN (or hair): Remove/ Take	off immediately all
	Page 2 / 16	



H 1117	Povinian Data 02/02/0015	Drint Data 05/00/
sion 1.5	Revision Date 03/23/2015	Print Date 05/08/
	Remove contact lenses, if pre rinsing. IF exposed or concerned: Get If eye irritation persists: Get m	with water for several minutes. sent and easy to do. Continue medical advice/ attention.
	Storage: Store in a well-ventilated plac Store locked up.	e. Keep cool.
	Disposal:	
	federal regulations. Inct present at levels greater than or equ	in accordance with local, state al to 0.1% is identified as a kno
No component of this produ anticipated carcinogen by N	federal regulations. Inct present at levels greater than or equ	
No component of this produ anticipated carcinogen by N	federal regulations. Ict present at levels greater than or equ ITP, IARC, or OSHA.	
No component of this produ anticipated carcinogen by N TION 3. COMPOSITION/IN	federal regulations. Ict present at levels greater than or equ ITP, IARC, or OSHA.	
No component of this produ anticipated carcinogen by N TION 3. COMPOSITION/IN Formula	federal regulations. Ict present at levels greater than or equ ITP, IARC, or OSHA. IFORMATION ON INGREDIENTS : C3H7NO : Substance	al to 0.1% is identified as a kno
No component of this produ anticipated carcinogen by N TION 3. COMPOSITION/IN Formula Chemical nature	federal regulations. Ict present at levels greater than or equ ITP, IARC, or OSHA. IFORMATION ON INGREDIENTS : C3H7NO : Substance	al to 0.1% is identified as a kno
No component of this produ anticipated carcinogen by N TION 3. COMPOSITION/IN Formula Chemical nature Chemica	federal regulations. Inct present at levels greater than or equ ITP, IARC, or OSHA. IFORMATION ON INGREDIENTS : C3H7NO : Substance I Name CAS-N 68-12	al to 0.1% is identified as a kno



DH 1117			
sion 1.5		Revision Date 03/23/2015	Print Date 05/08/2
Skin contact	:	Wash off immediately with plenty of wa minutes. Take off contaminated clothin Wash contaminated clothing before re	ig and shoes immediately.
Eye contact	:	Rinse immediately with plenty of water for at least 15 minutes. Call a physicia	
Ingestion	:	Do not induce vomiting without medica anything by mouth to an unconscious	
Notes to physician			
Treatment	:	Treat symptomatically.	
CTION 5. FIREFIGHTING ME		: Dry chemical	
CTION 5. FIREFIGHTING ME			
			e with water spray.
	a	: Dry chemical Carbon dioxide (CO2) Alcohol-resistant foam	
Suitable extinguishing media	a	 Dry chemical Carbon dioxide (CO2) Alcohol-resistant foam Cool closed containers exposed to fir Do not use a solid water stream as it fire. 	
Suitable extinguishing media	a	 Dry chemical Carbon dioxide (CO2) Alcohol-resistant foam Cool closed containers exposed to fir Do not use a solid water stream as it 	may scatter and spread s with air. y spread along floors. n work site before
Suitable extinguishing media Unsuitable extinguishing media Specific hazards during	a :	 Dry chemical Carbon dioxide (CO2) Alcohol-resistant foam Cool closed containers exposed to fir Do not use a solid water stream as it fire. Flammable. Vapours may form explosive mixtures Vapours are heavier than air and may Vapors may travel to areas away from igniting/flashing back to vapor source In case of fire hazardous decomposit produced such as: Carbon monoxide Carbon dioxide (CO2) nitrogen oxides (NOx) 	may scatter and spread s with air. y spread along floors. n work site before ion products may be



N,N-Dimethylformamide

BDH 1117

Version 1.5

Revision Date 03/23/2015

Print Date 05/08/2015

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Wear personal protective equipment. Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Do not swallow. Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Discharge into the environment must be avoided. Do not flush into surface water or sanitary sewer system. Do not allow run-off from fire fighting to enter drains or water courses.
Methods for cleaning up	:	Ventilate the area. No sparking tools should be used. Use explosion-proof equipment. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national

regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Handling

Handling :	Wear personal protective equipment. Use only in well-ventilated areas. Keep container tightly closed. Do not smoke. Do not swallow. Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing.
	Page 5 / 16



DH 1117		Devision Data 02/02/0015	Drint Data 05/00/0
rsion 1.5		Revision Date 03/23/2015	Print Date 05/08/2
Advice on protection agains fire and explosion	t :	Keep away from fire, sparks and heater Take precautionary measures against s Ensure all equipment is electrically grou transfer operations. Use explosion-proof equipment. Keep product and empty container awa of ignition. No sparking tools should be used. No smoking.	static discharges. unded before beginning
Storage			
Requirements for storage areas and containers	:	Store in area designed for storage of fla from physical damage. Keep containers tightly closed in a dry, place. Containers which are opened must be kept upright to prevent leakage. Keep away from heat and sources of ig Keep away from direct sunlight. Store away from incompatible substance Container hazardous when empty. Do not pressurize, cut, weld, braze, solic containers to heat or sources of ignition	cool and well-ventilated carefully resealed and gnition. ces. der, drill, grind or expose
CTION 8. EXPOSURE CONT	ROI	S/PERSONAL PROTECTION	
Protective measures	:	Ensure that eyewash stations and safe the workstation location.	ty showers are close to
Engineering measures	:	Use with local exhaust ventilation. Prevent vapour buildup by providing ad and after use.	equate ventilation during
Eye protection	:	Do not wear contact lenses. Wear as appropriate: Safety glasses with side-shields If splashes are likely to occur, wear:	
		Page 6 / 16	



N,N-Dimethylformami	ide		
BDH 1117			
Version 1.5		Revision Date 03/23/2015	Print Date 05/08/2015
		Goggles or face shield, giving comple	ete protection to eyes
Hand protection	:	Solvent-resistant gloves Gloves must be inspected prior to use Replace when worn.	е.
Skin and body protection	:	Wear as appropriate: Solvent-resistant apron Flame retardant antistatic protective of If splashes are likely to occur, wear: Protective suit	clothing.
Respiratory protection	:	In case of insufficient ventilation, wea equipment. For rescue and maintenance work in self-contained breathing apparatus. Use NIOSH approved respiratory pro	storage tanks use
Hygiene measures	:	When using, do not eat, drink or smo Wash hands before breaks and imme product. Keep working clothes separately. Remove and wash contaminated clot Do not swallow. Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clot This material has an established AIH. The current list of ERPG exposure lin http://www.aiha.org/insideaiha/Guidel ocuments/2011erpgweelhandbook_ta	ediately after handling the hing before re-use. thing. A ERPG exposure limit. nits can be found at lineDevelopment/ERPG/D

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Upda te	Basis
N,N-Dimethylform amide	68-12-2	TWA : time weighted average	(10 ppm)		ACGIH:US. ACGIH Threshold Limit Values

Page 7 / 16



N,N-Dimethylformamide

BDH 1117

Version 1.5 Revision Date 03/23/2015 Print Date 05/08/2015 N,N-Dimethylform ACGIH:US. ACGIH 68-12-2 SKIN DE Can be 2008 absorbed amide S : Skin Threshold Limit designati through the Values on: skin. N,N-Dimethylform 68-12-2 REL : 30 mg/m3 2005 NIOSH/GUIDE:US. amide Recomm (10 ppm) NIOSH: Pocket Guide to Chemical ended exposure Hazards limit (REL): N,N-Dimethylform 68-12-2 SKIN DE Can be 2005 NIOSH/GUIDE:US. S : Skin absorbed NIOSH: Pocket amide Guide to Chemical designati through the Hazards on: skin. OSHA_TRANS:US. N,N-Dimethylform 02 68-12-2 SKIN DE Can be amide S : Skin absorbed 2006 OSHA Table Z-1 designati through the Limits for Air on: skin. Contaminants (29 CFR 1910.1000) PEL: 02 N,N-Dimethylform 68-12-2 30 mg/m3 OSHA TRANS:US. amide Permissi (10 ppm) 2006 OSHA Table Z-1 ble Limits for Air exposure Contaminants (29 limit CFR 1910.1000) TWA : N,N-Dimethylform 68-12-2 30 mg/m3 1989 Z1A:US. OSHA amide time Table Z-1-A (29 (10 ppm) weighted CFR 1910.1000) average Page 8 / 16



N,N-Dimethylformamide

BDH 1117

Version 1.5 Revision Date 03/23/2015 Print Date 05/08/2015 N,N-Dimethylform Z1A:US. OSHA 68-12-2 SKIN FI Can be 1989 amide NAL : absorbed Table Z-1-A (29 Skin through the CFR 1910.1000) designati skin. on (Final Rule Limit applies): **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** Physical state : liquid Color : colourless Odor : mild amine-like pН : Note: neutral Melting point/freezing point : -60.4 ℃ Boiling point/boiling range : 153 ℃ Flash point : 136 °F (58 °C) Method: closed cup Evaporation rate : 0.2 Method: Compared to Butyl acetate. Lower explosion limit : 2 %(V) Upper explosion limit : 15.2 %(V) Vapor pressure : 3.6 hPa Page 9 / 16



N,N-Dimethylformar	nide	
BDH 1117		
Version 1.5	Revision Date 03/23/2015	Print Date 05/08/2015
Vapor density	: 2.5 Note: (Air = 1.0)	
Density	: 0.949 g/cm3 at 20 °C	
Water solubility	: Note: completely soluble	
Ignition temperature	: 445 ℃	
Molecular weight	: 73.1 g/mol	
	. 73.1 g/mor	

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Hazardous polymerisation does not occur.
Conditions to avoid	: Heat, flames and sparks. Keep away from direct sunlight.
Incompatible materials to avoid	: Strong oxidizing agents Halogenated compounds Iron Carbon tetrachloride Alkyl aluminums Inorganic nitrates
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon monoxide
	Page 10 / 16



DDU 1117

BDH 1117		
Version 1.5	Revision Date 03/23/2015	Print Date 05/08/2015
	Carbon dioxide (CO2) nitrogen oxides (NOx) Toxic gases/vapours Dimethylamine	
	-	
SECTION 11. TOXICOLOGICAL	- INFORMATION	
Acute oral toxicity	: LD50: 2,800 mg/kg Species: Rat	
Acute inhalation toxicity	: LC50: > 5.9 mg/l , vapour Exposure time: 4 h Species: Rat	
Acute dermal toxicity	: LD50: 4,720 mg/kg Species: Rabbit	
Skin irritation	: Species: Rabbit Result: slight irritation	
Eye irritation	: Species: Rabbit Result: Irritating to eyes.	
Repeated dose toxicity	: Species: Rat Application Route: Inhalation Note: Liver toxicity (100 or 400 ppm f 2 yr.)	for 6h/day, 5 days/week for
	: Species: Mouse Application Route: Inhalation Note: Liver toxicity (100 or 400 ppm) females for 6h/day, 5days/week for	
	Page 11 / 16	



N,N-Dimethylformamide

BDH 1117

Version 1.5

Revision Date 03/23/2015

Print Date 05/08/2015

SECTION 12. ECOLOGICAL INFO	RMATION
Ecotoxicity effects	
Toxicity to fish	: LC50: > 500 mg/l Exposure time: 48 h Species: Leuciscus idus (Golden orfe)
Toxicity to daphnia and other aquatic invertebrates	: LC50: 12.4 g/l Exposure time: 48 h Species: Daphnia magna (Water flea)
Toxicity to algae	: LC50: > 1,000 mg/l Exposure time: 96 h Species: Scenedesmus capricornutum (fresh water algae)
Further information on ecolo	ду
SECTION 13. DISPOSAL CONSID	ERATIONS
Disposal methods	: Dispose of contents/ container in accordance with local, state, and federal regulations.
Contaminated packaging	Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.
SECTION 14. TRANSPORT INFOR	RMATION
DOT UN/ID No. Proper shipping na	: UN 2265 me : N,N-DIMETHYLFORMAMIDE
	Page 12 / 16



			VWR ANALYTICAL
N,N-Dime	thylformamide		
BDH 1117	,		
Version 1.5		Revision Date 03/23/2015	Print Date 05/08/2015
	Class Packing group Hazard Labels	3 3	
ΙΑΤΑ	UN/ID No. Description of the good Class Packaging group Hazard Labels Packing instruction (ca aircraft) Packing instruction (passenger aircraft) Packing instruction (passenger aircraft)	: 3 : III : 3	DE
IMDG	UN/ID No. Description of the good Class Packaging group Hazard Labels EmS Number Marine pollutant	: 3 : III : 3 : F-E, S-D	DE
SECTION 15.	REGULATORY INFORM	ΙΑΤΙΟΝ	
Inventori	es		
US. Toxic Control A		on TSCA Inventory	
Australia. Chemical Assessme	(Notification and	In the inventory, or in compliance with	the inventory
Act (CEP	Canadian : A ental Protection A). Domestic es List (DSL)	Il components of this product are on th	ne Canadian DSL.
		Page 13 / 16	



ersion 1.5	Revision Date 03/23/2015	Print Date 05/08/20	
5151011 1.5		1 mit Date 03/00/20	
Japan. Kashin-Hou Law List	: On the inventory, or in compliance wi	th the inventory	
Korea. Toxic Chemical Control Law (TCCL) List	On the inventory, or in compliance with the inventory		
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	On the inventory, or in compliance with the inventory		
China. Inventory of Existing Chemical Substances	On the inventory, or in compliance with the inventory		
New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand	: On the inventory, or in compliance wi	th the inventory	
National regulatory informa	tion		
US. EPA CERCLA Hazardous Substances (40 CFR 302)	: The following component(s) of this pr release reporting under 40 CFR 302 Reportable Quantity (RQ):		
	Reportable quantity: 100 lbs : N,N-Dimethylformamide	68-12-2	
SARA 302 Components	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313 Components	The following components are subject to reporting levels established by SARA Title III, Section 313: N,N-Dimethylformamide 68-12-2		
SARA 311/312 Hazards	: Fire Hazard Acute Health Hazard Chronic Health Hazard		



DH 1117				
rsion 1.5	Revisior	Date 03/23/2015	Print Date 05/08/20	
California Prop. 65		o cause cancer, bir	any chemicals known to State of th defects, or any other	
Massachusetts RTK	: N,N-Dimeth		68-12-2	
New Jersey RTK	: N,N-DIMetr	nylformamide	68-12-2	
Pennsylvania RTK	: N,N-Dimeth	nylformamide	68-12-2	
WHMIS Classification	D2B: Toxic This produc of the CPR	: B3: Combustible Liquid D2B: Toxic Material Causing Other Toxic Effects This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.		
CTION 16. OTHER INFORM				
Health hazard	HMIS III : 2*	NFPA 2		
Flammability	: 2	2		
Physical Hazard	: 0	2		
Instability	:	0		
* - Chronic health hazard				
Hazard rating and rating s of individuals trained in th			nformation is intended solely for the	
Further information				



N,N-Dimethylformamide

BDH 1117

Version 1.5

Revision Date 03/23/2015

Print Date 05/08/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 06/20/2012

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group