

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 06/05/2018

Version 1.1

### SISECTION 1.Identification

## **Product identifier**

Product number AX0612

Product name Alumina 80-200 Mesh Chromatographic Grade <br/>
Shr/>Material must be

<br/>br/>activated before use.

CAS-No. 1344-28-1

## Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

# Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 400 Summit Drive | Burlington |

Massachusetts 01803 | United States of America | General Inquiries: +1 800-645-5476 | Monday to Friday, 9:00 AM to 4:00 PM Eastern

Time (GMT-5)

MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

### **SECTION 2. Hazards identification**

## **GHS-Labeling**

Not a dangerous substance according to GHS.

#### Other hazards

None known.

### SECTION 3. Composition/information on ingredients

Formula Al<sub>2</sub>O<sub>3</sub> (Hill) Molar mass 101.96 g/mol

## Hazardous ingredients

Chemical name (Concentration)

CAS-No.

Aluminium oxide (>= 90 % - <= 100 % )

1344-28-1

Exact percentages are being withheld as a trade secret.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX0612 Version 1.1

Product name Alumina 80-200 Mesh Chromatographic Grade <br/>
Small must be

<br/>br/>activated before use.

#### SECTION 4. First aid measures

## **Description of first-aid measures**

Inhalation

After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/

shower.

Eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Never give anything by mouth to an unconscious person.

# Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

## Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5. Fire-fighting measures**

# Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

### Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

none

## SECTION 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX0612 Version 1.1

Product name Alumina 80-200 Mesh Chromatographic Grade <br/>
Small must be

<br/>br/>activated before use.

# **Environmental precautions**

No special precautionary measures necessary.

# Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly.

Clean up affected area. Avoid generation of dusts.

# SECTION 7. Handling and storage

## Precautions for safe handling

Observe label precautions.

# Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Store at room temperature.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

AX0612 Version 1.1 Product number

Alumina 80-200 Mesh Chromatographic Grade <br/>
<br/>br/>Material must be Product name

<br/>br/>activated before use.

## SECTION 8. Exposure controls/personal protection

## Exposure limit(s)

Ingredients

Basis Value Threshold Remarks

limits

General threshold limit value for dust

Z1A Time Weighted Average 5 mg/m<sup>3</sup> Form of exposure: Respirable fraction.

> (TWA): Form of exposure: Total dust. Time Weighted Average 15 mg/m<sup>3</sup>

> (TWA):

Time Weighted Average 50millions of Form of exposure: Total dust.

(TWA): particles per cubic foot of air

15millions of Time Weighted Average Form of exposure: Respirable fraction.

(TWA): particles per cubic foot of air

Time Weighted Average 15 mg/m<sup>3</sup> Form of exposure: Total dust.

(TWA): Time Weighted Average 5 mg/m<sup>3</sup> Form of exposure: Respirable fraction.

(TWA):

**ACGIH** Time Weighted Average 10 mg/m<sup>3</sup> Form of exposure: Inhalable particles.

(TWA): Time Weighted Average 3 mg/m<sup>3</sup> Form of exposure: Respirable particles.

(TWA):

Aluminium oxide 1344-28-1

OSHA\_TRANS

Time Weighted Average **ACGIH** 1 mg/m<sup>3</sup> Form of exposure: Respirable fraction. (TWA):

> PEL: 5 mg/m<sup>3</sup> Form of exposure: Respirable fraction.

PEL: Form of exposure: Total dust. 15 mg/m<sup>3</sup>

Z1A

Time Weighted Average 10 mg/m<sup>3</sup> Form of exposure: Total dust. (TWA):

> Time Weighted Average 5 mg/m<sup>3</sup> Form of exposure: Respirable fraction.

(TWA): Time Weighted Average 15 mg/m<sup>3</sup> Form of exposure: Total dust.

(TWA): Time Weighted Average 50millions of Form of exposure: Total dust.

particles per (TWA): cubic foot of air

cubic foot of air

15millions of Time Weighted Average Form of exposure: Respirable fraction. (TWA): particles per

Time Weighted Average 5 ma/m<sup>3</sup> Form of exposure: Respirable fraction.

(TWA):

#### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX0612 Version 1.1

Product name Alumina 80-200 Mesh Chromatographic Grade <br/>
Alumina 80-200 Mesh Chromatographic <br/>

<br/>br/>activated before use.

## Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

## Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: 480 min

splash contact:

Glove material: Nitrile rubber Glove thickness: 0.11 mm Break through time: 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

# Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 1 (acc. to DIN 3181) for solid particles of inert substances. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

# SECTION 9. Physical and chemical properties

Physical state solid

Color white

Odor odorless

Odor Threshold Not applicable

pH No information available.

Melting point 3,722 °F (2,050 °C)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX0612 Version 1.1

Product name Alumina 80-200 Mesh Chromatographic Grade <br/>
Alumina 80-200 Mesh Chromatographic <br/>

<br/>br/>activated before use.

Boiling point/boiling range 5,396 °F (2,980 °C)

at 1,013 hPa

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas)

The product is not flammable.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapor pressure at 68 °F (20 °C)

Not applicable

Relative vapor density No information available.

Density 3.94 g/cm3

at 68 °F (20 °C)

Relative density No information available.

Water solubility at 68 °F (20 °C)

insoluble

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

Ignition temperature Not applicable

## SECTION 10. Stability and reactivity

### Reactivity

See below

## Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

## Possibility of hazardous reactions

Exothermic reaction with:

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX0612 Version 1.1

Product name Alumina 80-200 Mesh Chromatographic Grade <br/>
Alumina 80-200 Mesh Chromatographic <br/>

<br/>br/>activated before use.

halogen-halogen compounds, Ethylene oxide, Fluorine, Hydrogen halides, vinyl acetate

Risk of explosion with: nitrates, halogen oxides

## Conditions to avoid

no information available

## Incompatible materials

no information available

## Hazardous decomposition products

no information available

## **SECTION 11. Toxicological information**

## Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact, Ingestion

Target Organs

Eyes Skin

Respiratory system

Acute oral toxicity

LD50 Rat: > 5,000 mg/kg OECD Test Guideline 401

Skin irritation

Rabbit

Result: No irritation

**OECD Test Guideline 404** 

Eve irritation

Rabbit

Result: No eye irritation

**OECD Test Guideline 405** 

Genotoxicity in vitro

Ames test Bacillus subtilis Result: negative

(IUCLID)

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

### Carcinogenicity

IARC No ingredient of this product present at levels greater than or

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	AX0612	Version 1.1
<b>5</b>		

Product name Alumina 80-200 Mesh Chromatographic Grade <br/>
haterial must be

<br/>br/>activated before use.

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

#### **Further information**

On the basis of the morphology of the product, no hazardous properties are to be expected when it is handled and used with appropriate care.

Only very slightly absorbable via the gastrointestinal tract.

Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12. Ecological information**

### **Ecotoxicity**

No information available.

# Persistence and degradability

No information available.

## Bioaccumulative potential

No information available.

## Mobility in soil

No information available.

#### Additional ecological information

No ecological problems are to be expected when the product is handled and used with due care and attention.

## **SECTION 13. Disposal considerations**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX0612 Version 1.1

Product name Alumina 80-200 Mesh Chromatographic Grade <br/>
Alumina 80-200 Mesh Chromatographic <br/>

<br/>br/>activated before use.

## **SECTION 14. Transport information**

## Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

## Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

## Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

## **SECTION 15. Regulatory information**

## **United States of America**

#### **SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredients

Aluminium oxide 1344-28-1 100 %

### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

## **DEA List I**

Not listed

#### **DEA List II**

Not listed

## **US State Regulations**

## Massachusetts Right To Know

Ingredients

Aluminium oxide

# Pennsylvania Right To Know

Ingredients

Aluminium oxide

### New Jersey Right To Know

Ingredients

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX0612 Version 1.1

Product name Alumina 80-200 Mesh Chromatographic Grade <br/>
Small must be

<br/>br/>activated before use.

### Aluminium oxide

# California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### **Notification status**

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

### **SECTION 16. Other information**

### Training advice

Provide adequate information, instruction and training for operators.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date06/05/2018

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.