

# Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

SANI-T-10 PLUS

Product Division: **Janitorial** 

Product Number: 3159

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee OH 43537 Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Disinfectants, liquid, corrosive, n.o.s., 8, UN 1903, II, (contains quaternary ammonium)

NFPA Ratings:	HMIS Ratings:
Health: 3 - Serious	Health: 3 - Serious
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

#### SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing

on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Quaternary ammonium chloride Quaternary ammonium chloride Ethanol	5-10 1-5 1-5	68424-95-3 68424-85-1 64-17-5	Not Established Not Established 1900	Not Established Not Established Not Established	Not Established Not Established Not Established	No No No

#### SECTION III: PHYSICAL DATA

 Boiling Point: 212 °F	Vapor Pressure: Not determined
Vapor Density (AIR = 1): Not determined	Solubility in Water: Complete
pH: 6.0-8.0	Specific Gravity (H <sub>2</sub> O=1): 0.990
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 10-15
Physical State: Liquid	
Appearance & Odor: Clear to slightly yellow liquid, low odor	

### SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212°F	Method Used: ASTM-D56
Flammable Limits: Not Established	Flame Extension: N/A
Extinguishing Media: Product does not support combustion	. Use extinguishing media appropriate for surrounding fire.
Special Fire Fighting Procedures: Wear NIOSH approved self-containe containers with water spray.	d breathing apparatus and protective clothing. Cool fire-exposed
Unusual Fire & Explosive Hazards: Combustion products are toxic.	

OFOTIONIA.	LICALTI	1147400	DATA
SECTION V:	DEALID	DAZARU	UATA

Threshold Limit Value:	Not established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes				
Effects of Overexposure-	CORROSIVE.	·				
Conditions to Avoid: Causes irreversible eye damage and skin burns: Symptoms may include pain, redness, sv						
	tissue damage. Harmful if absorbed through the skin.					
		larmful if swallowed: Symptoms may include nausea, vomiting, pain and diarrhea.				
		ct mist may cause irritation of the respiratory tract with symptoms of				
	nasal discomfort and coughing.	Do not tooto on availant Avaid inhalation of annut mist. Mach				
		Do not taste or swallow. Avoid inhalation of spray mist. Wash handling and before eating, drinking, chewing gum, using tobacco				
	or using the toilet.					
Conditions Aggravated by Use:	Use of this product may aggravate product may aggrave product	eexisting skin; eye and respiratory disorders including asthma and				
Emergency & First Aid Procedures:						
Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses; If present; after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for					
	treatment advice.					
Skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes . Call a					
	poison control center or doctor for treatment advice. Wash contaminated clothing before reuse.					
Ingestion:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do					
	not give anything by mouth to an unconscious person.					
Inhalation:	ambulance then give artificial respiration; preferably by mouth-to-mouth; if possible. Call a poison control					
center or doctor for further treatment advice.						
NOTE TO PHYSICIAN: Probable much	cosal damage may contraindicate the u	se of gastric lavage.				
SECTION VI: REACTIVITY DATA						
Stability:	Stable	Incompatible Materials: Strong oxidizers				
Hazardous Decomposition Products:	CO, CO <sub>2</sub>	Hazardous Polymerization: Will Not Occur				

### SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case

Material is Released or Spilled: Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain larger spills with inert material and transfer liquid to containers for recovery or disposal. Keep spill out of storm sewers and waterways.

Waste Disposal Method: Dispose of in compliance with all federal, state and local laws and regulations

#### SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection: Not normally required when good general ventilation is provided. However, if respiratory irritation occurs,

use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be

considered.

Ventilation: Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.

Protective Gloves(Specify Type): Rubber or other impervious gloves are recommended.

Eye Protection(Specify Type): Splash goggles are recommended to prevent eye contact. Use a face shield if splashing is possible.

Eye wash stations and washing facilities should be readily accessible in areas where undiluted product is Other Protective Equipment:

handled. See 29 CFR 1910.132-138 for further guidance.

## SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing: Keep from freezing.

Other Precautions: Keep out of reach of children.

© SCC 04/14/2010 Title: Name: Ronald T. Cook Manager, Regulatory Affairs

Effective Date: 04/14/2010 SANI-T-10 PLUS Ref: 29 CFR 1910.1200 (OSHA) Changes: **New Product** 

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to

evaluate all availabl	e information wher	n using product for	any particular use	e and to comply wi	th all Federal, Sta	te and Local laws a	and regulations.