ProSpore Ampoule

SECTION 1 - IDENTIFICATION

Identification of the substance or preparation

Product name

Use of the substance/preparation

Company identification

Manufacturer

ProSpore Ampoule

Sterilization Biological Indicator

Mesa Labs

Omaha Manufacturing Facility

8607 Park Drive

Omaha, Nebraska 68127

T: 303-987-8000 F: 402-593-0921

Emergency telephone number : 800-992-6372

SECTION 2 - HAZARDS IDENTIFICATION

Treat as non-hazardous. No toxic/ill effects under normal operating conditions. Repeated or prolonged exposure is not known to aggravate any medical condition.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name	CAS Number	%
Bromocresol Purple	115-40-2	< 4%

SECTION 4 - FIRST AID MEASURES

Inhalation : Inhalation is not a likely route of exposure to this

product. No health hazards are expected from accidental inhalation of the microorganism.

Ingestion: Ingestion is not a likely route of exposure to this

product. No health hazards have been associated with accidental exposure to the microorganisms.

Skin Contact : No skin irritation is expected from

accidental contact with the microorganisms.

Eye Contact : In case of contact with eyes, rinse immediately with a copious

amount of water. No irritation is expected from accidental exposure with the microorganism; however, get medical

attention if irritation occurs.

See section 11 for more detailed information on health effects and symptoms.

MSDS-003 Mesa Labs Omaha Manufacturing Facility Rev 4

Effective: 06JUN2014

Page 1 of 4

ProSpore Ampoule

SECTION 5 - FIRE-FIGHTING MEASURES

Fire : Not expected to be a fire hazard.

Explosion : No information found.

Fire Extinguishing Media : Use any means suitable for extinguishing surrounding fire. **Special Information** : Fire-fighters should wear self-contained positive pressure

breathing apparatus (SCBA) and full turnout gear.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Floor surface will be slippery at site of spillage.

Wear gloves. Absorb using absorbent paper. Place in a bag/other appropriate bio-waste container and sterilize prior to disposal. Disinfect surface with sporocidal agent.

SECTION 7 - HANDLING AND STORAGE

Steps to be taken in the event of spillage: Wear suitable protective clothing.

Waste disposal method: Dispose of in accordance with national and local regulations for biological waste. Sterilize in steam sterilization at 121°C for 30 minutes or incinerate prior to disposal.

Precautions to be taken in Handling and Storage: Store at 2-8°C. Avoid direct sunlight and all other forms of UV light.

Other Precautions: None determined.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupation Exposure Limits: No data but non-toxic.

Personal Protective Equipment: Respiratory System: None required Skin and Body: Laboratory Coat Hands: Impervious Gloves Eyes: Safety glasses or goggles Other/Special: None required

ProSpore Ampoule

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid and suspension

Color: Purple

Odor:
pH:
7.2 +/- 0.2

Boiling Point:
100°C

Vapor Pressure:
Vapor Density:
N/A

Melting Point:
N/A

Fire Hazards in presence

of various substances: No risk Explosive properties: No risk

SECTION 10 - STABILITY AND REACTIVITY

Stability: STABLE at exposure temperatures and normal storage

conditions.

Conditions to avoid:
Incompatibility: (materials to avoid)
No data available.
Hazardous Decomposition or By-Products:
None known.

Hazardous polymerization: Will not occur.

SECTION 11 - TOXICOLOGICAL INFORMATION

Affects of Acute Exposure: N/A Affects of Chronic Exposure: N/A **Irritancy of Product:** N/A Skin Sensitization: N/A **Respiratory Sensitization:** N/A Carcinogenicity: N/A **Reproductive Toxicity:** N/A Teratogenicity: N/A **Embryo Toxicity:** N/A Mutagenicity: N/A Synergistic Products: N/A

The microorganisms contained in this product are non-pathogenic organisms and are classified by the World Health Organization (WHO) as Group 1 organisms.

ProSpore Ampoule

SECTION 12 – ECOLOGICAL INFORMATION

This product contains no known ecological hazards. The microorganisms in this product are non-pathogenic and are classified by the World Health Organization (WHO) as Group 1 organisms.

SECTION 13 – DISPOSAL CONSIDERATIONS

Autoclave at 121°C for 30 minutes or incinerate prior to disposal.

SECTION 14 – TRANSPORT INFORMATION

Transport on cold packs via an expedited method.

SECTION 15 – REGULATORY INFORMATION

N/A

SECTION 16 – OTHER INFORMATION

See instructions for use delivered in each box of product.

The statements contained herein are offered for informational purposes only. Since conditions and manner of use are outside our control, we make no warranties, expressed or implied, and assume no liability in connection with any use of this information.

Rev 4

Effective: 06JUN2014 Page 4 of 4