Safety Data Sheet

HMIS



REACTIVITY 0

PERSONAL PROTECTION 5

Section 1 - Identification of the Substance / Preparation, and of the Company

Product Name/ T rade Name	Natural Amorphous Graphite Powder	CAS# 7782-42-5	
Manufacturer	Fasco Epoxies Inc.	Emergency Phone	+1 772 464-0808
	2550 North U.S. Highway 1, Fort Pierce Florida 34946 USA	Information Phone	+1 305 821-9441
	Fort Pierce Florida 34946 USA	Fax	
	EMAIL: sales@fascoepoxies.com	Date Prepared	Oct 2014
	WEBSITE: www.FascoEpoxies.com	Preparer (optional)	

REACH Registration Number: Natural Amorphous Graphite Powder

EEC Number: #231-955-3

Uses: Inorganic source of carbon, filler, thermal additive, re-carburizer, casting powders, drilling fluids, plastic additive, rubber additive, tint/pigment, lubricant, chemically resistant additive, EMF absorber, milling and sieving, bulk loading, unloading, repackaging, general inert filler-additive.

Uses Advised Against: None

Section 2 - Hazards Identification:

GHS Classification

Health	Environmental	Physical
Acute Toxicity-Not Classified Eye Corrosion-Sub-category 2A Skin Corrosion-Not Classified Skin Sensitization-Category 3 Mutagenicity-Not Classified Carcinogenicity-Not Classified Reproductive/Development- Not Classified Target Organ Toxicity-Not Classified	Natural Amorphous Graphite is an insoluble, inorganic substance and is not expected to present any environmental hazards other then those expected for an insoluble particulate.	Solid material which poses no physical hazard according to GHS classification.

Hazard Statements/Precautionary Statements: Natural Amorphous Graphite may contain crystalline silica, variety quartz. This substance is not admixed with the graphite, but is a naturally occurring mineral impurity that is intimately associated with the graphite. In most cases this silica is not in respirable form unless the graphite is very finely divided.

Section 3 - Composition / Information on Ingredients

Components	CAS Number %
Natural Amorphous 7782-42-5 100% Graphite	

Section 4 - First Aid Measures

Ingestion	Get immediate medical attention. Do not induce vomiting unless directed by medical personnel. Natural Crystalline Amorphous is not known to be toxic by ingestion. However, ingestion may cause digestive system blockage.
Skin Contact	Wash with mild soap and warm water: Natural Amorphous Graphite is non-staining to skin
Eye Contact	Rinse with tepid water until eyes are clear of particulates. Seek medical attention if irritation persists.
Inhalation	Remove patient to particulate-free environment. Wear approved dust mask to avoid breathing dust. Seek medical attention if irritation persists.

Section 5 - Fire Fighting Measures

Natural Amorphous Gra	Natural Amorphous Graphite is not flammable under normal conditions	
Extinguishing Media	Dry chemical extinguisher, water, sand, limestone powder,	
Protective Equipment	Self contained air pack, gloves, safety goggles	
Special Hazards	At temperatures above 1500 C, graphite reacts with substances containing oxygen, including water and carbon dioxide. In case of intensely hot fire events, use sand to cover and isolate graphite.	
NFP Rating	110	
Products of Combustion:	Carbon dioxide, CO2, carbon monoxide, CO.	

Section 6 - Accidental Release Measures

Personal Precautions	Wear approved dust mask, safety goggles, and conventional work gloves.		
Methods for Cleaning Up:	Conventional Sweep or vacuum. Avoid creating dusting conditions		
Environmental Precautions: Natural Amorphous Graphite is inert and insoluble and will not pose any soluble ion hazards to the environment. However, good housekeeping practices should be followed and spilled material should be cleaned up,			
and disposed of in an appropriate manner.			

Section 7 - Handling and Storage

Handling	Conventional means to avoid dusting conditions. Keep powder from contacting eyes. Natural Amorphous Graphite is a good conductor of electricity. Avoid contact between natural graphite and electrical circuitry.
Slip Hazard	Graphite is a highly lubricious material and may present a slip hazard if spilled on pedestrian surfaces.
Storage and Incompatibilities	Store all carbonaceous materials in a dry location. Natural Amorphous Graphite is incompatible with all oxidizing agents.

Section 8 - Exposure Controls/ Personal Protection

Control Parameters	German or US	Limits		
Component	CAS No.	%	ACGIH TWA	Control Reference
Natural Amorphous Graphite	7782-42-5	100	2.0 mg/m ³ Respirable dust	3 mg/m³ for nuisance dust
Silica, var Quartz	14808-60-7	0.1-4%	0.025 mg/m ³ Respirable dust	2011 ACGIH TLV Handbook
Engineering Measures	•			the control or recommended values.
Respiratory Protection	Approved dust mask, type N95 recommended.			
Eye Protection	Conventional safety glasses or goggles.			
Skin Protection	Conventional work gloves and clothing.			
Additional	None			

Section 9 - Physical and Chemical Properties

Color:	Gray to Black	Material State	Solid, granular or powder
Odor	None		
Boiling Point:	NA	Melting Point	Sublimates at 3652C
Specific Gravity	2.26	Vapor Density	Not applicable
Vapor Pressure (mm Hg)	NA	% Volatile (By Wt.)	0-4%
Solubility in Water	Insoluble	Evaporation Rate:	Not applicable
pН	NA	Auto Ignition	Above 500 C
Decomposition Temp	Oxidizes above 400C	Dust Explosion class	ST1=KST>0-200 bar m/s
Flash Point	NA Solid substance with ver	ry high melting point.	

Section 10 - Stability and Reactivity

Stability	Stable. Will not polymerize
Conditions to Avoid	Avoid contact with oxidizing agents
Materials to Avoid	Oxidizing agents
Hazardous	Carbon Dioxide (CO ₂), Carbon Monoxide (CO)
Decomposition Products	
Flammable Limits (% by Vol.)	LEL and UEL values not available: Minimum Ignition Energy (MIE) greater than 10 joules. When exposed to extremely high energy ignition sources very finely divided graphite powder can form explosive mixtures with air. Avoid contact between graphite dust clouds and high energy ignition sources. Classified as not flammable.

Section 11 - Toxicological Information

Toxicological information about natural amorphous graphite is not available. Natural Amorphous Graphite is inert, insoluble and is not expected to present an ingestion hazard.

Section 12 - Ecological Information

Assessment	Natural Amorphous Graphite is inert and insoluble. To the best of our knowledge, Natural		
	Amorphous Graphite should not present any environmental hazards.		
Persistence and degrada	bility: Natural Amorphous Graphite is a reduced form of carbon and will not degrade further under normal conditions. This		
form of carbon is stable, unreactive	form of carbon is stable, unreactive in water under ambient conditions, and is insoluble.		
Bioaccumulation: There is no evidence indicating that Natural Amorphous graphite is bioaccumulative.			
Aquatic Toxicity: Data not available.			
Soil Mobility: Not determined, however Natural Amorphous Graphite is not expected to have mobility in soil as it is an			
insoluble, inorganic substance.			

Section 13 - Disposal Considerations

Dispose of in a manner which conforms to local, state and Federal regulations.

Section 14 - Transport Information

ICAO / IATA	
Shipping Name	Natural Amorphous Graphite
Hazard Class	Non Hazardous Subsidiary
Class	NA
UN Number	NA
Packing Group	NA
Marine Transport	Not classified as a hazardous material
Land Transport	Not classified as a hazardous material
Air Transport	Not classified as a hazardous material
Transport Label Required	No label required
Additional Transport Info	Technical Name (N.O.S.): Natural Amorphous Graphite

Section 15 - Regulatory Information

Not Classified	
Inventory Information:	
EEC EINECS	#231-955-3
US TSCA	Yes
Canada DSL	Yes
Canada NDSL	No
Australian AICS	Yes
Korean ECL	Yes
Asia PAC	Yes
Swiss Giftliste 1	Yes #G8422
IECSC	Yes
New Zealand NZLoC	Yes
REACH: Natural Amorphous Graphite is exempt from REACH registration.	
RoHS: Natural Amorphous Graphite is compliant with the EU RoHS directive	
WEEE: Natural Amorphous Graphite is compliant with the EU waste electrical and electronic equipment directive	

Section 16 - Other Information

HMIS Rating

Originally Prepared 8-14-2014
Revised 8-29-2016 to add pictograms
Reviewed 10-24-2018

100

Abbreviations Used:

ACGIH TWA American Council of Government and Industrial Hygienists Time Weighted Average value.

CAS Chemical Abstracts Service

NA Not applicable

N.O.S. Not otherwise specified