

# SAFETY DATA SHEET

Creation Date 12-Oct-2010

Revision Date 29-Mar-2024

Revision Number 5

1. Identification

### Product Name

#### Aluminum wire

No information available

11064

7429-90-5

Cat No. :

CAS No Synonyms

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

#### <u>Company</u>

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe:**001-703-527-3887

### 2. Hazard(s) identification

#### <u>Classification</u> Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements None required

<u>Hazards not otherwise classified (HNOC)</u> None identified

3. Composition/Information on Ingredients

Component		CAS No	Weight %	
Aluminum		7429-90-5	99	
	4.	First-aid measures		
Eye Contact	Rinse imme medical atte	diately with plenty of water, also under th ntion.	ne eyelids, for at least 15 minutes. Get	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.			
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.			
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.			
Most important symptoms and				
effects Notes to Physician	Treat symptomatically			

5. Fire-fighting measures

Unsuitable Extinguishing Media	No information available
Flash Point Method -	Not applicable No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Fumes of aluminum or aluminum oxide.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>	<b>Health</b> 0	Flammability 1	Instability 1	Physical hazards N/A
		6. Accidental rel	ease measures	
Personal	Precautions	Use personal protective equiption formation.	uipment as required. Ensure ac	lequate ventilation. Avoid dust
Environr	nental Precautions	Should not be released into	the environment.	

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents.

## 8. Exposure controls / personal protection

#### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Aluminum	TWA: 1 mg/m <sup>3</sup>	(Vacated) TWA: 15 mg/m <sup>3</sup> (Vacated) TWA: 5 mg/m <sup>3</sup> TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 1 mg/m³

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	None under normal use conditions.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
<b>Respiratory Protection</b>	No protective equipment is needed under normal use conditions.	
Recommended Filter type:	Particle filter.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

	9. Physical and chemical properties
Physical State	Solid; Various Form
Appearance	Silver / Grey
Odor	Odorless
Odor Threshold	No information available
рН	Not applicable
Melting Point/Range	660 °C / 1220 °F
Boiling Point/Range	2327 °C / 4220.6 °F @ 760 mmHg
Flash Point	Not applicable
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	2.700
Solubility	insoluble
Partition coefficient; n-octanol/wa	ter No data available
Autoignition Temperature	No information available

Decomposition Temperature		
Viscosity		
Molecular Formula		
Molecular Weight		

No information available Not applicable Al 26.97

10. Stability and reactivity		
Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products. Excess heat. Avoid dust formation. Exposure to air. Exposure to moist air or water.	
Incompatible Materials	Strong oxidizing agents	
Hazardous Decomposition Products Fumes of aluminum or aluminum oxide		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

# Product Information

Component Information	ation						
Component		LD50 Oral		LD50 Dermal	LC50 Inhalati		
Aluminum		Not listed		Not listed	LC50 > 0.888	3 mg/L (Rat)4 h	
oxicologically Syn	ergistic	No information ava	No information available				
Products	-						
Delayed and immed	liate effects	as well as chronic effe	cts from short ar	nd long-term expo	osure		
rritation		No information ava	ailable				
Sensitization		No information ava	ailable				
Carcinogenicity		The table below in	dicates whether e	ach agency has lis	ted any ingredient	as a carcinoger	
Component	CAS No	D IARC	NTP	ACGIH	OSHA	Mexico	
Aluminum	7429-90-	5 Not listed	Not listed	Not listed	Not listed	Not listed	
Reproductive Effects Developmental Effects			No information available. No information available.				
<b>Feratogenicity</b>		No information ava	No information available.				
STOT - single exposure STOT - repeated exposure		None known None known					
Aspiration hazard		No information ava	No information available				
Symptoms / effects,both acute and No inform delayed			ailable				
Endocrine Disruptor Information		n No information ava	No information available				

Other Adverse Effects	The toxicological properties have not been fully investigated.		
	12. Ecological information		
<u>Ecotoxicity</u> Do not empty into drains.			
Persistence and Degradability	Insoluble in water		
<b>Bioaccumulation/ Accumulation</b>	No information available.		
Mobility	Is not likely mobile in the environment due its low water solubility.		
	13. Disposal considerations		
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.		

14. Transport information		
DOT	Not regulated	
DOT TDG	Not regulated	
ΙΑΤΑ	Not regulated	
IMDG/IMO	Not regulated	
	15. Regulatory information	

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Aluminum	7429-90-5	Х	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

#### TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Aluminum	7429-90-5	Х	-	231-072-3	Х	Х		Х	Х	KE-00881

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
-----------	--------	----------	----------------------------------	-------------------------------------

Aluminum	7429-90-5	99	1.0 %	-

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Aluminum	X	Х	Х	-	X

#### **U.S.** Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	Ν

# U.S. Department of Homeland Security

#### This product contains the following DHS chemicals: **Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Aluminum	-

Other International Regulations

Mexico - Grade

No information available

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Aluminum	7429-90-5	-	Use restricted. See item 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Aluminum	7429-90-5	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

#### **Other International Regulations**

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Aluminum	7429-90-5	Not applicable	Not applicable	Not applicable	Not applicable

### 16. Other information

**Prepared By** 

Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com www.thermofisher.com

Creation Date	12-Oct-2010
Revision Date	29-Mar-2024
Print Date	29-Mar-2024
Revision Summary	New emergency telephone response service provider.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**