

# **SAFETY DATA SHEET**

Creation Date 22-Oct-2009 Revision Date 27-May-2019 Revision Number 5

1. Identification

Product Name Oxalic acid, anhydrous

Cat No.: AC186430000; AC186430010; AC186430010LC; AC186430050;

AC186432500

**CAS-No** 144-62-7

Synonyms Ethanedionic acid

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute dermal toxicity

Category 4

Acute dermal toxicity

Category 4

Serious Eye Damage/Eye Irritation

Category 1

Specific target organ toxicity - (repeated exposure)

Category 2

Target Organs - Kidney, Liver.

Label Elements

Signal Word

Danger

**Hazard Statements** 

Harmful if swallowed Harmful in contact with skin Causes serious eye damage

May cause damage to organs through prolonged or repeated exposure



### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

## Response

Get medical attention/advice if you feel unwell

#### Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

#### **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

## Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Oxalic acid	144-62-7	>95

## 4. First-aid measures

General Advice If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

None reasonably foreseeable. Causes severe eye damage.

Notes to Physician Treat symptomatically

Revision Date 27-May-2019

## 5. Fire-fighting measures

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Suitable Extinguishing Media

**Unsuitable Extinguishing Media** No information available

**Flash Point** > 93.4 °C / > 200.1 °F

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

Not applicable

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available **Sensitivity to Static Discharge** No information available

#### Specific Hazards Arising from the Chemical

Corrosive Material. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO2)

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	1	0	N/A

### Accidental release measures

**Personal Precautions** 

Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation.

**Environmental Precautions** Should not be released into the environment.

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in Up

suitable, closed containers for disposal.

## 7. Handling and storage

Wear personal protective equipment, Ensure adequate ventilation, Avoid dust formation, Do Handling

not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from Storage

moisture.

## 8. Exposure controls / personal protection

# **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Oxalic acid	TWA: 1 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
	STEL: 2 mg/m <sup>3</sup>	(Vacated) STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>
		TWA: 1 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	1

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures** Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

Skin and body protection Long sleeved clothing.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

Physical and chemical properties

**Physical State** Powder Solid White **Appearance** Odor Odorless

**Odor Threshold** No information available

1.3 9 g/L pН

189 - 191 °C / 372.2 - 375.8 °F **Melting Point/Range** 

**Boiling Point/Range** No information available Flash Point > 93.4 °C / > 200.1 °F

Not applicable **Evaporation Rate** 

Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** < 0.01 mmHg @ 20 °C Not applicable **Vapor Density** 

1.900 **Specific Gravity** 

Soluble in water Solubility Partition coefficient; n-octanol/water No data available **Autoignition Temperature** Not applicable

**Decomposition Temperature** No information available

**Viscosity** Not applicable **Molecular Formula** C2 H2 O4

**Molecular Weight** 90.04

# 10. Stability and reactivity

**Reactive Hazard** No

Stability Stable under normal conditions.

**Conditions to Avoid** Avoid dust formation. Incompatible products. Excess heat.

**Incompatible Materials** Strong oxidizing agents, Strong bases, Metals, Acid chlorides

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization** Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions** 

# 11. Toxicological information

**Acute Toxicity** 

**Product Information Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Oxalic acid	375 mg/kg ( Rat )	20 g/kg (Rat)	Not listed	

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes eye burns; Irritating to respiratory system and skin

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Oxalic acid	144-62-7	Not listed				

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure Kidney Liver

No information available **Aspiration hazard** 

Symptoms / effects, both acute and No information available

delayed

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

# 12. Ecological information

**Ecotoxicity** 

	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Г	Oxalic acid	Not listed	LC50: = 4000 mg/L, 24h	Not listed	EC50 = 136.9 mg/L/48h
1			static (Lepomis macrochirus)		
Т					

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Oxalic acid	-0.81

13.	Disposa	I consid	lerat	ions
-----	---------	----------	-------	------

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

# 15. Regulatory information

### **United States of America Inventory**

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Oxalic acid	144-62-7	X	ACTIVE	Т

#### Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

#### TSCA 12(b) - Notices of Export

Component	CAS-No	TSCA 12(b) - Notices of Export
Oxalic acid	144-62-7	Section 4

### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Oxalic acid	144-62-7	X	-	205-634-3	X	X	Χ	Χ	KE-13152

#### U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Oxalic acid	X	X	X	-	X

## **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

Revision Date 27-May-2019

**U.S. Department of Homeland** 

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Slight risk, Grade 1

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 22-Oct-2009

 Revision Date
 27-May-2019

 Print Date
 27-May-2019

**Revision Summary**This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**