
MSDS Number: M1469 * * * * * Effective Date: 11/02/01 * * * * Supercedes: 11/17/99



From: Mallinckrodt Baker, Inc. 222 Red School Lane Phillipsburg, NJ 08865



24 Hour Emergency Telephone: 908-859-2151 CHEMTREC: 1-800-424-9300

National Response in Canada CANUTEC: 613-996-6666

Outside U.S. and Canada Chemtrec: 703-527-3887

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

All non-emergency questions should be directed to Customer Service (1-800-582-2537) for assistance.

MERCURIC CHLORIDE

1. Product Identification

Synonyms: Mercury bichloride; corrosive sublimate; mercury (II) chloride; mercury perchloride

CAS No.: 7487-94-7 **Molecular Weight: 271.52 Chemical Formula:** HgCl2

Product Codes: J.T. Baker: 2578, 2594

Mallinckrodt: 1420, 2967, H419, H514

2. Composition/Information on Ingredients

Ingredient	CAS No	Percent	Hazardous	
Mercuric Chloride	7487-94-7	98 - 100%	Yes	

3. Hazards Identification

Emergency Overview

DANGER! MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED OR ABSORBED THROUGH SKIN. CAUSES SEVERE IRRITATION TO EYES, SKIN AND RESPIRATORY TRACT; MAY CAUSE BURNS. MAY CAUSE ALLERGIC SKIN REACTION. MERCURY COMPOUNDS AFFECT THE KIDNEYS AND CENTRAL NERVOUS SYSTEM. BIRTH DEFECT HAZARD. CAN CAUSE BIRTH DEFECTS.

J.T. Baker SAF-T-DATA(tm) Ratings (Provided here for your convenience)

Health Rating: 4 - Extreme (Poison) Flammability Rating: 0 - None Reactivity Rating: 1 - Slight Contact Rating: 3 - Severe (Life)

Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES

Storage Color Code: Blue (Health)

Potential Health Effects

Inhalation:

Causes irritation to the respiratory tract. Symptoms include sore throat, coughing, pain, tightness in chest, breathing difficulties, shortness of breath and headache. Pneumonitis may develop. Can be absorbed through inhalation with symptoms to parallel ingestion. Vapor inhalation can burn the mucous membrane of the nose and throat.

Ingestion:

Highly Toxic! Average lethal dose for inorganic mercury salts is about 1 gram. May cause burning of the mouth and pharynx, abdominal pain, vomiting, corrosive ulceration, bloody diarrhea. May be followed by a rapid and weak pulse, shallow breathing, paleness, exhaustion, central nervous system problems, tremors and collapse. Delayed death may occur from renal failure.

Skin Contact:

Causes irritation and burns to skin. Symptoms include redness and pain. May cause skin allergy and sensitization. Can be absorbed through the skin with symptoms to parallel ingestion.

Eve Contact:

Causes irritation and burns to eyes. Symptoms include redness, pain, blurred vision; may cause serious and permanent eye damage.

Chronic Exposure:

Chronic exposure through any route can produce central nervous system damage. May cause muscle tremors, personality and behavior changes, memory loss, metallic taste, loosening of the teeth, digestive disorders, skin rashes, brain damage and kidney damage. Can cause skin allergies and accumulate in the body. Repeated skin contact can cause the skin to turn gray in color. Teratogen: can damage the developing fetus and decrease fertility in males and females.

Aggravation of Pre-existing Conditions:

Persons with nervous disorders, or impaired kidney or respiratory function, or a history of allergies or a known sensitization to mercury may be more susceptible to the effects of the substance.

4. First Aid Measures

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion:

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

5. Fire Fighting Measures

Fire:

Not considered to be a fire hazard.

Explosion:

Explosive conditions are created by friction, heat, or impact with phosphorus, antimony, arsenic, silver salts, sulfides, acetylene, ammonia and oxalic acid.

Fire Extinguishing Media:

Water, dry chemical, foam or carbon dioxide. Do not use a solid stream of water, since the stream will scatter and spread the fire. Do not allow water runoff to enter sewers or waterways.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Ventilate area of leak or spill. Clean-up personnel require protective clothing and respiratory protection from dust.

Spills: Pick up and place in a suitable container for reclamation or disposal in a method that does not generate dust. Sprinkle area with sulfur or calcium polysulfide to suppress mercury.

US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect from physical damage and direct sunlight. Isolate from incompatible substances. Follow strict hygiene practices. Containers of this material may

be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

- OSHA Acceptable Ceiling Concentration: mercury and mercury compounds: 0.1 mg/m3 (TWA), skin

- ACGIH Threshold Limit Value (TLV):

inorganic and metallic mercury, as Hg: $0.025\ mg/m3\ (TWA)\ skin,\ A4\ Not\ classifiable$ as a human carcinogen.

- ACGIH Biological Exposure Indices:

total inorganic mercury in urine (preshift): 35 ug/g creatinine;

total inorganic mercury in blood (end of shift): 15 ug/l.

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded and engineering controls are not feasible, a full facepiece particulate respirator (NIOSH type N100 filters) may be worn for up to 50 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. If oil particles (e.g. lubricants, cutting fluids. glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection:

Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

```
Appearance:
White crystals or powder.
Odor:
Odorless.
Solubility:
7.4g in 100g of water.
Specific Gravity:
5.4
pH:
3.2 (0.2 M solution)
% Volatiles by volume @ 21C (70F):
```

0

Boiling Point:

302C (576F) Sublimes.

Melting Point:

276C (529F) Sublimes.

Vapor Density (Air=1):

8.7

Vapor Pressure (mm Hg):

1 @ 136.2C (277F)

Evaporation Rate (BuAc=1):

No information found.

10. Stability and Reactivity

Stability:

Stable under ordinary conditions of use and storage. Slowly decomposes to metallic Hg in the presence of organic matter and sunlight, and becomes volatile at 300C (572F).

Hazardous Decomposition Products:

Oxides of the contained metal and halogen, possibly also free, or ionic halogen.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Reacts violently with potassium and sodium. Incompatible with many compounds: formates, sulfites, phosphates, albumin, ammonia, gelatin, carbonates, hypophosphites, sulfides, alkalis, alkaloid salts, lime water, antimony and arsenic, bromides, borax, reduced iron, copper, iron, lead, tannic acid and vegetable astringents.

Conditions to Avoid:

Heat, shock, friction, incompatibles.

11. Toxicological Information

Toxicological Data:

Oral rat LD50: 1 mg/kg.

Irritation, Standard Draize, rabbit:

Skin, 500 mg/24H, severe; Eye, 50 ug/24H, severe.

Investigated as a tumorigen, mutagen, reproductive effector.

Reproductive Toxicity:

All forms of mercury can cross the placenta to the fetus, but most of what is known has been learned from experimental animals. See Chronic Health Hazards.

Carcinogenicity:

EPA / IRIS classification: Group C - Possible human carcinogen.

\Cancer Lists\				
	NTP Carcinogen			
Ingredient	Known	Anticipated	IARC Category	
Mercuric Chloride (7487-94-7)	No	No	3	

12. Ecological Information

Environmental Fate:

For mercury: This material has an experimentally-determined bioconcentration factor (BCF) of greater than 100. This material is expected to significantly bioaccumulate.

Environmental Toxicity:

For mercury: This material is expected to be toxic to aquatic life. The LC50/96-hour values for fish are less than 1 mg/l.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Domestic (Land, D.O.T.)

Proper Shipping Name: MERCURIC CHLORIDE

Hazard Class: 6.1 **UN/NA: UN1624** Packing Group: II

Information reported for product/size: 12KG

International (Water, I.M.O.)

Proper Shipping Name: MERCURIC CHLORIDE

Hazard Class: 6.1 **UN/NA: UN1624** Packing Group: II

Information reported for product/size: 12KG

15. Regulatory Information

-----\Chemical Inventory Status - Part 1\--Ingredient TSCA EC Japan Australia

MERCURIC CHLORIDE						
Mercuric Chloride (7487-94-7)		Yes	Yes	Yes	Yes	
\Chemical Inventory Status - Part	2\					
Ingredient		Korea	a DSL	NDSL	Phil.	
Mercuric Chloride (7487-94-7)		Yes		No		
\Federal, State & International Regulations - Part 1\SARA 313						
Ingredient	RQ	TPQ	Lis	t Cher	mical Catg.	
Mercuric Chloride (7487-94-7)					cury comp	
\Federal, State & International Re	∍gulati	ons -		-Т		
Ingredient	CERCLA			8	8(d)	
Mercuric Chloride (7487-94-7)	1		No			

WARNING:

Reactivity: No

MERCURIC CHLORIDE

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

TSCA 12(b): No CDTA:

Chronic: Yes Fire: No Pressure: No

No

Australian Hazchem Code: 2X

Chemical Weapons Convention: No

(Pure / Solid)

SARA 311/312: Acute: Yes

Poison Schedule: S7

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. Other Information

NFPA Ratings: Health: 3 Flammability: 0 Reactivity: 0

Label Hazard Warning:

DANGER! MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED OR ABSORBED THROUGH SKIN. CAUSES SEVERE IRRITATION TO EYES, SKIN AND RESPIRATORY TRACT; MAY CAUSE BURNS. MAY CAUSE ALLERGIC SKIN REACTION. MERCURY COMPOUNDS AFFECT THE KIDNEYS AND CENTRAL NERVOUS SYSTEM. BIRTH DEFECT HAZARD. CAN CAUSE BIRTH DEFECTS.

Label Precautions:

Do not breathe dust.

Keep container closed.

Use only with adequate ventilation.

Wash thoroughly after handling.

Do not get in eyes, on skin, or on clothing.

Label First Aid:

If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. In all cases get medical attention immediately.

Product Use:

Laboratory Reagent.

Revision Information:

MSDS Section(s) changed since last revision of document include: 8.

Disclaimer:

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

Prepared by: Environmental Health & Safety Phone Number: (314) 654-1600 (U.S.A.)