

SAFETY DATA SHEET

3D TRASAR® 3DT289

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 3D TRASAR® 3DT289

Other means of identification : Not applicable.

Recommended use : COOLING WATER TREATMENT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Company
1601 W. Diehl Road
Naperville, Illinois 60563-1198
USA
TEL: (630) 305-1000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 10/23/2020

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion : Category 1A
Serious eye damage : Category 1

GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**
Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Use personal protective equipment as required. Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Response:
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.
Storage:
Store locked up.
Disposal:

SAFETY DATA SHEET

3D TRASAR® 3DT289

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Phosphoric Acid	7664-38-2	1 - 5
Sulfuric Acid	7664-93-9	1 - 5
Substituted aromatic amine	Proprietary	1 - 5

Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

SAFETY DATA SHEET

3D TRASAR® 3DT289

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage : Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.

Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use.

Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Phosphoric Acid	7664-38-2	TWA	1 mg/m ³	ACGIH
		STEL	3 mg/m ³	ACGIH
		TWA	1 mg/m ³	NIOSH REL
		STEL	3 mg/m ³	NIOSH REL
Sulfuric Acid	7664-93-9	TWA	1 mg/m ³	OSHA Z1
		TWA (Thoracic particulate matter)	0.2 mg/m ³	ACGIH

SAFETY DATA SHEET

3D TRASAR® 3DT289

		TWA	1 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

- Eye protection : Safety goggles
Face-shield
Safety glasses with side-shields
- Hand protection : Wear impervious chemical-resistant gloves when handling this product. The following glove types are recommended based on our review of glove manufacturer information and/or other available sources.
Nitrile-rubber, Butyl-Rubber and Neoprene gloves.
Other glove types may be used for short term, incidental contact if determined by testing to provide adequate worker protection.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
- Respiratory protection : Use local exhaust ventilation or other engineering controls as necessary to control airborne vapour and mist.
Where concentrations in air may exceed the limits given in this section or when significant vapours are generated, use an approved air purifying respirator fitted with a gas and vapour cartridge.
Use a particulate pre-filter where operations generate significant mists or aerosols.
Recommended gas and vapour cartridge:
Multi-purpose combination filter
In event of emergency or planned entry into unknown concentrations, a positive pressure, full-facepiece SCBA or supplied-air respirator should be used.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Liquid
- Colour : Clear to hazy yellow to greenish brown
- Odour : odourless
- Flash point : > 93.3 °C
- pH : 1.8, Concentration: 100.00 g/l

SAFETY DATA SHEET

3D TRASAR® 3DT289

Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: 100 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: Not applicable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: 0.5 mm Hg, (37.8 °C),
Relative vapour density	: no data available
Relative density	: 1.151, (25 °C),
Density	: 1.146 g/cm ³ , 9.56 lb/gal
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: 5.4 mm ² /s (25 °C)
Molecular weight	: no data available
VOC	: 0.4 %, Calculation method

Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: Freezing temperatures.
Incompatible materials	: Bases Contact with reactive metals (e.g. aluminum) may result in the generation of flammable hydrogen gas.
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NO _x) Sulphur oxides Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

SAFETY DATA SHEET

3D TRASAR® 3DT289

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage. Causes serious eye irritation.
Skin : Causes severe skin burns.
Ingestion : Causes digestive tract burns.
Inhalation : May cause nose, throat, and lung irritation.
Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion, Irritation
Skin contact : Redness, Pain, Corrosion
Ingestion : Corrosion, Abdominal pain
Inhalation : Respiratory irritation, Cough

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Acute inhalation toxicity : Acute toxicity estimate: > 40 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Skin corrosion/irritation : no data available
Serious eye damage/eye irritation : no data available
Respiratory or skin sensitization : no data available
Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

SAFETY DATA SHEET

3D TRASAR® 3DT289

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : LC50 Pimephales promelas (fathead minnow): 3,750 mg/l
Exposure time: 96 hrs
Test substance: Product

LC50 Oncorhynchus mykiss (rainbow trout): 1,830 mg/l
Exposure time: 96 hrs
Test substance: Product

NOEC Pimephales promelas (fathead minnow): 2,500 mg/l
Exposure time: 96 hrs
Test substance: Product

NOEC Oncorhynchus mykiss (rainbow trout): 1,250 mg/l
Exposure time: 96 hrs
Test substance: Product

Toxicity to daphnia and other aquatic invertebrates : LC50 Ceriodaphnia dubia: 1,875 mg/l
Exposure time: 48 hrs
Test substance: Product

EC50 Daphnia magna (Water flea): 1,908 mg/l
Exposure time: 48 hrs
Test substance: Product

NOEC Daphnia magna (Water flea): 1,250 mg/l
Exposure time: 48 hrs
Test substance: Product

NOEC Ceriodaphnia dubia: 1,250 mg/l
Exposure time: 48 hrs
Test substance: Product

Components

Toxicity to algae : Phosphoric Acid
EC50 Desmodesmus subspicatus (green algae): > 100 mg/l
Exposure time: 72 h

Substituted aromatic amine
EC50 algae: 15.4 mg/l
Exposure time: 72 h

Components

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Substituted aromatic amine
NOEC: 0.97 mg/l
Exposure time: 21 d

Persistence and degradability

SAFETY DATA SHEET

3D TRASAR® 3DT289

The organic portion of this preparation is expected to be readily biodegradable.

Total Organic Carbon (TOC) : 62,000 mg/l

Chemical Oxygen Demand (COD): 190,000 mg/l

Biochemical Oxygen Demand (BOD):

Incubation Period	Value	Test Descriptor
5 d	9,240 mg/l	Product

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	: <5%
Water	: 10 - 30%
Soil	: 70 - 90%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The classification or waste code may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated at the time of disposal to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

SAFETY DATA SHEET

3D TRASAR® 3DT289

Land transport (DOT)

Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Technical name(s) : PHOSPHORIC ACID, SULFURIC ACID
UN/ID No. : UN 3264
Transport hazard class(es) : 8
Packing group : III

Air transport (IATA)

Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Technical name(s) : PHOSPHORIC ACID, SULFURIC ACID
UN/ID No. : UN 3264
Transport hazard class(es) : 8
Packing group : III

Sea transport (IMDG/IMO)

Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Technical name(s) : PHOSPHORIC ACID, SULFURIC ACID
UN/ID No. : UN 3264
Transport hazard class(es) : 8
Packing group : III

Section: 15. REGULATORY INFORMATION

TSCA list : Not relevant

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulfuric Acid	7664-93-9	1000	53706

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulfuric Acid	7664-93-9	1000	53706

SARA 311/312 Hazards : Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 302 : The following components are subject to reporting levels established by SARA Title III, Section 302:
Hydrogen Peroxide 7722-84-1

SARA 313 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

California Prop. 65

SAFETY DATA SHEET

3D TRASAR® 3DT289

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS :

United States TSCA Inventory

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

All substances in this product comply with the Australian Industrial Chemicals Introduction Scheme (AICIS)

Canadian Non-Domestic Substances List (NDSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

China Inventory of Existing Chemical Substances


All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

Taiwan Chemical Substance Inventory

All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 10/23/2020
Version Number : 1.4
Prepared By : Regulatory Affairs

SAFETY DATA SHEET

3D TRASAR® 3DT289

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.