

SAFETY DATA SHEET

Creation Date 21-May-2012 Revision Date 26-Dec-2021 Revision Number 5

1. Identification

Product Name 1,6-Hexanediamine solution

Cat No.: AC411560000; AC411560010; AC411562500

Synonyms 1,6-Diaminohexane; Hexamethylenediamine

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute dermal toxicity

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 1

Category 1

Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage

May cause respiratory irritation Harmful if swallowed or in contact with skin



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|----------------------|-----------|----------|
| Hexamethylenediamine | 124-09-4 | 60 |
| Water | 7732-18-5 | 40 |

4. First-aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Inhalation Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen.

If not breathing, give artificial respiration. Immediate medical attention is required. Get

medical attention.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

1,6-Hexanediamine solution

Most important symptoms and

effects

Causes burns by all exposure routes. . Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation Treat symptomatically

Notes to Physician

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. alcohol foam.

Unsuitable Extinguishing Media No information available

Flash Point 116 °C / 240.8 °F

Method - Open cup

Autoignition Temperature

Explosion Limits

No information available

Upper 6.3% **Lower** 0.7%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 3 | 0 | 0 | N/A |

6. Accidental release measures

Personal Precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation.

Environmental Precautions See Section 12 for additional Ecological Information. Do not flush into surface water or

sanitary sewer system.

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

Up sawdust). Keep in suitable, closed containers for disposal.

7. Handling and storage

Handling Ensure adequate ventilation. Wear personal protective equipment/face protection. Avoid

contact with skin and eyes. Do not breathe mist/vapors/spray.

Storage. Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Incompatible

Materials. Acids. Strong oxidizing agents. Acid anhydrides. Acid chlorides. Carbon dioxide

(CO2).

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL (TWA) |
|----------------------|--------------|----------|------------|------------------|
| Hexamethylenediamine | TWA: 0.5 ppm | | | TWA: 0.5 ppm |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorFishy

Odor Threshold
PH
No information available
No information available
No information available
No information available
Plash Point
No information available
No information available
No information available
116 °C / 240.8 °F

Method - Open cup

Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper 6.3% Lower 0.7%

Vapor PressureNo information availableVapor DensityNo information available

Specific Gravity 0.930

SolubilityNo information availablePartition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information available

Viscosity
No information available
Molecular Formula
C6 H16 N2

Molecular Weight 116.21

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Acids, Strong oxidizing agents, Acid anhydrides, Acid chlorides, Carbon dioxide (CO2)

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO₂), Carbon dioxide (CO₂)

Hazardous polymerization does not occur. **Hazardous Polymerization**

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|----------------------|------------------------|----------------------------|-----------------|
| Hexamethylenediamine | LD50 = 750 mg/kg (Rat) | LD50 = 1110 mg/kg (Rabbit) | Not listed |
| Water | - | - | - |

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|---------------------|-----------|------------|------------|------------|------------|------------|
| Hexamethylenediamin | 124-09-4 | Not listed |
| e | | | | | | |
| Water | 7732-18-5 | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

No information available. **Developmental Effects**

Teratogenicity No information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information.

12. Ecological information

Ecotoxicity

Do not empty into drains. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

| | Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|---|----------------------|------------------------|--------------------------|--------------------|------------------------|
| ſ | Hexamethylenediamine | EC50: = 14.8 mg/L, 96h | Leuciscus idus: LC50: 62 | EC50 = 85 mg/L 2 h | EC50: = 23.4 mg/L, 48h |

1,6-Hexanediamine solution

| (Pseudokirchneriella subcapitata) EC50: = 15 mg/L, 72h (Pseudokirchneriella subcapitata) | mg/L/96h | | (Daphnia magna) |
|--|----------|--|-----------------|
|--|----------|--|-----------------|

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

| Component | log Pow |
|----------------------|---------|
| Hexamethylenediamine | 0.02 |

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN1783 **UN-No**

Proper Shipping Name HEXAMETHYLENEDIAMINE SOLUTION

Hazard Class Ш

Packing Group

TDG **UN-No**

UN1783

Proper Shipping Name HEXAMETHYLENEDIAMINE SOLUTION

Hazard Class Packing Group Ш

IATA

UN-No UN1783

HEXAMETHYLENEDIAMINE SOLUTION **Proper Shipping Name**

Hazard Class Packing Group Ш

IMDG/IMO

UN-No UN1783

Proper Shipping Name HEXAMETHYLENEDIAMINE SOLUTION

Hazard Class 8 Ш **Packing Group**

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|----------------------|-----------|------|--|--------------------------------|
| Hexamethylenediamine | 124-09-4 | X | ACTIVE | - |
| Water | 7732-18-5 | X | ACTIVE | - |

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Revision Date 26-Dec-2021

1,6-Hexanediamine solution

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|----------------------|-----------|-----|------|-----------|-------|------|------|------|-------|----------|
| Hexamethylenediamine | 124-09-4 | Χ | - | 204-679-6 | Χ | Χ | Χ | Χ | Χ | KE-18611 |
| Water | 7732-18-5 | Х | - | 231-791-2 | Х | Х | | Х | Х | KE-35400 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|----------------------|---------------|------------|--------------|----------|--------------|
| Hexamethylenediamine | X | X | - | - | - |
| Water | - | - | X | - | - |

U.S. Department of Transportation

Reportable Quantity (RQ): Ν **DOT Marine Pollutant** Ν **DOT Severe Marine Pollutant** Ν

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

| Component | | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | |
|----------------------|---|---|---|
| Hexamethylenediamine | - | Use restricted. See item 75. (see link for restriction details) | - |

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous |
|-----------|--------|----------|---------------------------------|------------------------------|-----------------------------|
| | | | | | Substances (RoHS) |

1,6-Hexanediamine solution

| Component | CAS No | Seveso III Directive | Seveso III Directive | Rotterdam | Basel Convention |
|----------------------|-----------|----------------------|----------------------|----------------|------------------|
| | | | | | |
| Water | 7732-18-5 | Listed | Not applicable | Not applicable | Not applicable |
| Hexamethylenediamine | 124-09-4 | Listed | Not applicable | Not applicable | Not applicable |

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|----------------------|-----------|---|--|-------------------------------|---------------------------------------|
| Hexamethylenediamine | 124-09-4 | Not applicable | Not applicable | Not applicable | Not applicable |
| Water | 7732-18-5 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 21-May-2012

 Revision Date
 26-Dec-2021

 Print Date
 26-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS