

# **SAFETY DATA SHEET**

Version 8.8 Revision Date 09/14/2021 Print Date 10/04/2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1** Product identifiers

Product name : di-Phosphorus pentoxide for analysis ACS,ISO,Reag. Ph Eur

| Product Number | : | 1.0057       |
|----------------|---|--------------|
| Catalogue No.  | : | 100570       |
| Brand          | : | Millipore    |
| Index-No.      | : | 015-010-00-0 |
| CAS-No.        | : | 1314-56-3    |

# **1.2** Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

#### **1.3** Details of the supplier of the safety data sheet

| Company   | : EMD Millipore Corporation<br>400 Summit Drive<br>BURLINGTON MA 01803<br>UNITED STATES |
|-----------|---|
| Telephone | : +1 800-645-5476   |
|           |   |

#### 1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal word Hazard statement(s) H314

Causes severe skin burns and eye damage.

Millipore - 1.0057

Page 1 of 9



| Precautionary statement(s) |   |
|----------------------------|---|
| P260                       | Do not breathe dusts or mists.  |
| P264                       | Wash skin thoroughly after handling.  |
| P280                       | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P301 + P330 + P331         | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.                            |
| P303 + P361 + P353         | IF ON SKIN (or hair): Take off immediately all contaminated                   |
|                            | clothing. Rinse skin with water/ shower.                                      |
| P304 + P340 + P310         | IF INHALED: Remove person to fresh air and keep comfortable                   |
|                            | for breathing. Immediately call a POISON CENTER/ doctor.                      |
| P305 + P351 + P338 +       | IF IN EYES: Rinse cautiously with water for several minutes.                  |
| P310                       | Remove contact lenses, if present and easy to do. Continue                    |
|                            | rinsing. Immediately call a POISON CENTER/ doctor.                            |
| P363                       | Wash contaminated clothing before reuse.                                      |
| P405                       | Store locked up.  |
| P501                       | Dispose of contents/ container to an approved waste disposal plant.           |

#### **2.3 Hazards not otherwise classified (HNOC) or not covered by GHS** Reacts violently with water.

# SECTION 3: Composition/information on ingredients

|  | <b>Substances</b><br>Formula<br>Molecular weight<br>CAS-No.<br>EC-No.<br>Index-No. | : P4O10<br>: 283.89 g/m<br>: 1314-56-3<br>: 215-236-1<br>: 015-010-00 |  |               |
|--|--|---|--|---------------|
|  | Component  |   | Classification                           | Concentration |
|  | di-Phosphorus pentoxide  |   |  |               |
|  |  |   | Skin Corr. 1A; Eye Dam.<br>1; H314, H318 | <= 100 %      |

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

Millipore - 1.0057

Page 2 of 9



# In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media Water Foam

#### 5.2 Special hazards arising from the substance or mixture Oxides of phosphorus Not combustible. Fire may cause evolution of: Oxides of phosphorus

Caution! in contact with water product releases: Strong acids May not get in touch with: Water Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

Millipore - 1.0057

Page 3 of 9



# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

# 6.4 Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Keep workplace dry. Do not allow product to come into contact with water.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Never allow product to get in contact with water during storage.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**Ingredients with workplace control parameters** Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please

Millipore - 1.0057

Page 4 of 9



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

#### **Body Protection**

Acid-resistant protective clothing

#### **Respiratory protection**

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

| a) | Appearance   | Form: solid<br>Color: white    |
|----|--|--------------------------------|
| b) | Odor   | No data available              |
| c) | Odor Threshold                                     | No data available              |
| d) | рН   | 1.5 at 10 g/l at 20 °C (68 °F) |
| e) | Melting<br>point/freezing point                    | 340 °C (644 °F)                |
| f) | Initial boiling point<br>and boiling range         | No data available              |
| g) | Flash point  | ()No data available            |
| h) | Evaporation rate                                   | No data available              |
| i) | Flammability (solid,<br>gas)                       | The product is not flammable.  |
| j) | Upper/lower<br>flammability or<br>explosive limits | No data available              |

Millipore - 1.0057

Page 5 of 9



| k)                       | Vapor pressure                            | 13 hPa at 238 °C (460 °F)<br>1 hPa at 384 °C(723 °F)               |  |
|--------------------------|---|--|--|
| I)                       | Vapor density                             | 4.90 - (Air = 1.0)   |  |
| m)                       | Density                                   | 2.28 g/cm3 at 20 - 25 °C (68 - 77 °F) - OECD Test Guideline<br>109 |  |
|                          | Relative density                          | No data available  |  |
| n)                       | Water solubility                          | No data available  |  |
| 0)                       | Partition coefficient:<br>n-octanol/water | No data available  |  |
| p)                       | Autoignition<br>temperature               | No data available  |  |
| q)                       | Decomposition<br>temperature              | No data available  |  |
| r)                       | Viscosity                                 | No data available  |  |
| s)                       | Explosive properties                      | No data available  |  |
| t)                       | Oxidizing properties                      | No data available  |  |
| Other safety information |   |  |  |
|                          | Bulk density                              | ca.700 kg/m3   |  |
|                          | Relative vapor<br>density                 | 4.90 - (Air = 1.0)   |  |

# SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

9.2

Reacts violently with water.

#### **10.2 Chemical stability** sensitive to moisture

#### **10.3** Possibility of hazardous reactions

Risk of explosion with: hydrogen peroxide perchloric acid Alkaline earth metals Risk of ignition or formation of inflammable gases or vapours with: combustible substances Organic Substances halogen oxides Violent reactions possible with: Water Alcohols Sulfides combustible substances halogen-halogen compounds halogen oxides Hydrogen halides halogens Alkali metals

Millipore - 1.0057

Page 6 of 9



alkali salts peroxi compounds alkali oxides Metals metallic oxides Ammonia formic acid acids

# **10.4 Conditions to avoid** Moisture.

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### **11.1** Information on toxicological effects

#### Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available No data available

**Skin corrosion/irritation** No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitization** No data available

Germ cell mutagenicity No data available

#### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available No data available

Specific target organ toxicity - single exposure No data available

**Specific target organ toxicity - repeated exposure** No data available

Millipore - 1.0057

Page 7 of 9



# Aspiration hazard

No data available

# **11.2 Additional Information**

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

#### **12.1 Toxicity**

No data available

Toxicity to algae

static test NOEC - Desmodesmus subspicatus (green algae) - 12.5 mg/l  $\,$  - 72 h

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# **12.6 Other adverse effects**

Product reacts with water. Possible decomposition products in case of hydrolyzis are: phosphoric acid Biological effects: After hydrolysis acid effect on fish and plankton. Neutralisation possible in waste water treatment plants. Depending on the concentration, phosphates may contribute to the eutrophication of water supplies. Discharge into the environment must be avoided.

May be harmful to aquatic organisms due to the shift of the pH.

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

Millipore - 1.0057

Page 8 of 9



#### **SECTION 14: Transport information**

#### DOT (US)

UN number: 1807 Class: 8 Packing group: II Proper shipping name: Phosphorus pentoxide Reportable Quantity (RQ): Poison Inhalation Hazard: No

#### IMDG

UN number: 1807 Class: 8 Packing group: II EMS-N Proper shipping name: PHOSPHORUS PENTOXIDE

EMS-No: F-A, S-B

#### ΙΑΤΑ

UN number: 1807 Class: 8 Packing group: II Proper shipping name: Phosphorus pentoxide

#### **SECTION 15: Regulatory information**

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

#### **SECTION 16: Other information**

# **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.8

Revision Date: 09/14/2021

Print Date: 10/04/2021

Millipore - 1.0057

Page 9 of 9

