

SAFETY DATA SHEET

Version 6.9 Revision Date 03/04/2024 Print Date 04/21/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Diphenylamine		
Product Number	: 242586		
Brand	: Sigma-Aldrich		
Index-No.	: 612-026-00-5		
CAS-No.	: 122-39-4		

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	: Laboratory chemicals, Synthesis of substances
Uses advised against	: The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax		+1 314 771-5765 +1 800 325-5052
Emergency telephone	9	
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hours/day; 7 Days/week

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311

Sigma-Aldrich - 242586

1.4

Page 1 of 11



Specific target organ toxicity - repeated exposure (Category 2), Kidney, Liver, spleen, H373 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogra	m
rictograi	

Signal Word	Danger
Hazard Statements H301 + H311 + H331 H373	Toxic if swallowed, in contact with skin or if inhaled. May cause damage to organs (Kidney, Liver, spleen) through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary Statements P260 P264 P270 P271 P273 P280 P301 + P310 + P330 P302 + P352 + P312 P304 + P340 + P311 P314 P362	Do not breathe dust. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth. IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor. Get medical advice/ attention if you feel unwell.
P362 P391 P403 + P233 P405 P501	Take off contaminated clothing and wash before reuse. Collect spillage. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances Formula : Molecular weight : CAS-No. :

: C₁₂H₁₁N : 169.22 g/mol : 122-39-4 : 204-539-4 : 612-026-00-5

Index-No.

EC-No.

Classification

Concentration

Sigma-Aldrich - 242586

Page 2 of 11



diphenylamine	
	Acute Tox. 3; STOT RE 2; <= 100 % Aquatic Acute 1; Aquatic Chronic 1; H301, H331, H311, H373, H400, H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

Wash off with polyethylene glycol and afterwards with plenty of water. Take victim immediately to hospital. Take off all contaminated clothing immediately. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as guickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Sigma-Aldrich - 242586

Page 3 of 11



5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Sigma-Aldrich - 242586

Page 4 of 11



Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
diphenylamine	122-39-4	TWA	10 mg/m3	USA. ACGIH Threshold Limit
			_	Values (TLV)
	Remarks	Not classifiable as a human carcinogen		carcinogen
		TWA	10 mg/m3	USA. NIOSH Recommended
			_	Exposure Limits
		PEL	10 mg/m3	California permissible exposure
				limits for chemical
				contaminants (Title 8, Article
				107)

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact

Sigma-Aldrich - 242586

Page 5 of 11



Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P3 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Color: white
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 50 - 53 °C (122 - 127 °F) - lit.
f)	Initial boiling point and boiling range	302 °C 576 °F - lit.
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	1 hPa at 108 °C (226 °F)
I)	Vapor density	No data available
m)	Density	1.160 g/cm3
	Relative density	No data available

Sigma-Aldrich - 242586

Page 6 of 11



n)) Water solubility	insoluble
	, mater bonability	moorable

- o) Partition coefficient: log Pow: 3.5 n-octanol/water
 p) Autoignition No data available temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none

9.2 Other safety information

Surface tension 39.3 mN/m at 60 °C (140 °F)

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: Oxidizing agents Strong acids

10.4 Conditions to avoid

no information available

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Acute toxicity estimate Oral - 100.1 mg/kg (Expert judgment) Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Sigma-Aldrich - 242586

Page 7 of 11



Acute toxicity estimate Inhalation - 4 h - 0.51 mg/l - dust/mist

(Expert judgment) Acute toxicity estimate Dermal - 300 mg/kg (Expert judgment) No data available

Skin corrosion/irritation Remarks: No data available

Serious eye damage/eye irritation Remarks: No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity

Test Type: gene mutation test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Species: Mouse

Application Route: Oral Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

- IARC: 2B Group 2B: Possibly carcinogenic to humans (diphenylamine)
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Kidney, Liver, spleen

Aspiration hazard No data available

11.2 Additional Information

RTECS: JJ7800000

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Nausea, Vomiting, Liver injury may occur., Kidney injury may occur.

Sigma-Aldrich - 242586

Page 8 of 11



To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 3.79 mg/l - 96.0 h		
	LC50 - Oryzias latipes (Orange-red killifish) - 2.2 mg/l - 48 h Remarks: (IUCLID)		
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 2 mg/l - 48 h (OECD Test Guideline 202)		
Toxicity to algae	EC50 - Pseudokirchneriella subcapitata (green algae) - 2.17 mg/l - 72 h (OECD Test Guideline 201)		
	NOEC - Pseudokirchneriella subcapitata - 0.37 mg/l - 72 h (OECD Test Guideline 201)		

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 26 % - Not readily biodegradable. (OECD Test Guideline 301D)

12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp)(diphenylamine)

Bioconcentration factor (BCF): 253

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No data available

Sigma-Aldrich - 242586

Page 9 of 11



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 2811 Class: 6.1 Packing group: III Proper shipping name: Toxic solids, organic, n.o.s. (diphenylamine) Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 2811 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: TOXIC SOLID, ORGANIC, N.O.S. (diphenylamine) Marine pollutant : yes

ΙΑΤΑ

UN number: 2811 Class: 6.1 Packing group: III Proper shipping name: Toxic solid, organic, n.o.s. (diphenylamine)

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

diphenylamine	CAS-No. 122-39-4	Revision Date 2007-03-01
SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components diphenylamine	CAS-No. 122-39-4	Revision Date 2007-03-01
Pennsylvania Right To Know Components diphenylamine	CAS-No. 122-39-4	Revision Date 2007-03-01

Sigma-Aldrich - 242586

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Page 10 of 11

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.9 Revision Date: 03/04/2024 Print Date: 04/21/2024

Sigma-Aldrich - 242586

Page 11 of 11

