

Safety Data Sheet

SALT (Sodium Chloride)

SECTION 1. IDENTIFICATION

Product Identifier Salt

Other Means Of Sodium Chloride, Raw Salt, Road Salt, De-icing Salt, Water Softening Salt, Feed Salt, Industrial Salt, Hide Salt, Rocanville Coarse, Rocanville Standard, Rocanville Fine,

Vanscoy Coarse, Vanscoy Standard, Bath Salt, Exfoliant, Ice Biter, SALTZ ALL

Coarse Salt, Fine Salt

Recommended Use Industrial, De-Icer, Feed, Hide, Water softening, Bath Salt

Restrictions on Use Not for Ingestion

Initial Supplier Identifier NSC Minerals Ltd.

2241 Speers Ave Saskatoon, SK CANADA S7L 5X6

www.nscminerals.com Email: nsc@nscminerals.com

Emergency Telephone

1-306-934-6477 / 1-888-668-7258

Number

SECTION 2. HAZARD IDENTIFICATION

Classification Not classified as a dangerous substance or mixture according to the Globally

Harmonized System (GHS)

Label Elements Keep out of reach of children. Harmful if swallowed. Avoid skin and eye contract.

Label Other Pictograms & Signal Words Not Applicable.

Other Hazards

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Common Name / Salt, Sodium Chloride, NaCl, Raw Salt, De-Icing Salt, Rocanville Coarse

Synonyms

INGREDIENT NAME	% (W/W)	CAS NO.
Sodium Chloride	Not available	7647-14-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, which the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Other Identifiers Eco-Friendly

SECTION 4. FIRST AID MEASURES

4.1 FIRST AID BY ROUTE OF EXPOSURE

General If medical advice is needed, have product container or label at hand.

Inhalation If inhaled, remove to fresh air and keep at rest in a position comfortable for

breathing. Give oxygen or artificial respiration if needed. Obtain medical attention if

breathing difficulty persists.

Skin Contact Wash Skin thoroughly with mild soap and water. Obtain medical attention if

irritation develops or persists.

English Page 1 of 6

SDS - Salt (Sodium Chloride) NSC Minerals Ltd.

Immediately rinse with water for a prolonged period (15 minutes) while holding the **Eye Contact**

eyelids wide open including upper and lower lids. Obtain medical attention if pain

and irritation develops or persists.

Ingestion Do not induce vomiting. Administer water if patient is conscious. Ingesting salt will

usually cause purging of the stomach by vomiting. Seek medical attention if a large

amount is swallowed. Get medical advice and attention if you feel unwell.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms/injuries Irritation to eyes, skin and respiratory tract.

Symptoms/injuries after

inhalation

Overexposure may be irritating to the respiratory system.

Symptoms/injuries after

skin contact

May cause skin irritation.

Symptoms/injuries after

eve contact

May cause eye irritation.

Symptoms/injuries after

ingestion

If a large quantity has been ingested: Abdominal pain; Diarrhea; Nausea; Vomiting;

Tingling in hands and feet; Weak pulse; Circulatory disturbances

Prolonged inhalation of dust may cause respiratory irritation. Chronic symptoms

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No additional information.

SECTION 5. FIRE-FIGHTING MEASURE

5.1 EXTINGUISHING MEDIA

Suitable Extinguishing

Media

Not Flammable. Use extinguishing media appropriate for surrounding fire.

Unsuitable None known.

Extinguishing Media

5.2 SPECIFIC HAZARDS ARISING FROM PRODUCT

Fire Hazard Under conditions of fire this material may produce toxic fumes.

Explosion Hazard Product is not explosive

Reactivity Stable at ambient temperature and under normal conditions of use.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

Fire-fighting Keep Upwind. Under conditions of fire this material may produce: Potassium oxides;

Instructions Hydrogen chloride; Chlorine gas

Protection during fire-

Other Information

fighting

Wear full fire-fighting turn out gear (full Bunker gear) and respiratory protection (SCBA).

Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6. ACCIDENTAL RELEASE MEASURE

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

General Measures Do not breathe fumes from fires or vapors from decomposition

Protective Equipment for Emergency & Non-**Emergency Personnel**

Wear suitable protective clothing, gloves and eye/face protection including tight fitting

goggles in areas of high dust concentration. Wear NIOSH approved respiratory protective equipment when workplace conditions warrant use of respirator.

Emergency Procedures If possible, stop flow of product. Contain and collect as any solid. Ventilate area.

English Page 2 of 6 SDS - Salt (Sodium Chloride) NSC Minerals Ltd.

6.2 ENVIRONMENTAL PRECAUTIONS

If spill could potentially enter any waterway, including intermittent dry creeks, contact the U.S. COAST GUARD NATIONAL RESPONSE CENTER at 800-424-8802. In case of accident or road spill notify CHEMTREC at 800-424-9300 (in USA) or CANUTEC at 613-996-6666 (in Canada). In other countries call CHEMTREC at (International code) +1-703-527-3887.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING-UP

For Containment Contain and collect as any solid. Do not allow into drains or water courses or dispose

of where ground or surface waters may be affected.

Methods for Cleaning Recover the product by vacuuming, shovelling or sweeping. Avoid generation of dust

during clean-up of spills. If uncontaminated, recover and reuse as product.

6.4 REFERENCE TO OTHER SECTIONS

No additional information available.

SECTION 7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Additional Hazards when processed:

When heated, material emits irritating fumes.

Precautions for safe

handling:

Up

Handle in accordance with good industrial hygiene and safety procedures. Avoid contact with skin and eyes. Do no eat, drink or smoke when using this product.

Always wash hands after handling the product.

Emergency eye wash fountains should be available in the immediate vicinity of any Hygiene Measures:

potential exposure.

7.2 CONDITIONS FOR SAFE STORAGE

Storage Conditions: Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture and

preferably below 70% relative humidity.

Special Rules on

Packaging:

Avoid contact with aluminum or carbon steel to minimize corrosion.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Highly soluble – No ACGIH TWA, Particulate Not Otherwise Specified (PNOS) not appropriate for highly soluble material.

8.2 EXPOSURE CONTROLS

Ensure adequate ventilation (especially in confined areas), eye wash stations. Appropriate

engineering controls:

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Hand Protection: Impermeable protective gloves.

Eye Protection: Protective goggles and safety glasses

Skin and Body Emergency eye wash fountains and safety showers should be available in the Protection: immediate vicinity of any potential exposure. Wear suitable protective clothing. Wash

contaminated clothing before reuse. Handle in accordance with good industrial

hygiene and safety practice. Wash clothing frequently.

Footwear: Normal

English Page 3 of 6 SDS – Salt (Sodium Chloride)

NSC Minerals Ltd.

Respiratory Protection: Use NIOSH-approved air-purifying or supplied-air respirator where airborne

concentrations of dust are expected to exceed exposure limits.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid (Crystalline)
Color White to Red

Odour None

Odour Threshold No Data Available

pH 6-8

Relative Evaporation Rate (Butylacetate=1)

No Data Available

Melting Point1473.8ºF (801°C)Freezing PointNo Data AvailableBoiling Point2669ºF (1465°C)Flash PointNo Data AvailableSelf-IgnitionNot Flammable

temperature:

Decomposition No Data Available

Temperature:

Flammability Not Flammable

(solid/gas):

Vapour Pressure: No Data Available

Relative Vapor Density

at 20ºC:

No Data Available

Relative Density: 2.14

Density: No Data Available

Solubility: 26%

Log Pow or Log KowNo Data AvailableViscosityNo Data AvailableExplosive PropertiesNone KnownOxidizing PropertiesNone KnownExplosive LimitsNot Explosive

9.2 OTHER INFORMATION

VOC Content No Data Available

Bulk Density 71-77lbs/ft³ (1137-1234kg/m3)

Molecular Formula NaCl

SECTION 10. STABILITY AND REACTIVITY

Reactivity Stable at ambient temperature and under normal conditions of use.

Chemical Stability Stable at standard temperature and pressure.

Possibility of Hazardous

Hazardous polymerization will not occur.

Reactions

English Page 4 of 6

SDS – Salt (Sodium Chloride)

NSC Minerals Ltd.

Conditions to Avoid Protect from moisture.

Incompatible Materials Contact with acids liberates toxic gas (chlorine). Lithium, interhalogens (bromide,

triflourite, etc.), acids, oxidizing agents.

Hazardous Decomposition Products Contact with strong acids may produce hydrogen chlorine gas.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity Not Classified

SODIUM CHLORIDE (7647-14-5)

LC50 3g/kg LD50 (oral) >10g/kg LD50 (dermal) >42g/m3 (Exposure time: 1h)

Skin Corrosion /

Irritation

Mild

Serious Eye Damage /

Irritation

Mild - Salt dust can cause eye irritation.

STOT (Specific Target

Organ Toxicity) - Single

Exposure

Not Classified

STOT (Specific Target

Organ Toxicity) -

Not Classified

Repeated Exposure

Aspiration Hazard Not Classified Respiratory and/or Skin Not Classified

Sensitization

Reproductive Toxicity Not Classified
Germ Cell Mutagenicity Not Classified
Carcinogenicity Not Classified

Target Organ Effects Kidneys, Eyes, Skin, Respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Eco toxicityThe product is not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent spills can have a harmful or damaging

effect on the environment.

Environmental FateNo Data AvailableToxicityNo Data AvailableDegradation ProductsNo Data Available

SECTION 13. DISPOSAL CONSIDERATIONS

Sewage Disposal Recommendations This material may be hazardous to the aquatic environment. Keep out of sewers and

waterways.

Waste Disposal

Place in an appropriate container and dispose of the contaminated material at a

Recommendations licensed site.

Additional Information

Dispose of waste material in accordance with all local, regional, national, and

international regulations.

English Page 5 of 6

SDS – Salt (Sodium Chloride)

NSC Minerals Ltd.

SECTION 14. TRANSPORT INFORMATION

In accordance with DOT / TDG / ADR / RID / ADNR / IMDG / ICAO / IATA

UN number - No dangerous good in terms of transport regulations.

UN proper shipping name - Not applicable

Overland Transport

No additional Information available.

Transport by Sea

No Additional Information available.

Air Transport

No Additional Information available.

SECTION 15. REGULATORY INFORMATION

15.1 US FEDERAL REGULATIONS

Sodium Chloride (7647-14-5) – Listed on the United States TSCA (Toxic Substances Control Act) Inventory

15.2 US STATE REGULATIONS

*Illinois

The following states have an OSH program approved by OSHA. If you are located in any of these states you may be under state jurisdiction rather than federal jurisdiction and your state may have more stringent requirements than OSHA. You should consult your state regulations to ensure compliance.

Alaska Indiana Nevada Puerto Rico Virginia Arizona Iowa New Mexico South Carolina Washington California Kentucky *New Jersey Tennessee Wyoming *Connecticut Maryland Utah *New York Hawaii Michigan North Carolina Vermont

Oregon

*Virgin Islands

Sodium Chloride (7647-14-5) – U.S. Texas – Effects Screening Levels – Short Term & Long Term

SECTION 16. OTHER INFORMATION

NFPA Health Hazard 1 – Exposure could cause irritation but only minor residual injury

even if not treatment is given.

NFPA Fire Hazard 0 – Materials that will no burn.

Minnesota

NFPA Reactivity 0 – Normally stable, even under fire exposure conditions, and

are not reactive with water.

Date of Latest Revision April, 2018

Prepared by NSC Minerals Ltd

1 0

The data contained herein is believed to be accurate and reliable, but no expressed or implied warranty is made with regard to the accuracy of such data or its sustainability for a given situation. Such data relates only to the specific product described and not to such product in combination with any other product. We disclaim all liability for any actions taken or forgone on reliance upon such data. Users should make their own investigation to determine the suitability of the information for the particular purposes.

English Page 6 of 6

^{*}The state plans in these states apply only to public sector employees. In these states private sector employers are subject to USOL – OSHA jurisdiction. All other state plans apply to both public and private sector employers.