## **Safety Data Sheet**

Classified According to OSHA Hazard Communication Standard (HCS)

#### **SECTION 1: Identification**

#### **1.1. Product Identifier**

Trade Name or Designation: Giemsa Stain, Stock, for Staining of Blood, Tissue, and Malarial Parasites in Blood

Product Number: 3250 Other Identifying Product Numbers: 3250-16, 3250-4

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

#### 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

**Telephone:** 888-467-4222

#### **1.4. Emergency Telephone Number (24 hours)**

CHEMTREC (USA) CHEMTREC (International) 800-424-9300 1+ 703-527-3887

## **Safety Data Sheet**

#### **SECTION 2: Hazard(s) Identification**

#### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements	Precautionary Statements:
Acute Toxicity - Oral	Category 3	H301	P264, P270, P301+P310, P321, P330, P405,
			P501
Acute Toxicity - Dermal	Category 3	H311	P280, P302+P352, P312, P321, P361, P405,
			P501
Acute Toxicity - Inhalation	Category 3	H331	P261, P271, P304+P340, P311, P321,
			P403+P233, P405, P501
Skin Corrosion / Irritation	Category 2	H315	P264, P280, P302+P352, P321, P332+P313,
			P362
Eye Damage / Irritation	Category 2A	H319	P264, P280, P305+P351+P338, P337+P313
Carcinogenicity	Category 2	H351	P201, P202, P280, P308+P313, P405, P501
Reproductive Toxicity	Category 1	H360	P201, P202, P280, P308+P313, P405, P501
Specific Target Organs/Systemic Toxicity Following Single	Category 1	H370	P260, P264, P270, P307+P311, P321, P405,
Exposure			P501
Specific Target Organs/Systemic Toxicity Following Repeated	Category 1	H372	P260, P264, P270, P314, P501
Exposure			
Flammable Liquids	Category 2	H225	P210, P233, P240, P241, P242, P243, P280,
			P303+P361+P353, P370+P378, P403+P235,
			P501
Hazardous to the Aquatic Environment (Chronic)	Category 4	H413	P273, P501

#### 2.2. GHS Label Elements

**Pictograms:** 



## **Safety Data Sheet**

#### Hazard Statements:

Hazard Number	Hazard Statement
H225	Highly flammable liquid and vapor.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H413	May cause long lasting harmful effects to aquatic life.

RICCA CHEMICAL COMPANY<sup>®</sup>

## **Safety Data Sheet**

#### **Precautionary Statements:**

Precautionary Number	Precautionary Statement
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks and open flame. No smoking.
P233	Keep container tightly closed.
P240	Ground container and receiving equipment.
P241	Use explosion-proof equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe fumes, mist, vapors, or spray.
P261	Avoid breathing fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P307+P311	IF exposed: Call a POISON CENTER or physician.
P308+P313	IF exposed or concerned: Get medical attention.
P311	Call a POISON CENTER or physician.
P312	Call a POISON CENTER or physician if you feel unwell.
P314	Get medical attention if you feel unwell.
P321	Specific treatment (Wash areas of contact with water.).
P330	Rinse mouth.
P332+P313	If skin irritation occurs: Get medical attention.
P337+P313	If eye irritation persists: Get medical attention.
P361	Take off immediately all contaminated clothing and wash it before reuse.
P362	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.



P501 Dispose of contents in accordance with local, state, federal and international regulations.

#### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

#### **SECTION 3: Composition / Information on Ingredients**

#### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight CAS Number	weight%
Glycerin	$C_3H_8O_3$	92.09 g/mol 56-81-5	51.94
Methyl Alcohol	CH₃OH	32.04 g/mol 67-56-1	47.31
Giemsa Stain	$C_{14}H_{14}CIN_3S$	291.80 g/mol 51811-82-6	0.75

#### **SECTION 4: First-Aid Measures**

#### 4.1. General First Aid Information

- Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva.
  Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Results in drying and cracking which can lead to secondary infections and dermatitis. Dermal absorption causes many of the symptoms of inhalation.
  - **Ingestion:** IF SWALLOWED: Immediately call a POISON CENTER or physician. Dilute immediately with water or milk. Induce vomiting. Call a physician.

#### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Toxic if swallowed. Toxic in contact with skin. Causes skin irritation. Causes serious eye irritation. Toxic if inhaled. Suspected of causing cancer. May damage fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. Flammable liquid. Primarily toxic by ingestion. Cannot be made non-poisonous. If ingested, give large quantity of water and induce vomiting. Call a physician. Contact may cause dryness and cracking of the skin. May cause irritation to the eyes. Wash areas of contact with water. May cause irritation of the respiratory system. EYE CONTACT: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva. SKIN CONTACT: Results in drying and cracking which can lead to secondary infections and dermatitis. Dermal absorption causes many of the symptoms of inhalation.

#### 4.3. Medical Attention or Special Treatment Needed

Specific treatment (Wash areas of contact with water.). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Wash areas of contact with soap and water for at least 15 minutes. Call a physician if irritation develops. Dilute immediately with water or milk. Induce vomiting. Call a physician.

## **Safety Data Sheet**

#### **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing Media

In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Use any means suitable for extinguishing surrounding fire.

#### 5.2. Specific Hazards Arising from the Substance or Mixture

Highly flammable liquid and vapor. Moderate explosion hazard and dangerous fire hazard when exposed to heat, sparks and open flames. Above flash point, vapor-air mixtures are explosive within flammable limits noted above. Sensitive to static discharge.

#### 5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

#### **SECTION 6: Accidental Release Measures**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection.

#### 6.2. Cleanup and Containment Methods and Materials

Remove all sources of ignition. Contain spill. Do not flush to sewer. Absorb with suitable inert material (vermiculite, dry sand, etc) and place in a chemical waste container for proper disposal in an approved waste disposal facility. Ventilate area of spill. Have extinguishing agent available in case of fire. Use non-sparking tools and equipment. Dispose of in accordance with local regulations.

#### **SECTION 7: Handling and Storage**

#### 7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store in secure, flammable storage area away from all sources of ignition. Empty containers may be hazardous since they retain product residues.

RICCA CHEMICAL COMPANY<sup>®</sup>

## **Safety Data Sheet**

#### **SECTION 8: Exposure Controls / Personal Protection**

#### **8.1 Control Parameters**

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Glycerin (56-81-5)	TWA	USA	15 mg/m <sup>3</sup> TWA (mist, total particulate); 5 mg/m <sup>3</sup> TWA (mist, respirable fraction)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Methyl Alcohol (67-56-1)	TWA	USA	200 ppm TWA; 260 mg/m <sup>3</sup> TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Methyl Alcohol (67-56-1)	TLV-STEL	USA	250 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Methyl Alcohol (67-56-1)	TLV-TWA	USA	200 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

#### 8.2. Exposure Controls

Engineering Controls:	Use only outdoors or in a well-ventilated area. A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit.
Respiratory Protection:	If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved atmosphere supplied respirator must be worn.
Skin Protection:	Wear protective gloves and eye protection. Chemical resistant gloves.
Eye Protection:	Wear protective gloves and eye protection. Safety glasses or goggles.

#### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved atmosphere supplied respirator must be worn. Chemical resistant gloves. Safety glasses or goggles.

## **Safety Data Sheet**

#### **SECTION 9: Physical and Chemical Properties**

#### 9.1. Basic Physical and Chemical Properties

Appearance: Dark violet liquid				
Physical State: Liquid				
Odor: Data not available.				
Odor Threshold: Data not available.				
<b>pH:</b> Data not available.				
Melting/Freezing Point: Data not available.				
Initial Boiling Point/Range:	Approximately 64.5°C - Approximately 64.5°C			
Flash Point:	Approximately 22°C			
Evaporation Rate:	Data not available.			
Flammability:	Data not available.			
Flammability/Explosive Limits:	Data not available.			
Vapor Pressure:	Data not available.			
Vapor Density:	Data not available.			
Relative Density:	1.0			
Solubility:	Data not available.			
Partition Coefficient:	Data not available.			
Auto-Ignition Temperature:	Data not available.			
Decomposition Temperature:	Data not available.			
Viscosity:	Data not available.			
Explosive Properties:				
Oxidizing Properties:	Data not available.			

#### **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

#### **10.2. Possibility of Hazardous Reactions**

Data not available.

#### **10.3. Conditions to Avoid and Incompatible Materials**

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Strong oxidizing agents such as Nitrates, Perchlorates or Sulfuric Acid, heat, sparks, open flame. Will attack some forms of plastics, rubber and coatings. May react with metallic aluminum and generate hydrogen gas.

#### Product Number: 3250



#### **10.4. Hazardous Decomposition Products**

Will not occur.

#### **SECTION 11: Toxicological Information**

#### 11.1. Information on Toxicological Effects

#### Acute Toxicity - Oral Exposure:

Toxic if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). Rinse mouth. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Acute Toxicity - Dermal Exposure:

Toxic in contact with skin. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or physician if you feel unwell. Specific treatment (Wash areas of contact with water.). Take off immediately all contaminated clothing and wash it before reuse. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Acute Toxicity - Inhalation Exposure:

Toxic if inhaled. Avoid breathing fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Acute Toxicity - Other Information:

LD50, Oral, Rat: (Methanol) 5628 mg/kg, details of toxic effects not reported other than lethal dose value, (Glycerin) 12600 mg/kg, behavioral effects noted. LD50, Dermal, Rabbit: (Glycerin) > 10 gm/kg, details of toxic effects not reported other than lethal dose value. Investigated as a mutagen (Glycerin).

#### Skin Corrosion and Irritation:

Causes skin irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. Specific treatment (Wash areas of contact with water.). If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

#### Serious Eye Damage and Irritation:

Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

#### **Respiratory Sensitization:**

Not applicable.

#### Skin Sensitization:

Not applicable.

#### Germ Cell Mutagenicity:

Not applicable.

RICCA CHEMICAL COMPANY<sup>®</sup>

## **Safety Data Sheet**

#### **Carcinogenicity:**

Suspected of causing cancer. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Reproductive Toxicity:**

May damage fertility or the unborn child. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Specific Target Organ Toxicity from Single Exposure:

Causes damage to organs. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed: Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Specific Target Organ Toxicity from Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Get medical attention if you feel unwell. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Aspiration Hazard:**

Not applicable.

#### Additional Toxicology Information:

Data not available.

#### **SECTION 12: Ecological Information**

#### 12.1. Ecotoxicity

May cause long lasting harmful effects to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations.

#### 12.2. Persistence and Degradability

Data not available.

#### 12.3. Bioaccumulative Potential

Data not available.

#### 12.4. Mobility in Soil

Data not available.

#### 12.5. Other Adverse Ecological Effects

Data not available.



#### **SECTION 13: Disposal Considerations**

#### **13.1. Waste Treatment Methods**

Data not available.

#### **SECTION 14: Transportation Information**

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 120 mL, 500 mL

UN Number: UN1993

Proper Shipping Name: Flammable Liquid, n.o.s. (Methanol)

Hazard Class: 3

Packing Group:

Hazard Label(s):



#### 14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 120 mL, 500 mL

UN Number: UN1993

Proper Shipping Name: Flammable Liquid, n.o.s. (Methanol)

Hazard Class: 3

Packing Group:

Hazard Label(s):





#### 14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 120 mL, 500 mL

UN Number: UN1993

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. (methanol)

Hazard Class: 3

Packing Group:

Hazard Label(s):



#### **SECTION 15: Regulatory Information**

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

- 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances Not listed.
- **15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals** Methyl Alcohol (CAS # 67-56-1): 5000 lb final RQ; 2270 kg final RQ
- 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Methyl Alcohol (CAS # 67-56-1): 1.0 % de minimis concentration

#### 15.5. Massachusetts Right-to-Know Substance List

Glycerin (CAS # 56-81-5): Present (mist) Methyl Alcohol (CAS # 67-56-1): Present

#### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Glycerin (CAS # 56-81-5): Present Methyl Alcohol (CAS # 67-56-1): "Present" As Denatured alcohols [RR-00113-8] Methyl Alcohol (CAS # 67-56-1): Environmental hazard Methyl Alcohol (CAS # 67-56-1): Present

#### 15.7. New Jersey Worker and Community Right-to-Know Components

Glycerin (CAS # 56-81-5): sn 3319 Methyl Alcohol (CAS # 67-56-1): flammable - third degree; teratogen Methyl Alcohol (CAS # 67-56-1): sn 1222 Methyl Alcohol (CAS # 67-56-1): SN 1222 500 lb TPQ

#### 15.8. California Proposition 65

Methyl Alcohol (CAS # 67-56-1): developmental toxicity, 3/16/2012

#### Product Number: 3250



#### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Giemsa Stain (CAS # 51811-82-6): Present (DSL) Glycerin (CAS # 56-81-5): Present (DSL) Methyl Alcohol (CAS # 67-56-1): Present (DSL) Methyl Alcohol (CAS # 67-56-1): Present (NDSL)

#### 15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Giemsa Stain (CAS # 51811-82-6): Present (ACTIVE) Glycerin (CAS # 56-81-5): Present (ACTIVE) Methyl Alcohol (CAS # 67-56-1): Present (ACTIVE)

## 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Giemsa Stain (CAS # 51811-82-6): 257-438-2 Glycerin (CAS # 56-81-5): 200-289-5 Glycerin (CAS # 56-81-5): 253-407-2 Methyl Alcohol (CAS # 67-56-1): 200-659-6 Methyl Alcohol (CAS # 67-56-1): 270-649-4

## **Safety Data Sheet**

#### **SECTION 16: Other Information**

#### 16.1. Full Text of Hazard Statements and Precautionary Statements

Highly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Causes skin irritation. Causes serious eye irritation. Toxic if inhaled. Suspected of causing cancer. May damage fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. May cause long lasting harmful effects to aquatic life.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks and open flame. No smoking. Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection.

IF SWALLOWED: Immediately call a POISON CENTER or physician. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or physician. Get medical attention if you feel unwell. Specific treatment (Wash areas of contact with water.). Rinse mouth. If skin irritation occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

#### 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

#### 16.3. National Fire Protection Association (NFPA) Rating

Health:	2
Flammability:	3
Reactivity:	0
Special Hazard:	





#### 16.4. Document Revision

Last Revision Date: 2023-05-02

#### DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.