



SAFETY DATA SHEET

Xpect™ Rotavirus Controls

Date of issue - 26/09/2008.

R246551

Section 1. Chemical Product and Company Identification

Product No. R246551
Trade name Xpect™ Rotavirus Controls
Manufacturer REMEL Inc.
12076 Santa Fe Drive
P.O. Box 14428
Lenexa
Kansas KS 66215
U.S.A.
Tel: (+1) 913 888 0939
Fax: (+1) 913 895 4128
Emergency: Chemtrec USA 800-424-9300
Supplier Oxoid Limited
Wade Road
Basingstoke
Hants RG24 8PW
ENGLAND
Tel: + 44 (0)1256 841144
Fax: + 44 (0)1256 463388

Section 2. Hazards Identification

Most Important Hazards Not classified as hazardous. This product is for in vitro diagnostic use only.
Specimen material may contain pathogenic organisms. Handle with the appropriate precautions.

Section 3. Composition, Information on Ingredients

Preparation - Hazardous ingredients (Europe)

Component	CAS No.	Concentration	Classification	Risk Phrases
Inactivated Rotavirus Antigen		Not available. 0.10 % w/v		

Section 4. First Aid Measures

First Aid - Eyes Immediately flood the eye with plenty of water for at least 10 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.
First Aid - Skin Wash skin with soap and water. Obtain medical attention if blistering occurs or redness persists.

Section 5. Fire Fighting Measures

Extinguishing Media - Suitable Not combustible. Use extinguishing media suitable for surrounding materials.

Section 6. Accidental Release Measures

Personal Precautions Wear appropriate protective clothing. Disposable vinyl gloves.
Spill Wipe up with a damp cloth. Properly disinfect any spills. Test specimens require decontamination with a bleach solution or appropriate germicide prior to pick up.



SAFETY DATA SHEET

Xpect™ Rotavirus Controls

Date of issue - 26/09/2008.

R246551

Section 7. Handling and Storage

Handling

For in vitro diagnostic use only. Read the package insert. Always follow good laboratory practices when using this product.

Storage

Read the package insert. Always follow good laboratory practices when using this product.

Section 8. Exposure Controls, Personal Protection

Protective Measures - Hands

Disposable vinyl gloves.

Protective Measures - Body

Lab coat.

Section 9. Physical and Chemical Properties

Physical state

Liquid.

Colour

Colourless.

Section 10. Stability and Reactivity

Stability

Stable under recommended storage and handling conditions (see section 7). Do not mix components from different lots. Do not use after stated expiry date.

Section 11. Toxicological Information

Acute toxicity

Low order of acute toxicity.
Oral LD50 (rat) > 2000 mg/kg.
Dermal LD50 (rabbit) > 2000 mg/kg.
Inhalation LC50 (rat) > 20 mg/litre/4h.

Section 12. Ecological Information

Ecotoxicity

No relevant studies identified.

Section 13. Disposal Considerations

Disposal considerations

Dispose of according to all federal, state and local applicable regulations.

Section 14. Transport Information

UN : UN number

Not regulated.

Section 15. Regulatory Information

Risk Phrases

Not applicable.

Safety Phrases

Avoid contact with skin and eyes.

EC Classification

This product is not classified according to the EU regulations.



SAFETY DATA SHEET

Xpect™ Rotavirus Controls

Date of issue - 26/09/2008.

R246551

Section 16. Other Information

MSDS first issued

26/08/2008