

# Safety Data Sheet

Prepared according to GHS

# 1. Identification

**Multi-Vehicle ATF Product Name** 

**Product Code(s)** 7419

**Recommended Use** Full synthetic automatic transmission fluid

Pinnacle Oil Holdings, LLC Company

> 8175-B Alison Ave. Indianapolis, IN 46268 msds@amref.com

Chemtrec 1-800-424-9300 (24 HRS) **Emergency Telephone** 

Number(s) ARG: 814-368-1297 (24 HRS)

#### 2. Hazards Identification

**GHS Classification** This product is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Not applicable **Signal Word** Not applicable **Hazard Statements Other Hazard Information** Not applicable Not applicable **GHS Pictogram** Not applicable **Precautionary Statements** 

# 3. Composition / Information on Ingredients

CAS No.	Common Name	Percent
72623-86-0	Lubricating oils (petroleum), C15-30, hyrdotreated neutral oil-based.	1-5%

#### 4. First Aid Measures

Check for and remove any contact lenses. Flush eyes with plenty **Eyes** 

of water, occasionally lifting the upper and lower eyelids. Get

medical attention if irritation develops.

In case of contact, flush skin with plenty of soap and water while Skin

removing contaminated clothing and shoes. Wash clothing before

reuse. Get medical attention if irritation develops.

Move exposed person to fresh air. Get medical attention if Inhalation

irritation develops.

7419	Revision #:0	Page <b>2</b> of <b>6</b>	
	4. First Aid Measures		
Ingestion	First aid is normally not required. Get	medical attention if	
	discomfort develops.		
Note to Physicians	No specific treatment. Treat symptomat	No specific treatment. Treat symptomatically. Contact poison	

inhaled.

# 5. Fire Fighting Measures

treatment specialist if large quantities have been ingested or

# **Suitable Extinguishing Media**

Use dry chemical, CO<sub>2</sub>, water spray (FOG) or foam

# **Unsuitable Extinguishing Media**

Avoid solid water stream as it may scatter and spread fire.

# **Specific Hazards Arising from Chemical**

Elevated temperatures can lead to the formation of irritating vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

# **Protective Equipment and Precautions for Firefighters**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### 6. Accidental Release Measures

#### **Personal Precautions**

Put on appropriate personal protective equipment.

# **Environmental Precautions**

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

#### **Methods for Containment**

Stop leak if without risk.

# **Methods for Cleanup**

Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

#### 7. Handling and Storage

# **Handling Procedures**

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist.

# **Shipping and Storing Procedures**

Keep container tightly closed in a dry place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

# **Incompatibilities:**

Oxidizing Agents

#### 8. Exposure Controls / Personal Protection

# **Component Exposure Limits\***

7419 Revision #:0 Page 3 of 6

# 8. Exposure Controls / Personal Protection

#### Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	ACGIH TLV (United States, 3/2017). TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction OSHA PEL (United States, 6/2016). TWA: 5 mg/m³ 8 hours. NIOSH REL (United States, 10/2016). TWA: 5 mg/m³ 10 hours. Form: Mist STEL: 10 mg/m³ 15 minutes. Form: Mist

#### Canada

Occupational exposure limits

Ingredient name	Exposure limits
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	CA Alberta Provincial (Canada, 4/2009). 8 hrs OEL: 5 mg/m³ 8 hours. Form: Mist 15 min OEL: 10 mg/m³ 15 minutes. Form: Mist CA Quebec Provincial (Canada, 1/2014). TWAEV: 5 mg/m³ 8 hours. Form: Mist STEV: 10 mg/m³ 15 minutes. Form: Mist

Engineering Controls Good general ventilation should be sufficient to control worker exposure

to airborne contaminants.

**Eye/Face Protection** Safety glasses

**Skin Protection** Normal work gloves are appropriate

**Respiratory Protection** No special requirements under ordinary conditions of use and with

adequate ventilation.

General Hygiene Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove

potentially contaminated clothing.

# 9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

not fully represent product specifications. Please see the Product Specification Sheet for further information.					
Appearance	Red	Flammability	Not available		
Physical State	Liquid	Upper/Lower	Not available		
		Flammability Limits			
Odor	Mild	Vapor Pressure (kPa at	0		
		20°C)			
Odor Threshold	Not available	Vapor Density	Not available		
pH	Not available	Relative Density (lbs/gal)	7.04		
Melting/Freezing Point	Not available	Water Soluble	No		
(°F)					
<b>Initial Boiling Point</b> (°F)	Not available	Partition Coefficient: n-	Not available		
		octanol/water			
Boiling Range (°F)	Not available	Auto-ignition	Not available		
		Temperature (°F)			
Flash Point (°F)	>356	Decomposition	Not available		
		Temperature (°F)			
<b>Evaporation Rate</b>	Not available	Viscosity (40°C mm²/s)	>30		

**7419** Revision #:0 Page **4** of **6** 

# 10. Chemical Stability & Reactivity Information

ReactivityPolymerization will not occurChemical StabilityStable under normal conditionsHazardous ReactionsNone, under normal processing.

Conditions to Avoid High temperatures

**Incompatibility** Strong acids and oxidizing materials

Hazardous Decomposition Smoke, carbon monoxide, carbon dioxide, aldehydes and other

**Products** products of incomplete combustion.

# 11. Toxicological Information

**Acute Exposure** 

**Respiratory Irritation** Not expected to pose respiratory irritation. An inhalation hazard may only

arise if product is aerosolized or if heated up. If material is misted or if vapors

are generated from heating, exposure may cause irritation of mucous

membranes and upper respiratory tract. Based on data from similar materials.

Eye IrritationNot expected to cause irritation under normal use.Skin IrritationNot expected to cause irritation under normal use.SensitizationNot expected to cause skin or respiratory sensitization.Aspiration HazardsNot expected to pose an aspiration hazard if swallowed.

**Chronic Exposure** 

**Target Organ Effects** No data available to indicate product or components at greater than 1% are

chronic health hazards.

**Carcinogenicity** No data available to indicate product or any components present at greater

than .1% are carcinogenic.

**Mutagenicity** No data available to indicate product or any components present at greater

than

.1% are mutagenic or genotoxic.

**Reproductive Toxicity** No data available to indicate either product or components present at greater

than .1% that may cause reproductive toxicity.

**Teratogenicity** No data available to indicate product or any components contained at greater

than .1% may cause birth defects.

**Component Analysis – LD50 / LC50** 

 Inhalation LC50 Rat
 >20 mg/L 4h

 Oral LD50 Rat
 >5000 mg/kg

 Dermal LD50 Rabbit
 >2000 mg/kg

### 12. Ecological Information

#### **Component Analysis- Ecotoxicity – Aquatic Life**

Duration/Test/Species Concentration/Conditions

96 Hr LC50 Not available mg/L

Pimephales promelas

7419

Page 5 of 6 Revision #:0

# 12. Ecological Information

Persistence & Degradability Not determined **Bioaccumulation Potential** Not determined Not determined **Soil Mobility Other Adverse Effects** Not determined

# 13. Disposal Considerations

# **Disposal Instructions**

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

# 14. Transportation Information

<b>Emergency R</b>	esponse Guide		North American Emergency Response		nergency Response	
No.					Guide Book	
	UN Number	Sh	ipping Name (technical	Н	lazard Class	Packing Group
		naı	me)			
U.S. DOT		No	t Regulated			
Bulk						
U.S. DOT		No	t Regulated			
Non-Bulk						
IATA		No	t Regulated			
IMDG		No	t Regulated			

# 15. Regulatory Information

**SARA Extremely Hazardous** Substances (Sections 302 & 304)

**SARA Section 313** 

This product does not contain greater than 1% of any "extremely hazardous substances" listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B. This product does not contain greater than 1.0% of the substances subject to the reporting requirements of Section 313 of Title III of

Superfund Amendments and Reauthorization Act of 1986 and 40

**CFR** Part 372.

SARA Section 311 & 312 Classifications

Health Hazard No. Physical Hazard No Multi-Vehicle ATF 7419

**CERCLA** 

Revision #:0

American Refining Group, Inc.

Page **6** of **6** sted under the

This product does not contain any "hazardous substances" listed under the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop 65

WARNING: This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. This product can expose you to chemicals including Sulphur Dioxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

### **Global Chemical Inventories**

Inventory	
US TSCA	Listed
EU	Listed
Japan	Not available
Australia	Listed
New Zealand	Not available
Canada	Listed
Switzerland	Not available
Korea	Listed
Philippines	Listed
China	Listed
Taiwan	Not available

16. Other Information			
US NFPA Ratings			
Health	Fire	Reactivity	
0	1	0	

#### **HMIS Ratings**

Health	Fire	Physical Hazards
0	1	0

**Revision Date** 27 February 2020 **Revision Reason** New SDS

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**