

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **1.1 Product identifiers**

	Product name	:	OmniPur® Formamide Deionized	
	Product Number	:	4610-OP	
	Catalogue No.	:	D05185	
	Brand	:	Millipore	
	Index-No.	:	616-052-00-8	
	CAS-No.	:	75-12-7	
1.2	Relevant identified us	es	of the substance or mixture and uses advised against	

Identified uses: Reagent for analysisUses advised against: The product is being supplied under the TSCA R&D Exemption<br/>(40 CFR Section 720.36). It is the recipient's responsibility to<br/>comply with the requirements of the R&D exemption. The<br/>product may not be used for a non-exempt commercial purpose<br/>under TSCA unless appropriate consent is granted in writing by

## 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

MilliporeSigma.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Carcinogenicity (Category 2), H351 Reproductive toxicity (Category 1B), H360 Specific target organ toxicity - repeated exposure, Oral (Category 2), Blood, H373

Hours/day; 7 Days/week

Millipore - 4610-OP

1.4

Page 1 of 13



For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word	Danger
Hazard Statements H351 H360 H373	Suspected of causing cancer. May damage fertility or the unborn child. May cause damage to organs (Blood) through prolonged or repeated exposure if swallowed.
Precautionary Statements	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe mist or vapors.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Formula	: CH3NO
Molecular weight	: 45.04 g/mol
CAS-No.	: 75-12-7
EC-No.	: 200-842-0
Index-No.	: 616-052-00-8

Component	ponent Classification	
Formamide		
	Carc. 2; Repr. 1B; STOT	<= 100 %
	RE 2; H351, H360, H373	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance. Millipore - 4610-OP

Page 2 of 13



# If inhaled

After inhalation: fresh air. Call in physician.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Fire may cause evolution of: Hydrogen cyanide (hydrocyanic acid), nitrogen oxides, Ammonia Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore - 4610-OP

Page 3 of 13



# **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4 Reference to other sections** For disposal see section 13.

#### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with workplace control parameters

Millipore - 4610-OP

Page 4 of 13



Component	CAS-No.	Value	Control parameters	Basis
Formamide	75-12-7	TWA	1 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	humans	Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption	
		TWA	10 ppm 15 mg/m3	USA. NIOSH Recommended Exposure Limits
		Potential for dermal absorption		
		PEL	10 ppm 18 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		

#### 8.2 Exposure controls

#### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: Latex gloves Minimum layer thickness: 0.6 mm Break through time: 480 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 240 min Material tested:KCL 741 Dermatril® L

# **Body Protection**

protective clothing

Millipore - 4610-OP

Page 5 of 13



# **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

	a)	Appearance	Form: liquid Color: colorless
	b)	Odor	odorless
	c)	Odor Threshold	Not applicable
	d)	рН	4 - 10 at 200 g/l at 20 °C (68 °F)
	e)	Melting point/freezing point	Melting point: 2.6 °C (36.7 °F)
	f)	Initial boiling point and boiling range	218.3 °C 424.9 °F at 1,013.25 hPa
	g)	Flash point	152 °C (306 °F)
	h)	Evaporation rate	No data available
	i)	Flammability (solid, gas)	No data available
	j)	Upper/lower flammability or explosive limits	Upper explosion limit: 19 %(V) Lower explosion limit: 2.7 %(V)
	k)	Vapor pressure	0.08 hPa at 20 °C (68 °F)
	I)	Vapor density	1.56 - (Air = 1.0)
	m)	Density	1.13 g/cm3 at 20 °C (68 °F) - OECD Test Guideline 109
		Relative density	No data available
	n)	Water solubility	completely miscible
	o)	Partition coefficient: n-octanol/water	log Pow: -0.82 at 25 °C (77 °F) - Bioaccumulation is not expected.
	p)	Autoignition temperature	> 500 °C (> 932 °F) at 1,013.25 hPa
	q)	Decomposition	> 180 °C (> 356 °F) -
Millipor	e - 4	610-OP	Page 6

Page 6 of 13



temperature

- r) Viscosity No data available
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none

# 9.2 Other safety information

Dissociation constant -0.48 at 20 °C (68 °F) Relative vapor 1.56 - (Air = 1.0) density

## **SECTION 10: Stability and reactivity**

## **10.1 Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

## **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## **10.3** Possibility of hazardous reactions

Exothermic reaction with: Oxidizing agents bases Risk of explosion with: furfuryl alcohol Oxides of phosphorus hydrogen peroxide iodine with pyridine and Sulfur trioxide A risk of explosion and/or of toxic gas formation exists with the following substances: water separating agents Possible formation of: Hydrogen cyanide (hydrocyanic acid)

# 10.4 Conditions to avoid

Heat.

Strong heating.

**10.5 Incompatible materials** No data available

#### **10.6 Hazardous decomposition products** In the event of fire: see section 5

Millipore - 4610-OP

Page 7 of 13



# SECTION 11: Toxicological information

# 11.1 Information on toxicological effects

## Acute toxicity

LD50 Oral - Rat - male and female - 5,325 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male - 4 h - > 21 mg/l - vapor

(OECD Test Guideline 403) LD50 Dermal - Rat - male and female - > 3,000 mg/kg Remarks: (ECHA) No data available

#### Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 20 h Remarks: (ECHA)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: slight irritation (OECD Test Guideline 405)

# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: in vitro test Test system: Other cell types Metabolic activation: without metabolic activation Method: Regulation (EC) No. 440/2008, Annex, B.21 Result: positive Test Type: in vitro test Test system: Embryo Metabolic activation: without metabolic activation Result: negative Remarks: (ECHA)

Test Type: In vivo micronucleus test Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Oral Method: OECD Test Guideline 474 Result: negative

Test Type: In vivo micronucleus test Species: Mouse Cell type: Bone marrow Millipore - 4610-OP

Page 8 of 13



Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: positive

Test Type: Genotoxicity in vivo Species: Drosophila melanogaster

Application Route: Intraperitoneal injection Method: OECD Test Guideline 477 Result: negative

Test Type: dominant lethal test Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 478 Result: negative

## Carcinogenicity

Suspected of causing cancer.

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

May damage the unborn child.

#### Specific target organ toxicity - single exposure No data available

## Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Blood

# Aspiration hazard

No data available

# **11.2 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - 40 - 80 mg/kg Remarks: Subchronic toxicity

Repeated dose toxicity - Rat - male - Inhalation - 14 Days

Repeated dose toxicity - Rat - male and female - Dermal - 90 d - NOAEL (No observed adverse effect level) - 100 mg/kg

Gastrointestinal disturbance

Millipore - 4610-OP

Page 9 of 13



To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Possible effect after contact with substance:

ataxia (impaired locomotor coordination)

Absorption may result in damage of the following:

Liver Kidney

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Blood - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

# **12.1 Toxicity**

Toxicity to fish	static test LC50 - Leuciscus idus (Golden orfe) - 6,569 mg/l - 96 h (DIN 38412 part 15)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 500 mg/l $$ - 48 h (Regulation (EC) No. 440/2008, Annex, C.2)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 500 mg/l - 96 h (DIN 38412)
Toxicity to bacteria	static test EC50 - activated sludge - > 1,000 mg/l - 30 min (OECD Test Guideline 209)

## 12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 28 d Result: 99 % - Readily biodegradable. (OECD Test Guideline 301A)

## **12.3 Bioaccumulative potential**

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted 12.6 Endocrino discunting properties

**12.6 Endocrine disrupting properties** No data available

Millipore - 4610-OP

Page 10 of 13



## 12.7 Other adverse effects

When discharged properly, no impairments in the function of adapted biological wastewater treatment plants are to be expected.

Discharge into the environment must be avoided.

Adsorbed organic bound halogens Remarks: Product does not contain any organic halogens. (AOX)

# SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

## Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

**DOT (US)** Not dangerous goods

**IMDG** Not dangerous goods

**IATA** Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

## **SECTION 15: Regulatory information**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

Millipore - 4610-OP

Page 11 of 13



SARA 313	5	The following components are subject to levels established by SARA Title III, Sect	
	Formamide	75-12-7	>= 90 - <= 100 %

## **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Formamide 75-12-7

## **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

>= 90 - <= 100 %

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### **US State Regulations**

Massachusetts Right To Know	
Formamide	75-12-7
Pennsylvania Right To Know	
Formamide	75-12-7
Maine Chemicals of High Concern	
Product does not contain any listed chemicals	
Vermont Chemicals of High Concern	

Product does not contain any listed chemicals

## **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

## The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

## **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Millipore - 4610-OP

Page 12 of 13



# **SECTION 16: Other information**

## **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 8.10 Revision Date: 07/02/2024 Print Date: 07/03/2024

Millipore - 4610-OP

Page 13 of 13

