





(Contd. of page 1)

	(Contd. of page 1)
4 First-aid measures	
Description of first aid measures	
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm.	
Se'ek îmmediate medical advice. After skin contact	
Immediately wash with water and soap and rinse thoroughly	
Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.	
After swallowing Seek medical treatment. Information for doctor	
Most important symptoms and effects, both acute and delayed	
Causes skin irritation. Causes serious eye irritation.	
Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media	
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture	
If this product is involved in a fire, the following can be released:	
Carbon monoxide and carbon dioxide Advice for firefighters	
Protective equipment:	
Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation	
Environmental precautions: Do not allow product to reach sewage system or any water course.	
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources.	
Reference to other sections	
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
PAC-1: 45 ppm PAC-2: 260 ppm	
PAC-3: 840 ppm	
7 Handling and storage	
Handling	
Precautions for safe handling Handle under dry protective gas.	
Handle under dry protective gas. Keep container tightly sealed. Ensure good ventilation at the workplace.	
Information about protection against explosions and fires:	
Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture.	
Keep ignition sources away.	
Conditions for safe storage, including any incompatibilities	
Storage Requirements to be met by storerooms and receptacles: Refrigerate	
Information about storage in one common storage facility: Store away from air.	
Protect from heat.	
Store away from oxidizing agents. Further information about storage conditions:	
Store under dry inert gas.	
This product is air sensitive. Keep container tightly sealed.	
Refrigerate	
Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters	
Components with limit values that require monitoring at the workplace:	
123-38-6 Propionaldehyde (100.0%)	
TLV (USA) Long-term value: 48 mg/m ³ , 20 ppm	
WEEL (USA) Long-term value: 20 ppm EL (Canada) Long-term value: 20 ppm	
EV (Canada) Long-term value: 20 ppm	
Additional information: No data	
Exposure controls Personal protective equipment	
Personal protective equipment General protective and hygienic measures	
The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.	
Reep away nonnooustains, bevelages and reed.	(Contd. on page 3

Product name: Propionaldehyde (Contd. of page 2) Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Butyl rubber, BR Penetration time of glove material (in minutes) 343 Glove thickness: 0.3 mm Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid Odor: Pungent Odor threshold: Not determined pH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: -81 °C (-114 °F) 47-49 °C (117-120 °F) Not determined Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: 40 °C (-40 °F) Not determinéd 175 °C (347 °F) Not determined Auto igniting: Not determined Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures is possible. Explosion limits: 2.3 Vol % 21 Vol % Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density 343 hPa (257 mm Hg) 0.81 g/cm³ (6.759 lbs/gal) Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Not determined. 280 g/l Fully miscible Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic at 20 °C (68 °F): 0.375 mPas kinematic: Not determined. Other information No further relevant information available. 10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Öxidizing agents Heat Hazardous decomposition products: Carbon monoxide and carbon dioxide 11 Toxicological information Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity

Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available.

		version
Product name: Propionaldehyde		
Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground wat Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.		d. of page
13 Disposal considerations		
Waste treatment methods Recommendation Consult state, local or national regulations to ensu Uncleaned packagings: Recommendation: Disposal must be made according to official regul Recommended cleansing agent: Water, if necessary with cleansing	ations.	
14 Transport information		
UN-Number DOT, IMDG, IATA	UN1275	
UN proper shipping name		
DOT ADR	Propionaldehyde 1275 Propionaldehyde DDODUNAL DELVDE	
IMDG, IATA Transport hazard class(es)	PROPIONALDEHÝDE	
DOT		
Class Label	3 Flammable liquids 3	
ADR		
Class Label IMDG, IATA	3 (F1) Flammable liquids 3	
Class	3 Flammable liquids	
Label Packing group DOT, ADR, IMDG, IATA	3	
DOT, ADR, IMDG, IATA Environmental hazards:	II Not applicable.	
Special precautions for user	Warning: Flammable liquids	
EMS Number: Stowage Category	F-E,S-Ď E	
Transport in bulk according to Annex II of MARPOL73/78 and the	IBC Code Not applicable.	
Transport/Additional information:		
DOT Quantity limitations	On passenger aircraft/rail: 5 L	
Marine Pollutant (DOT):	On cargo aircraft only: 60 L No	
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	
UN "Model Regulation":	UN 1275 PROPIONALDEHYDE, 3, II	
15 Regulatory information Safety, health and environmental regulations/legislation specific GHS label elements The product is classified and labeled in accordan Hazard pictograms	for the substance or mixture nce with 29 CFR 1910 (OSHA HCS)	

GHS02 GHS07

Signal word Danger Hazard statements H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P273 Avoid release to the environment.

Product name: Propionaldehyde

(Contd. of page 4)

P403 Store in a well-ventilated place.

National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

123-38-6 Propionaldehyde

California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed.

Prop 65 - Developmental toxicity, male studiative is not instea. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed

Annex XEVS for the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Information to ensure with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
YPHS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
IMP: National Agency (Dr Research on Cancer
EPA: Environmental Protection Agency (USA)
Fam. Lq. 2: Flammable liquids – Category 2
Ky Imp. Yetics very Coression/Impation – Category 2
Eye Imt. 24: Serious eye damage/eye Iritlation – Category 2
Eye Imt. 24: Serious eye damage/eye Iritlation – Category 2
Eye Imt. 24: Serious eye damage/eye Iritlation – Category 3

USA