according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.19.2014

## **Ethylene Glycol, Lab Grade**

### SECTION 1: Identification of the substance/mixture and of the supplier

**Product name**: Ethylene Glycol, Lab Grade

Manufacturer/Supplier Article number: ET5000

Recommended uses of the product and restrictions on use: Laboratory

#### **Manufacturer Details:**

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

### **Emergency telephone number:**

### ChemTel: (24-hour)

+1(800)255-3924

+1(813)248-0585 (International)

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture:



AcTox Oral 4.

Signal word: Warning

#### **Hazard statements:**

Harmful if swallowed.

### **Precautionary statements:**

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth.

Dispose of contents and container as instructed in Section 13.

#### Other Non-GHS Classification: None

### **SECTION 3: Composition/information on ingredients**

## Ingredients:

Ingredients:		
CAS 107-21-1	Ethylene Glycol	100 %
		Percentages are by weight

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 12.19.2014

### **Ethylene Glycol, Lab Grade**

#### **SECTION 4: First aid measures**

### **Description of first aid measures**

#### After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. Give artificial respiration if necessary. If breathing is difficult, give oxygen.

#### After skin contact:

Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical attention if irritation persists or if concerned.

### After eye contact:

Protect unexposed eye. Remove contact lens(es) if able to do so during rinsing. Immediately rinse/flush exposed eye(s) gently using water for 15-20 minutes. Seek medical aid immediately.

### After swallowing:

Rinse mouth thoroughly. Have exposed individual drink sips of water. Induce vomiting. Seek medical assistance.

#### Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath.

#### Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Notes to physician: treat symptomatically.

### **SECTION 5: Firefighting measures**

#### **Extinguishing media**

#### Suitable extinguishing agents:

Water spray. Fog. Carbon dioxide. Dry chemical powder. Alcohol foam. Polymer foam. If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition.

#### Unsuitable extinguishing agents: None

#### Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors.

## Advice for firefighters:

Protective equipment: None

### Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible.

### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Avoid contact with eyes, skin, and clothing. Remove all source of ignition. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent. Transfer to a disposal or recovery container.

## **Environmental precautions:**

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13.

#### Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.19.2014

### **Ethylene Glycol, Lab Grade**

staff/contractor. Contain spill. Do not flush to sewer. Ventilate area of spill.

**Reference to other sections:** None **SECTION 7: Handling and storage** 

#### Precautions for safe handling:

Prevent formation of aerosols. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas. Store away from water due to being very hydroscopic. Empty containers can still be hazardous since they retain product residue. Wash hands after handling. Avoid contact with skin and eyes. Empty containers can still be hazardous since they retain product residue.

### Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly closed. Store with like hazards. Protect from freezing and physical damage.

### **SECTION 8: Exposure controls/personal protection**





**Control parameters:** 107-21-1, Ethylene Glycol, NIOSH 50 ppm Ceiling.

107-21-1, Ethylene Glycol, ACGIH 100 mg/m3 TWA (inhalable fraction and

vapor).

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

**Respiratory protection:** Not required under normal conditions of use. Use suitable respiratory

protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills,

respiratory protection may be advisable.

**Protection of skin:** The glove material has to be impermeable and resistant to the product/

the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation.

**Eye protection:** Safety glasses with side shields or goggles.

**General hygienic measures:** The usual precautionary measures are to be adhered to when handling

chemicals. Keep away from food, beverages and feed sources.

Immediately remove all soiled and contaminated clothing. Wash hands

before breaks and at the end of work. Do not inhale

gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and

skin.

## **SECTION 9: Physical and chemical properties**

Appearance (physical	II AIARIACE AIIVIIIAIIIA		Lower explosion limit : 3.2 %(V)
state, color):	Explosion limit upper:	Upper explosion limit : 15.3 %(V)	

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.19.2014

Ethylene Glycol, Lab Grade				
Odor:	Odorless	Vapor pressure at 20°C:	0.11 hPa (0.08 mmHg) at 20 °C (68 °F) 0.13 hPa (0.10 mmHg) at 20 °C (68 °F), .06 mm at 20 °C (68 °F)	
Odor threshold:	Not determined	Vapor density:	2.14 - (Air = 1.0)	
pH-value:	Not determined	Relative density:	1.113 g/mL at 25 °C (77 °F)	
Melting/Freezing point:	- 13 C	Solubilities:	Infinite solubility in water.	
Boiling point/Boiling range:	197 C	Partition coefficient (noctanol/water):	Not determined	
Flash point (closed cup):	111 °C (232 °F) - closed cup	Auto/Self-ignition temperature:	362.8C	
Evaporation rate:	Not determined	Decomposition temperature:	Not determined	
Flammability (solid, gaseous):	flammable	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined	
Density at 20°C:	Not determined			

### **SECTION 10: Stability and reactivity**

### Reactivity:

Nonreactive under normal conditions.

#### **Chemical stability:**

No decomposition if used and stored according to specifications.

Possible hazardous reactions: None

**Conditions to avoid:** 

Store away from oxidizing agents, strong acids or bases. Excess heat, incompatible materials, ignition source, or flame.

#### **Incompatible materials:**

Strong acids, Strong oxidizing agents, Strong bases, Aldehydes, Aluminum. aliphatic amines. caustics.

### **Hazardous decomposition products:**

Oxides of carbon, acrid and irritating fumes.

## **SECTION 11: Toxicological information**

## **Acute Toxicity**:

#### Dermal:

Dermal LD50 Rat 10600 mg/kg.

**Chronic Toxicity**: No additional information.

Skin corrosion/irritation: No additional information.

Serious eye damage/irritation: No additional information.

Respiratory or skin sensitization: No additional information.

**Carcinogenicity**: No additional information.

**Germ cell mutagenicity**: No additional information. **Reproductive Toxicity**: No additional information.

**STOT-single and repeated exposure**: No additional information.

Additional toxicological information:

No additional information.

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 12.19.2014

#### **Ethylene Glycol, Lab Grade**

#### **SECTION 12: Ecological information**

#### **Ecotoxicity:**

Freshwater Algae, 96 Hr EC50 Pseudokirchneriella subcapitata: 6500 - 13000 mg/L.

Ecotoxicity, Has caused chromosomal damage to agricultural crops.

Water Flea., 48 Hr EC50 Daphnia magna: 46300 mg/L.

Freshwater Fish, 96 Hr LC50 Oncorhynchus mykiss: 41000 mg/L.

Freshwater Fish, 96 Hr LC50 Oncorhynchus mykiss: 14 - 18 mL/L [static]. Freshwater Fish, 96 Hr LC50 Lepomis macrochirus: 27540 mg/L [static].

Freshwater Fish, 96 Hr LC50 Oncorhynchus mykiss: 40761 mg/L [static].

Freshwater Fish, 96 Hr LC50 Pimephales promelas: 40000 - 60000 mg/L [static].

Freshwater Fish, 96 Hr LC50 Poecilia reticulata: 16000 mg/L [static].

Ecotoxicity, Ethylene Glycol has a moderate acute and chronic toxicity to aquatic life.

### Persistence and degradability:

Slightly persistent in water, with 2 to 20 day half-life.

## **Bioaccumulative potential:**

Not expected to significantly bio accumulate.

### Mobility in soil:

Aqueous solution has high mobility in soil. Mobility: -0.32 (log Pow).

Other adverse effects: No additional information.

### **SECTION 13: Disposal considerations**

## Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product. Have fire extinguishing agent available in case of fire. Absorb with suitable material and containerize for disposal. Eliminate all sources of ignition. Ventilate area of spill.

## **SECTION 14: Transport information**

#### **US DOT**

**UN Number:** 

ADR, ADN, DOT, IMDG, IATA 3082

Limited Quantity Exception: None

**Bulk:** 

RQ (if applicable): None

**Proper shipping Name:** Environmentally hazardous sub stance, liquid, n.o.s. (Ethylene

glycol).

Hazard Class: None Packing Group: III.

Marine Pollutant (if applicable): No

additional information. **Comments:** None

Non Bulk:

RQ (if applicable): None

**Proper shipping Name:** Environmentally hazardous sub stance, liquid, n.o.s. (Ethylene

glycol ).

Hazard Class: None Packing Group: III.

Marine Pollutant (if applicable): No

additional information. **Comments:** None

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 12.19.2014

### **Ethylene Glycol, Lab Grade**

## **SECTION 15: Regulatory information**

### **United States (USA)**

### SARA Section 311/312 (Specific toxic chemical listings):

Acute.Chronic

#### SARA Section 313 (Specific toxic chemical listings):

107-21-1 Ethylene Glycol, Lab Grade.

#### RCRA (hazardous waste code):

None of the ingredients are listed.

#### TSCA (Toxic Substances Control Act):

All ingredients are listed.

#### CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

107-21-1 Ethylene Glycol 5000 lb.

### Proposition 65 (California):

#### Chemicals known to cause cancer:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

### Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

#### Canada

#### Canadian Domestic Substances List (DSL):

All ingredients are listed.

### **SECTION 16: Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

**NFPA**: 2-0-0 **HMIS**: 2-0-0

GHS Full Text Phrases: None

# **Abbreviations and Acronyms:**

IMDG International Maritime Code for Dangerous Goods.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.19.2014

# **Ethylene Glycol, Lab Grade**

PNEC.	Predicted No-Effect Concentration (REACH).
CFR	Code of Federal Regulations (USA)
SARA	Superfund Amendments and Reauthorization Act (USA).
RCRA.	Resource Conservation and Recovery Act (USA).
TSCA.	Toxic Substances Control Act (USA).
NPRI	National Pollutant Release Inventory (Canada).
DOT	US Department of Transportation.
IATA	International Air Transport Association.
GHS	Globally Harmonized System of Classification and Labelling of Chemicals.
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service (division of the American Chemical Society).
NFPA	National Fire Protection Association (USA).
HMIS	Hazardous Materials Identification System (USA).
WHMIS	Workplace Hazardous Materials Information System (Canada).
DNEL	Derived No-Effect Level (REACH).