



Material Safety Data Sheet

Alumina (Activated/Adsorption/Dry Powder/Acid/Basic/Neutral/Polishing Gamal)

MSDS# 00950

Section 1 - Chemical Product and Company Identification

MSDS Name: Alumina (Activated/Adsorption/Dry Powder/Acid/Basic/Neutral/Polishing Gamal)

Catalog Numbers: A446-100, A447-500, A505-212, A540-3, A540-500, A540500LC, A591-3, A591-500, A620-500, A634-3, A941-500, A948-500, A950-500, B365-250, C218-3, NC9833120, P467R, P477, S716842, ZZA950TF32

Synonyms: Aluminum oxide; morin dyed; Alundum; Boileezers

Company Identification: Fisher Scientific
One Reagent Lane
Fair Lawn, NJ 07410

For information in the US, call: 201-796-7100

Emergency Number US: 201-796-7100

CHEMTREC Phone Number, US: 800-424-9300

Section 2 - Composition, Information on Ingredients

CAS#: 1344-28-1

Chemical Name: Aluminum oxide

%: 100

EINECS#: 215-691-6

Hazard Symbols: None listed

Risk Phrases: None listed

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Caution! May cause respiratory tract irritation. May cause lung damage. May cause mechanical eye and skin irritation.
Target Organs: Lungs.

Potential Health Effects

Eye: Dust may cause mechanical irritation.

Skin: Dust may cause mechanical irritation. Low hazard for usual industrial handling.

Ingestion: Ingestion of large amounts may cause gastrointestinal irritation. Expected to be a low ingestion hazard.

Inhalation: May cause respiratory tract irritation. May cause lung damage.

Chronic: Chronic inhalation of fine dusts may cause lung damage.

Section 4 - First Aid Measures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists.

Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid.

Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear.

Notes to Physician:

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use extinguishing media appropriate to the surrounding fire. Substance is noncombustible.

Extinguishing Media: Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.

Autoignition Temperature: Not applicable.

Flash Point: Not applicable.

Explosion Limits: Lower: Not available

Explosion Limits: Upper: Not available

NFPA Rating: health: 1; flammability: 0; instability: 0;

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation.

Section 7 - Handling and Storage

Handling: Use with adequate ventilation. Minimize dust generation and accumulation. Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Avoid ingestion and inhalation.

Storage: Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 - Exposure Controls, Personal Protection

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Aluminum oxide	none listed	none listed	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

OSHA Vacated PELs: Aluminum oxide: 10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

Engineering Controls:

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Exposure Limits

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Section 9 - Physical and Chemical Properties

Physical State: Solid

Color: white

Odor: odorless

pH: Not available

Vapor Pressure: Negligible.

Vapor Density: Not available

Evaporation Rate: Not available

Viscosity: Not available

Boiling Point: 2980 deg C (5,396.00°F)

Freezing/Melting Point: 2000 deg C (3,632.00°F)

Decomposition Temperature: Not available

Solubility in water: Negligible in water.

Specific Gravity/Density: 4.0 (water=1)

Molecular Formula: Al₂O₃

Molecular Weight: 101.96

Section 10 - Stability and Reactivity

Chemical Stability:	Stable.
Conditions to Avoid:	Incompatible materials, dust generation, excess heat.
Incompatibilities with Other Materials	Not available
Hazardous Decomposition Products	None.
Hazardous Polymerization	Has not been reported.

Section 11 - Toxicological Information

RTECS#:	CAS# 1344-28-1: BD1200000
LD50/LC50:	RTECS: Not available.
Carcinogenicity:	Aluminum oxide - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.
Other:	See actual entry in RTECS for complete information.

Section 12 - Ecological Information

Not available

Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

Section 14 - Transport Information

US DOT

Shipping Name: Not regulated as a hazardous material

Hazard Class:

UN Number:

Packing Group:

Canada TDG

Shipping Name: Not available

Hazard Class:

UN Number:

Packing Group:

Section 15 - Regulatory Information

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols:Not available

Risk Phrases:

Safety Phrases:

WGK (Water Danger/Protection)

CAS# 1344-28-1: 0

Canada

CAS# 1344-28-1 is listed on Canada's DSL List

Canadian WHMIS Classifications: Not controlled.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

CAS# 1344-28-1 is listed on Canada's Ingredient Disclosure List

US Federal

TSCA

CAS# 1344-28-1 is listed on the TSCA Inventory.

Section 16 - Other Information

MSDS Creation Date: 4/27/1999

Revision #7 Date 7/20/2009

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.

REVIEWED

DATE: 29 March 2012

Chuteford