

# SAFETY DATA SHEET

Version 8.5  
Revision Date 07/16/2021  
Print Date 09/24/2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Cadmium ICP standard traceable to SRM from NIST Cd(NO<sub>3</sub>)<sub>2</sub> in HNO<sub>3</sub> 2-3% 1000 mg/l Cd Certipur®

Product Number : 1.70309  
Catalogue No. : 170309  
Brand : Millipore

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals (Category 1), H290  
Skin irritation (Category 2), H315  
Eye irritation (Category 2A), H319  
Germ cell mutagenicity (Category 1B), H340  
Carcinogenicity (Category 1B), H350  
Reproductive toxicity (Category 1B), H360  
Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H290 May be corrosive to metals.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H360 May damage fertility or the unborn child.  
H402 Harmful to aquatic life.

Precautionary statement(s)

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P234 Keep only in original container.  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P390 Absorb spillage to prevent material damage.  
P405 Store locked up.  
P406 Store in corrosive resistant container with a resistant inner liner.  
P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Component	Classification	Concentration
<b>nitric acid</b>		
CAS-No.	7697-37-2	Ox. Liq. 2; Met. Corr. 1; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; H272, H290, H331, H314, H318 Concentration limits: >= 1 %: Met. Corr. 1, H290; 0 - < 70.0001 %: Acute Tox. 3, H331; >=
EC-No.	231-714-2	
Index-No.	007-004-00-1	
Registration number	01-2119487297-23-XXXX	

		70.0001 %: Acute Tox. 1, H330; >= 20 %: Skin Corr. 1A, H314; 5 - < 20 %: Skin Corr. 1B, H314; 65 - < 99 %: Ox. Liq. 3, H272; >= 99 %: Ox. Liq. 2, H272; >= 3 %: Eye Dam. 1, H318; 1 - < 3 %: Eye Irrit. 2, H319; 1 - < 5 %: Skin Irrit. 2, H315;	
<b>Cadmium nitrate</b> Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)			
CAS-No.	10325-94-7	Acute Tox. 3; Acute Tox. 2; Acute Tox. 4; Muta. 1B; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H330, H312, H340, H350, H360, H372, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	>= 0.1 - < 1 %
EC-No.	233-710-6		
Index-No.	048-001-00-5		

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NO<sub>x</sub>)

Not combustible.

Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

No metal containers. No metal containers.

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
nitric acid	7697-37-2	TWA	2 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	4 ppm	USA. ACGIH Threshold Limit Values (TLV)
		ST	4 ppm 10 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		TWA	2 ppm 5 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		TWA	2 ppm 5 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	2 ppm 5 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		STEL	4 ppm 10 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Cadmium nitrate	10325-94-7	TWA	0.01 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Suspected human carcinogen		
		TWA	0.002 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		Suspected human carcinogen		
		PEL	0.005 mg/m <sup>3</sup>	OSHA Specifically Regulated Chemicals/Carcinogens
		OSHA specifically regulated carcinogen		
		Potential Occupational Carcinogen		

		PEL	0.005 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
--	--	-----	-------------------------	---

### Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Cadmium nitrate	10325-94-7	cadmium	5 µg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
	Remarks	Not critical			
		cadmium	5µg/g creatinine	Urine	ACGIH - Biological Exposure Indices (BEI)
		Not critical			

## 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: > 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: > 480 min

Material tested:KCL 741 Dermatril® L

#### Body Protection

protective clothing

### **Respiratory protection**

required when vapours/aerosols are generated.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

a) Appearance	Form: liquid Color: colorless
b) Odor	odorless
c) Odor Threshold	Not applicable
d) pH	ca.0.5 at 20 °C (68 °F)
e) Melting point/freezing point	No data available
f) Initial boiling point and boiling range	No data available
g) Flash point	( )Not applicable
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
l) Vapor density	No data available
m) Density	ca.1.013 g/cm <sup>3</sup> at 20 °C (68 °F)
Relative density	No data available
n) Water solubility	soluble
o) Partition coefficient: n-octanol/water	No data available
p) Autoignition temperature	Not applicable
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Metals

metal alloys

Release of:

nitrous gases

Hydrogen

increased reactivity with:

oxidisable substances

organic solvent

Alkali metals

Alkaline earth metals

alkalines

Acids

Violent reactions possible with:

The generally known reaction partners of water.

### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

Metals, metal alloys(generation of hydrogen)Metals

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Mixture

#### Acute toxicity

Acute toxicity estimate Oral - > 5,000 mg/kg

(Calculation method)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute toxicity estimate Inhalation - 4 h - 72.01 mg/l

(Calculation method)

Symptoms: Possible symptoms:, mucosal irritations

Dermal: No data available

#### Skin corrosion/irritation

Mixture causes skin irritation.

Millipore - 1.70309

Page 8 of 13



**Serious eye damage/eye irritation**

Mixture causes serious eye irritation.

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

Possible mutagen

**Carcinogenicity**

Possible carcinogen.

IARC: 1 - Group 1: Carcinogenic to humans (Cadmium nitrate)

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**Reproductive toxicity**

May harm the unborn child.

May impair fertility.

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

**Components****nitric acid****Acute toxicity**

Oral: No data available

Acute toxicity estimate Inhalation - 4 h - 2.5 mg/l  
(Expert judgment)

Dermal: No data available

**Skin corrosion/irritation**

Skin - Rabbit

Result: Causes severe burns.

Remarks: (IUCLID)

Causes poorly healing wounds.

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Causes burns.

Remarks: (IUCLID)  
Causes serious eye damage.

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

Test Type: Ames test  
Test system: Salmonella typhimurium  
Result: negative

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

**Aspiration hazard**

No data available

**Cadmium nitrate**

**Acute toxicity**

Acute toxicity estimate Oral - Not tested on animals - 100.1 mg/kg  
(Expert judgment)  
Acute toxicity estimate Inhalation - Not tested on animals - 0.051 mg/l  
(Expert judgment)  
Acute toxicity estimate Dermal - Not tested on animals - 1,100.1 mg/kg  
(Expert judgment)

**Skin corrosion/irritation**

No data available

**Serious eye damage/eye irritation**

No data available

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

May cause genetic defects.  
In vivo tests showed mutagenic effects  
Test Type: Ames test  
Test system: Salmonella typhimurium  
Result: negative  
Remarks: (in analogy to similar products)  
The value is given in analogy to the following substances: Cadmium chloride  
Test Type: comet assay  
Test system: mammalian cells  
Result: positive  
Remarks: (in analogy to similar products)  
The value is given in analogy to the following substances: cadmium sulphate

Test Type: In vitro mammalian cell gene mutation test  
Test system: mammalian cells  
Result: positive  
Remarks: (in analogy to similar products)

### **Carcinogenicity**

Carcinogenicity - May cause cancer.

Presumed to have carcinogenic potential for humans

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Chronic exposure to cadmium may cause lung and prostate cancer. Presumed to have carcinogenic potential for humans

NTP: The reference note has been added by TD based on the background information of the NTP.

OSHA: 1910.1027

### **Reproductive toxicity**

May damage the unborn child.

May damage fertility.

### **Specific target organ toxicity - single exposure**

No data available

### **Specific target organ toxicity - repeated exposure**

Oral - Causes damage to organs through prolonged or repeated exposure. - Kidney, Bone

### **Aspiration hazard**

No data available

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

#### **Mixture**

No data available

### **12.2 Persistence and degradability**

No data available

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### **12.6 Other adverse effects**

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Hazard for drinking water supplies.

Discharge into the environment must be avoided.

## Components

### nitric acid

No data available

### Cadmium nitrate

Toxicity to fish

LC50 - Pimephales promelas (fathead minnow) - 0.0132 mg/l - 96 h

Remarks: (ECOTOX Database)  
(referred to the cation)

flow-through test LC50 - Ictalurus punctatus - 4.48 mg/l - 96 h  
Remarks: (ECHA)

Toxicity to daphnia  
and other aquatic  
invertebrates

LC50 - Daphnia magna (Water flea) - 0.023 mg/l - 48 h

Remarks: (referred to the cation)  
(ECOTOX Database)

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### DOT (US)

UN number: 3264 Class: 8 Packing group: III  
Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s.  
Reportable Quantity (RQ):  
Poison Inhalation Hazard: No

### IMDG

UN number: 3264 Class: 8 Packing group: III EMS-No: F-A, S-B  
Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

### IATA

UN number: 3264 Class: 8 Packing group: III  
Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid)

---

## SECTION 15: Regulatory information

### SARA 302 Components

nitric acid

CAS-No.  
7697-37-2

Revision Date  
2007-07-01

Millipore - 1.70309

Page 12 of 13

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
nitric acid	7697-37-2	2007-07-01

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

---

## **SECTION 16: Other information**

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 8.5

Revision Date: 07/16/2021

Print Date: 09/24/2021