

Revision Date 04.11.2010

Version 12.1

# 1. Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier Catalogue No. 108800 Product name Zinc acetate dihydrate extra pure Ph Eur, USP REACH Registration Number A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses Pharmaceutical production, Cosmetic raw material For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com). 1.3 Details of the supplier of the safety data sheet Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone:+49 6151 72-0 **Responsible Department** EQ-RS \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone	Please contact the regional company representation in your country.
number	

# 2. Hazards identification

# 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) Acute toxicity, Category 4, Oral, H302 Acute aquatic toxicity, Category 1, H400 Chronic aquatic toxicity, Category 1, H410 For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC) Xn; R22 N; R50/53 For the full text of the R-phrases mentioned in this Section, see Section 16.

# 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



*Signal word* Warning

Catalogue No.108800Product nameZinc acetate dihydrate extra pure Ph Eur,USP

Hazard statements H302 Harmful if swallowed. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P262 Do not get in eyes, on skin, or on clothing. P273 Avoid release to the environment.

Reduced labelling (≤125 ml)

Hazard pictograms



*Signal word* Warning

CAS-No. 5970-45-6

## Labelling (67/548/EEC or 1999/45/EC)

Symbol(s)	Xn	Harmful
	Ν	Dangerous for the environment
R-phrase(s)	22-50/53	Harmful if swallowed. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrase(s)	24/25-61	Avoid contact with skin and eyes. Avoid release to the environment. Refer to special instructions/ Safety data sheets.
EC-No.	209-170-2	
Reduced labe	lling (≤125 ml)	
Symbol(s)	Xn	Harmful
	Ν	Dangerous for the environment
R-phrase(s)	22	Harmful if swallowed.
2.3 Other hazards		

None known.

#### 3. Composition/information on ingredients

Formula	(CH₃COO)₂Zn * 2 H₂O	C₄H₅O₄Zn * 2 H₂0 (Hill)
CAS-No.	5970-45-6	
EC-No.	209-170-2	
Molar mass	219,49 g/mol	

# 4. First aid measures

### 4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water with the eyelid held wide open. Call in ophthalmologist if necessary.

Catalogue No.	108800
Product name	Zinc acetate dihydrate extra pure Ph Eur, USP

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Cough, Diarrhoea, Vomiting, cardiovascular disorders The following applies to zinc compounds in general: only slightly absorbable via the gastrointestinal tract. Adstringent effect on mucous membranes. Metal-fume fever after inhalation of large quantities.

# 4.3 Indication of immediate medical attention and special treatment needed

No information available.

# 5. Fire-fighting measures

#### 5.1 Extinguishing media

*Suitable extinguishing media* Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

*Unsuitable extinguishing media* For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Not combustible. Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

*Special protective equipment for fire-fighters* In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

#### 6.2 Environmental precautions

Do not empty into drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7.2 and 10.5). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

Indications about waste treatment see section 13.

# 7. Handling and storage

# 7.1 Precautions for safe handling

Observe label precautions.

Catalogue No.	108800
Product name	Zinc acetate dihydrate extra pure Ph Eur,USP

#### 7.2 Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Storage temperature: no restrictions.

#### 7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

#### 8. Exposure controls/personal protection

#### 8.1 Control parameters

#### 8.2 Exposure controls

#### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

#### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

#### Hygiene measures

Change contaminated clothing. Wash hands and face after working with substance.

*Eye/face protection* Safety glasses

# Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min
-	
Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

*Other protective equipment:* protective clothing

Respiratory protection required when dusts are generated. Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

Catalogue No.	108800
Product name	Zinc acetate dihydrate extra pure Ph Eur, USP

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls Do not empty into drains.

# 9. Physical and chemical properties

9.1 Information on basic physical a	and chemical properties
Form	solid
Colour	white
Odour	weakly of acetic acid
Odour Threshold	No information available.
рН	6 - 7 at 50 g/l 20 °C
Melting point	237 °C
Boiling point/boiling range	not applicable
Flash point	not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Vapour pressure	No information available.
Relative vapour density	No information available.
Relative density	1,74 g/cm³ at 20 °C
Water solubility	430 g/l at 20 °C
Partition coefficient: n- octanol/water	No information available.
Autoignition temperature	No information available.
Decomposition temperature	> 100 °C Elimination of water of crystallisation
Viscosity, dynamic	No information available.

The Safety Data Sheets for catalogue items are available at www.merck-chemicals.com

Catalogue No. Product name	108800 Zinc acetate dihydrate extra pure Ph Eur,USP
Explosive properties	No information available.
Oxidizing properties	No information available.
9.2 Other data	
Bulk density	ca.900 kg/m³
Oxidizing properties 9.2 Other data	No information available.

# 10. Stability and reactivity

# 10.1 Reactivity

Dangerous reactions are not expected handling the product according to its intented use.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# 10.3 Possibility of hazardous reactions

no information available

# 10.4 Conditions to avoid

Strong heating.

# 10.5 Incompatible materials

no information available

# 10.6 Hazardous decomposition products

no information available

# 11. Toxicological information

### **11.1 Information on toxicological effects** *Acute oral toxicity* LD50 rat Dose: 794 mg/kg (RTECS)

(RTECS) absorption

*Acute inhalation toxicity* Symptoms: Irritations of mucous membranes, Cough

*Eye irritation* rabbit Result: slight irritation (RTECS) *Genotoxicity in vitro* Ames test Salmonella typhimurium Result: negative (Lit.) Mutagenicity (mammal cell test): chromosome aberration. Result: positive (Lit.)

Catalogue No.	108800
Product name	Zinc acetate dihydrate extra pure Ph Eur, USP

#### Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

### Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# Aspiration hazard

No aspiration toxicity classification

### 11.2 Further information

*Further information* After absorption:

Systemic effects:

Diarrhoea, Vomiting, cardiovascular disorders

After inhalation of vapours:

Lung oedema

Other information

The following applies to zinc compounds in general: only slightly absorbable via the gastrointestinal tract. Adstringent effect on mucous membranes. Metal-fume fever after inhalation of large quantities.

Further data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# 12. Ecological information

# 12.1 Toxicity

Toxicity to fish LC50 Species: Oncorhynchus mykiss (rainbow trout) Dose: 0,55 mg/l Exposure time: 96 h (anhydrous substance) (ECOTOX Database)

# 12.2 Persistence and degradability

No information available.

# 12.3 Bioaccumulative potential

No information available.

# 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

#### 12.6 Other adverse effects

*Additional ecological information* Do not allow to run into surface waters, wastewater, or soil.

Catalogue No.108800Product nameZinc acetate dihydrate extra pure Ph Eur,USP

#### 13. Disposal considerations

#### Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### 14. Transport information

### ADR/RID

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC ACETATE), 9, III

### IATA

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC ACETATE), 9, III

# IMDG

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC ACETATE), 9, III EmS F-A S-F Segregation Group: 0007 Heavy Metals and their salts (incl. their organometallic compounds)

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.

### 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<i>EU regulations</i> Major Accident Hazard Legislation	96/82/EC Dangerous for the environment 9a Quantity 1: 100 t Quantity 2: 200 t
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers.
<i>National legislation</i> Storage class VCI	10 - 13 Other liquids and solids

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

#### 16. Other information

Full text of H-Statements referred to under sections 2 and 3.		
H302 H400 H410	Harmful if swallowed. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.	
Full text of R-phrases referred to under sections 2 and 3		
R22 R50/53	Harmful if swallowed. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	

Catalogue No.	108800
Product name	Zinc acetate dihydrate extra pure Ph Eur, USP

## Training advice

Provide adequate information, instruction and training for operators.

Regional representation: This information is given on the authorised Safety Data Sheet for your country.

Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.