# Material Safety Data Sheet

1-Pentene, 97%

# ACC# 42885

Section 1 - Chemical Product and Company Identification

MSDS Name: 1-Pentene, 97% Catalog Numbers: AC268660000, AC268660010, AC268660050, AC268662500, AC268665000 Synonyms: Propylethylene; alpha-n-Amylene Company Identification: Acros Organics N.V. One Reagent Lane Fair Lawn, NJ 07410 For information in North America, call: 800-ACROS-01 For emergencies in the US, call CHEMTREC: 800-424-9300

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
109-67-1	1-PENTENE	97.0	203-694-5

Section 3 - Hazards Identification	n
------------------------------------	---

# **EMERGENCY OVERVIEW**

Appearance: clear, colorless liquid. Flash Point: -18 deg C.

**Danger! Extremely flammable liquid.** Aspiration hazard if swallowed. Can enter lungs and cause damage. May cause eye and skin irritation. May cause respiratory and digestive tract irritation. May cause central nervous system depression. **Target Organs:** Central nervous system.

#### **Potential Health Effects**

Eye: May cause eye irritation.

Skin: May cause skin irritation.

**Ingestion:** Aspiration hazard. May cause irritation of the digestive tract. Aspiration of material into the lungs may cause chemical pneumonitis, which may be fatal. Ingestion of large amounts may cause CNS depression.

**Inhalation:** Inhalation of high concentrations may cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness and coma. May cause respiratory tract irritation. Vapors may cause dizziness or suffocation. Vapors may cause dizziness, nausea, itching, burning, and swelling of the eyes. **Chronic:** None

**Eyes:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

**Skin:** Get medical aid if irritation develops or persists. Wash clothing before reuse. Flush skin with plenty of soap and water.

**Ingestion:** Do not induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Possible aspiration hazard. Get medical aid.

**Inhalation:** Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

**General Information:** Containers can build up pressure if exposed to heat and/or fire. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors can travel to a source of ignition and flash back. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Extremely flammable liquid and vapor. Vapors mixed with air can explode when ignited. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas. May polymerize explosively when involved in a fire.

**Extinguishing Media:** For small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. Use water spray to cool fire-exposed containers. Water may be ineffective. For large fires, use water spray, fog or alcohol-resistant foam. Do NOT use straight streams of water.

Flash Point: -18 deg C (-0.40 deg F) Autoignition Temperature: 275 deg C (527.00 deg F) Explosion Limits, Lower: 1.50vol% Upper: 8.70 vol % NFPA Rating: (estimated) Health: 2; Flammability: 4; Instability: 0

Section 6 - Accidental Release Measures

**General Information:** Use proper personal protective equipment as indicated in Section 8. **Spills/Leaks:** Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Use water spray to dilute spill to a non-flammable mixture. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Use a spark-proof tool. Provide ventilation. Use water spray to reduce vapors or divert vapor cloud drift.

Section 7 - Handling and Storage

**Handling:** Wash thoroughly after handling. Use with adequate ventilation. Ground and bond containers when transferring material. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Keep away from heat, sparks and flame. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames.

**Storage:** Keep away from heat, sparks, and flame. Keep away from sources of ignition. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Flammables-area. Keep refrigerated. (Store below 4°C/39°F.)

**Engineering Controls:** Use adequate ventilation to keep airborne concentrations low. **Exposure Limits** 

Chemical Name	ACGIH	NIOSH	<b>OSHA - Final PELs</b>
1-PENTENE	none listed	none listed	none listed

**OSHA Vacated PELs:** 1-PENTENE: No OSHA Vacated PELs are listed for this chemical. **Personal Protective Equipment** 

**Eyes:** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate protective gloves to prevent skin exposure.

**Clothing:** Wear appropriate protective clothing to prevent skin exposure.

**Respirators:** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

# Section 9 - Physical and Chemical Properties

Physical State: Liquid Appearance: clear, colorless Odor: disagreeable odor pH: Not available. Vapor Pressure: 700 mbar @ 20 deg C Vapor Density: 2.4 Evaporation Rate:Not available. Viscosity: Not available. Boiling Point: 30 deg C @ 760.00mm Hg Freezing/Melting Point:-165 deg C Decomposition Temperature:Not available. Solubility: Insoluble. Specific Gravity/Density:.6400g/cm3 Molecular Formula:C5H10 Molecular Weight:70.13

Section 10 - Stability and Reactivity

Chemical Stability: Stable.

**Conditions to Avoid:** High temperatures, incompatible materials, excess heat, temperatures above 30°C, mechanical shock, friction.

Incompatibilities with Other Materials: Strong oxidizing agents.

**Hazardous Decomposition Products:** Carbon monoxide, irritating and toxic fumes and gases, carbon dioxide.

Hazardous Polymerization: May occur.

Section 11 - Toxicological Information

**RTECS#:** CAS# 109-67-1: SB2179000 LD50/LC50: CAS# 109-67-1: Inhalation, mouse: LC50 = 180000 mg/m3/2H; Inhalation, rat: LC50 = 175000 mg/m3/4H;

**Carcinogenicity:** CAS# 109-67-1: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

**Epidemiology:** No information available. **Teratogenicity:** No information available. **Reproductive Effects:** No information available. **Mutagenicity:** No information available. **Neurotoxicity:** No information available. **Other Studies:** 

Section 12 - Ecological Information

**Ecotoxicity:** No data available. No information available. **Environmental:** See Dictionary of Substances and Their Effects 1992. **Physical:** No information available. **Other:** No information available.

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

**RCRA P-Series:** None listed.

**RCRA U-Series:** None listed.

Section 14 - Transport Information

	US DOT	Canada TDG
Shipping Name:	1-PENTENE	N-AMYLENE
Hazard Class:	3	3
UN Number:	UN1108	UN1108
Packing Group:	Ι	Ι
Additional Info:		FLASHPOINT -18C

# Section 15 - Regulatory Information

# **US FEDERAL**

## TSCA

CAS# 109-67-1 is listed on the TSCA inventory.

# **Health & Safety Reporting List**

None of the chemicals are on the Health & Safety Reporting List.

#### **Chemical Test Rules**

None of the chemicals in this product are under a Chemical Test Rule.

## Section 12b

None of the chemicals are listed under TSCA Section 12b.

#### **TSCA Significant New Use Rule**

None of the chemicals in this material have a SNUR under TSCA.

### **CERCLA Hazardous Substances and corresponding RQs**

None of the chemicals in this material have an RQ.

# SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPQ.

**Section 313** No chemicals are reportable under Section 313.

## **Clean Air Act:**

This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depletors.

This material does not contain any Class 2 Ozone depletors.

## **Clean Water Act:**

None of the chemicals in this product are listed as Hazardous Substances under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

## **OSHA:**

None of the chemicals in this product are considered highly hazardous by OSHA. **STATE** 

# CAS# 109-67-1 can be found on the following state right to know lists: Pennsylvania, Massachusetts.

# **California Prop 65**

California No Significant Risk Level: None of the chemicals in this product are listed.

# European/International Regulations

# European Labeling in Accordance with EC Directives Hazard Symbols:

#### F+

#### **Risk Phrases:**

R 12 Extremely flammable.

#### **Safety Phrases:**

- S 16 Keep away from sources of ignition No smoking.
- S 29 Do not empty into drains.
- S 33 Take precautionary measures against static discharges.
- S 9 Keep container in a well-ventilated place.

### **WGK (Water Danger/Protection)**

- CAS# 109-67-1: 1
- **Canada DSL/NDSL**

CAS# 109-67-1 is listed on Canada's DSL List.

### Canada - WHMIS

This product has a WHMIS classification of B2.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

## **Canadian Ingredient Disclosure List**

# Section 16 - Additional Information

#### **MSDS Creation Date:** 8/13/1998 **Revision #3 Date:** 10/03/2005

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.