

SAFETY DATA SHEET

Dimethylethanolamine

1. IDENTIFICATION OF SUBSTANCE / MIXTURE AND OF SUPPLIER

Product Identifier: Synonyms: High Purity Chemicals 2-Dimethylaminoethanol; N,N-Dimethyl-2- hydroxyethylamine; N,N-Dimethylethanolamine CAS No. 108-01-0 EINECS No. 203-542-8

Other means of identification:

Recommended use of the chemical and restrictions on use:

Supplier Details: Pharmco Products, Inc. 58 Vale Road, Brookfield, CT 06804, USA. Tel: 203.740.3471 Fax: 203.740.3481 CCN17213

Emergency Contact:

Pharmco Products, Inc. 1101 Isaac Shelby Drive, Shelbyville, KY 40065, USA. Tel: 502.232.7600 Fax: 502.633.6100 CCN17213

CHEMTREC: 1.800.424.9300 (USA) / +1.703.527.3887 (International)

2. HAZARDS IDENTIFICATION

OSHA Hazards:

Combustible liquid, Corrosive, Harmful by ingestion, Harmful by skin absorption, Target organ effect

Target Organs:

Central nervous system

NFPA



GHS label elements, including precautionary statements





Signal Word: DANGER!

Hazard statement(s)	
H226	Flammable liquid and vapor
H302 + H312	Harmful if swallowed or in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled
H335	May cause respiratory irritation.
Precautionary statement(s)	
P261	Avoid breathing dust/fumes/gas/mist/vapors.
P311	Call a POISON CENTER or doctor/ physician.
P262	Do not get in eyes, on skin, or on clothing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P303 + P361 + P353	IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P280

GHS Classification(s)

Acute Toxicity, Dermal (Category 4) Acute Toxicity, Inhalation (Category 3) Acute toxicity, Oral (Category 4) Eye damage (Category 1) Flammable Liquids (Category 3) Skin corrosion (Category 1B) Specific target organ toxicity - single exposure (Category 3)

Other hazards which do not result in classification:

Potential Health Effects:

Wear protective gloves and eye and face protection.



Organ	Description	
Eyes	Causes eye burns.	
Ingestion	Harmful if swallowed.	
Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes ar	
upper respiratory tract.		
Skin	Harmful if absorbed through skin. Causes skin burns.	

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical identity:	Dimethylethanolamine
Common name / Synonym:	2-Dimethylaminoethanol; N,N-Dimethyl-2- hydroxyethylamine;
	N,N-Dimethylethanolamine
CAS number:	108-01-0
EINECS number:	203-542-8
ICSC number:	0654
RTECS #:	KK6125000
UN #:	UN2051
EC #:	603-047-00-0

% Weight	Material	CAS
99	Dimethylethanolamine	108-01-0

4. FIRST AID MEASURES

General advice

Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Skin

Get medical aid. Immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing/shoes.

Inhalation

Remove person to fresh air. If signs/symptoms continue, get medical attention. Give oxygen or artificial respiration as needed.

Eyes

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately. Keep rinsing while in transport to hospital.

Ingestion

DO NOT induce vomiting. If vomiting does occur, have victim lean forward to prevent aspiration. Rinse mouth with water. Seek medical attention. Never give anything by mouth to an unconscious individual.



5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products): Carbon oxides and nitrogen oxides expected to be the primary hazardous combustion products.

Special protective equipment and precautions for firefighters:

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Keep unopened containers cool by spraying with water.

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Flammable Properties Classification OSHA/NFPA Class II Flammable Liquid.

Flash point 40 °C (104 °F) - closed cup Autoignition temperature 295 °C (563 °F)

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear respiratory protection. Do not inhale vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions:

Stop leak. Contain spill if possible and safe to do so. Prevent product from entering drains.

Methods and materials for containment and cleaning up:

Contain spill, then collect with an electrically protected vacuum cleaner or by wet-brushing and put the material into a convenient waste disposal container. Keep container closed.

7. HANDLING AND STORAGE

Precautions for safe handling:

Do not get on skin or in eyes. Do not inhale vapor or mist. Keep away from sources of ignition - No smoking. Take

Revision Number: 3.1

Initials: MW



measures to prevent the buildup of electrostatic charge.

Conditions for safe storage, including any incompatibilites:

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store under inert gas.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters, e.g., occupational exposure limit values or biological limit values:

Occupational Exposure Limits

Component	Source	Туре	Value	Note
Dimethylethanolamine	/		No exposure limit	

Appropriate engineering controls:

General room or local exhaust ventilation is usually required to meet exposure limit(s). Electrical equipment should be grounded and conform to applicable electrical code.

Individual protection measures, such as personal protective equipment:

Respiratory protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection:

Use chemical safety goggles and/or a full face shield where splashing is possible. Use equipment approved by appropriate government standards, such as NIOSH (US) or EN166 (EU) Maintain eye wash fountain and quick-drench facilities in work area.

Skin and body protection:

Wear impervious, flame retardant, antistatic protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Liquid. Clear. Pale yellow in color.
рН	10.5 - 11.0 at 100 g/l at 20 °C (68 °F)
Freezing point	-70 °C (-94 °F)
Initial boiling point and boiling range	133 °C (272 °F)
Flash point	40 °C (104 °F) - closed cup
Upper / Lower flammability or explosive limits	1.4% (V) / 12.2% (V)
Vapor pressure	8.16 hPa (6.12 mmHg) at 20 °C (68 °F)
Vapor Density	3.1
Relative Density	0.886 g/cm3 at 20 °C (68 °F)
Solubility(ies)	soluble
Auto-ignition temperature	295 °C (563 °F)
Formula (DIMETHYLETHANOLAMINE)	C4H11NO
Molecular Weight (DIMETHYLETHANOLAMINE)	89.14 g/mol

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended storage conditions.	
Possibility of hazardous reactions	No data available	
Conditions to avoid (e.g., static discharge, shock or vibration)	Heat, flames, and sparks.	
Incompatible materials	Oxidizing agents, Copper, Zinc, Iron, acids	
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions Carbon oxides, nitrogen oxides	

11. TOXICOLOGICAL INFORMATION

• Dimethylethanolamine 108-01-0

Product Summary:

No data available for the mutagenic, teratogenic, or reproductive effects of the product.

Acute Toxicity:

LC50 (Inhalation)	Rat	1,641 ppm	4 hours
LD50 (Dermal)	Rabbit	1,214 mg/kg	
LD50 (Oral)	Rat	2,000 mg/kg	

Irritation:

Eyes

Human - severe eye irritation

Skin

Human - severe skin irritation



Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Other Hazards

Organ	Description	
Eyes	Causes eye burns.	
Ingestion	Harmful if ingested.	
Inhalation	May be harmful if inhaled. Material is extremely damaging to the upper respiratory tract.	
Skin	Harmful if absorbed through skin. Causes skin burns.	

12. ECOLOGICAL INFORMATION

• Dimethylethanolamine 108-01-0

Ecotoxicity (aquatic and terrestrial, where available):

Acute Fish Toxicity (DIMETHYLETHANOLAMINE)

LC50 / 96 hours Golden Orfe - 100-200 mg/L

Toxicity to Daphnia (DIMETHYLETHANOLAMINE)

EC50 / 48 hours Water flea - 98 mg/L

Persistence and degradability:

No data available

Bioaccumulative potential:

No data available

13. DISPOSAL CONSIDERATIONS

SDS: 239



Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

Description of waste residues and information on their safe handling and methods of disposal:

UN number	UN2051
UN proper shipping name	2-Dimethylaminoethanol
Transport hazard class(es)	8 (3)
Packing group (if applicable)	II

IMDG

UN-Number: UN2051 Class: 8 (3) Packing Group: II EMS-No: F-E, S-C Proper shipping name: 2-DIMETHYLAMINOETHANOL Marine pollutant: No IATA UN-Number: UN2051 Class: 8 (3) Packing Group: II Proper shipping name: 2-Dimethylaminoethanol

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question:

OSHA Hazards

Combustible liquid, Corrosive, Harmful by ingestion, Harmful by skin absorption, Target organ effect

All ingredients are on the following inventories or are exempted from listing

Country	Notification
Australia	AICS
Canada	DSL
China	IECS
European Union	EINECS
Japan	ENCS/ISHL
Korea	ECL
New Zealand	NZIOC
Philippines	PICCS
United States of America	TSCA

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.



SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard Chronic Health Hazard Fire Hazard

CERCLA

No chemicals in this material with known CAS numbers are subject to the reporting requirements of CERCLA

Massachusetts Right To Know Components

2-Dimethylaminoethanol CAS-No. 108-01-0 Revision Date 1993-04-24

Pennsylvania Right To Know Components

2-Dimethylaminoethanol CAS-No. 108-01-0 Revision Date 1993-04-24

New Jersey Right To Know Components

2-Dimethylaminoethanol CAS-No. 108-01-0 Revision Date 1993-04-24

California Prop 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION: INCLUDING INFORMATION ON PREPARATION AND REVISION OF THE SDS

Disclaimer

PHARMCO-AAPER believes that the information on this SDS was obtained from reliable sources. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, PHARMCO-AAPER does not assume responsibility and expressly disclaims liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS

Initials: MW



information may not be applicable. Information is correct to the best of our knowledge at the date of the SDS publication.