according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.14.2014 Page 1 of 8

Sodium Nitrate

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Sodium Nitrate

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: \$25558A

Recommended uses of the product and restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific, Inc 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Supplier Details:

Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (724)517-1954

Emergency telephone number:

Fisher Science Education

Emergency Telephone No.: 800-535-5053

SECTION 2: Hazards identification

Classification of the substance or mixture:



Oxidizing

Oxidizing solids, category 2



Irritant

Eye irritation, category 2A

Eye Irritation 2.

HNOC: Combustible Dust.

Oxidizing Solid 2.

Signal word: Danger

Hazard statements:

May intensify fire; oxidizer. Causes serious eye irritation.

Precautionary statements:

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep wetted with

Wash ... thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not eat, drink or smoke when using this product.

In case of fire: Use ... for extinction.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.


Effective date: 12.14.2014 Page 2 of 8

Sodium Nitrate

Continue rinsing.

If eye irritation persists get medical advice/attention.

Other Non-GHS Classification:



SECTION 3: Composition/information on ingredients

Ingredients:				
CAS 7631-99-4	Sodium Nitrate	>95 %		
		Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position. If breathing difficult, give oxygen. Remove to fresh air. Give artificial respiration if necessary. Seek immediate medical attention or advice.

After skin contact:

Rinse area with water for 10-15 minutes. Seek immediate medical attention or advice.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned. Seek immediate medical attention or advice.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Seek immediate medical attention or advice. Have exposed individual drink sips of water or milk.

Most important symptoms and effects, both acute and delayed:

Nausea. Headache. Shortness of breath. Redness, tearing. Pain. Irritation, all routes of exposure. Prolonged exposure can lead to methemoglobinemia.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.14.2014 Page 3 of 8

Sodium Nitrate

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Note to physician: Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Advice for firefighters:

Protective equipment:

Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible. Use spark-proof tools and explosion-proof equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Transfer to a disposal or recovery container. Avoid contact with skin and eyes, and clothing. Use spark-proof tools and explosion-proof equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13. Do not allow this material to enter the environment.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Clean up spills immediately. Always obey local regulations.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Minimize dust generation and accumulation. Wash hands after handling. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid generation of dust or fine particulate. Avoid contact with eyes, skin, and clothing.

Effective date: 12.14.2014 Page 4 of 8

Sodium Nitrate

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Avoid storage on wood floors. Provide ventilation for containers. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly sealed. Store away from combustible materials. Protect from freezing and physical damage. Keep away from sources of ignition. Store protected from moisture and direct sunlight.

SECTION 8: Exposure controls/personal protection





Control Parameters: No applicable occupational exposure limits.

Appropriate Engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a fume hood. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into

the work area (i.e., there is no leakage from the equipment).

Respiratory protection: Not required under normal conditions of use. Use suitable respiratory

protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills,

respiratory protection may be advisable.

Protection of skin: The glove material has to be impermeable and resistant to the product/

the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation.

Eye protection: Safety glasses with side shields or goggles.

General hygienic measures: The usual precautionary measures are to be adhered to when handling

chemicals. Keep away from food, beverages and feed sources.

Immediately remove all soiled and contaminated clothing. Wash hands

before breaks and at the end of work. Do not inhale

gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and

skin.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):		•	Not determined Not determined
Odor:	Odorless	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	5.5-8 5% aq. solution	Relative density:	Not determined
Melting/Freezing point:	306 C / 582.8 F	Solubilities:	Soluble in water.
Boiling point/Boiling range:	13801 //16 =	Partition coefficient (noctanol/water):	Not determined

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.14.2014 Page 5 of 8

Sodium Nitrate

Flash point (closed cup):	INIAT AETERMINEA	Auto/Self-ignition temperature:	Not determined
Evaporation rate:		Decomposition temperature:	380 C
Flammability (solid, gaseous):	Not determined	Wiccocity	a. Kinematic: Not determined b. Dynamic: Not determined
IDensity at 20°C	Not determined Specific Gravity:2.2600 g/cm3		

SECTION 10: Stability and reactivity

Reactivity:

:Oxidizer: Contact with combustible/organic material may cause fire.

Chemical stability:

No decomposition if used and stored according to specifications.

Possible hazardous reactions:

This material is an oxidizer; it greatly increases the burning rate of combustible materials. Reacts with acids to emit toxic nitrogen dioxide fumes. Contact with incompatibles may cause an explosion.

Conditions to avoid:

Combustible materials. Incompatible materials. Dust generation. Excess heat. Exposure to moist air or water.

Incompatible materials:

Strong acids. Fibrous organic material (jute, wood, paper, etc.) can become highly combustible by nitrate impregnation. Reducing agents, finely powdered metals, combustible materials, easily oxidizing materials, organic materials. :Reacts with acids to emit toxic nitrogen dioxide fumes. Strong bases. Boron phosphide. Cyanides. Barium rhodanide. Sodium thiosulfate. Sodium hypophosphite. Sulfur plus charcoal. Powdered aluminum and aluminum oxide.

Hazardous decomposition products:

Carbon oxides (CO, CO2). Nitrogen oxides (NOx). sodium oxides.

SECTION 11: Toxicological information

Acute Toxicity:

Oral:

1267 mg/kg LD50 (rat)

Chronic Toxicity: No additional information.

Corrosion Irritation:

Ocular:

Section 2 Classified as an eye irritant **Sensitization**: No additional information.

Numerical Measures: No additional information.

Carcinogenicity:

May cause cancer. : Tumorigenic effects have been reported in experimental animals.

Mutagenicity: No additional information.

Reproductive Toxicity:

Experiments have shown reproductive toxicity effects on laboratory animals.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.14.2014 Page 6 of 8

Sodium Nitrate

SECTION 12: Ecological information

Ecotoxicity:

Fish: LC50 (96h) L. macrochius: 2000 mg/L Fish: LC50 (96h) O. mykiss: 994.4-1107 mg/L

Persistence and degradability:

Readily degradable in the environment.

Bioaccumulative potential: No additional information.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product. Dilute with water and flush to sewer if regulations allow.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA 1498

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Sodium Nitrate.

Hazard Class: 5

Packing Group: III.

Proper shipping Name: Sodium Nitrate.

Hazard Class: 5

Packing Group: III.

Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

additional information.

Comments: None

additional information.

Comments: None





SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Reactive, Acute

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.14.2014 Page 7 of 8

Sodium Nitrate

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 1%):

7631-99-4 Sodium nitrate.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

PNEC Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA).

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA Resource Conservation and Recovery Act (USA).

TSCA Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.14.2014 Page 8 of 8

Sodium Nitrate

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists.

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).

Effective date: 12.14.2014 **Last updated**: 06.17.2015